HAND CHAIN HOISTS &



CM Cyclone Hand Chain Hoist

Features superior engineering, efficiency and durability and is considered one of the most popular and reliable hand chain hoists ever designed. FOB Shipping Point.

- Standard load limiter for overload protection.
- · Weston-style brake for positive load control.
- for greater lift with minimum effort.
- Rugged chain for added strength and durability.



10000000

Ċ

Ç

¢

ç

H5623A

				IN THE USH			- 4	A 6
		CN	A CYCL	ONE HAN	D CHAIN H	IOIST		
Product No.	Cap. (tons)	Lift Height	Wt. (lbs.)	Price Ea. L	Hand & oad Chain	Load Chain Only	Hand Chain Only	
H4621	1/4	10'	37	\$923.60	\$28.60	\$14.75	\$13.85	A
H4622	1/2	10'	37	923.60	28.60	14.75	13.85	4
H4624	1	10'	40	987.75	31.40	17.55	13.85	0
H4625	1½	10'	65	1,457.32	34.18	20.33	13.85	X
H4626	2	10'	70	1,662.66	34.18	20.33	13.85	9
H4627	3	10'	96	2,290.46	54.47	40.63	13.85	6
H4628	4	10'	103	2,725.58	54.47	40.63	13.85	8
H4629	5	10'	138	3,243.01	74.79	60.94	13.85	0
H4630	6	10'	132	3,266.53	74.79	60.94	13.85	Å
H4631	8	10'	235	4,927.38	95.08	81.23	13.85	
H4632	10	10'	249	5,310.94	115.39	101.55	13.85	H4621

Standard hand chain is 2 ft. less than lift. Additional lifts available.



The Hurricane's patented chain cover rotates a full 360 degrees, allowing loads to be lifted, positioned or pulled from virtually any angle - even in confined spaces. FOB Shipping Point.

- Rotating hand chain cover allows the chain to rotate a full 360 degrees for safe & efficient . In tight spaces. operation from any direction.
- Weston-style braking system provides positive load control.
- Standard load limiter provides simple, automatic overload protection to prevent injuries.
- Rugged and durable for long life.
- Easy to maintain.

OPERATE FROM

- VIRTUALLY ANY ANGLE:
- From above the load.
 - For drifting applications. • To maintain safe distance from load or hazards.

	Cap. (tons)	CM Lift Height	HURRI Wt. (lbs.)	CANE HA Price Ea.	ND CHAIN H Hand & Load Chain	Load	Hand Chain Only
H5623A H5624A H5625A H5626A	½ ½ ½ 1	10' 15' 20' 10'	18.5 28 29.3 26.5	\$267.40 330.82 391.68 304.26		\$6.13 6.13 6.13 6.99	\$8.75 8.75 8.75 8.75 8.75
H5627A H5628A H5629A	1 1 2	15' 20' 10'	37 39.7 42.1	373.68 443.11 473.11	15.74 15.74 17.50	6.99 6.99 8.75	8.75 8.75 8.75
H5630A H5631A Standard	2 2 hand	15' 20' chain is 2	57 60.4 2' less f	550.25 625.66 than lift. <i>A</i>	17.50 17.50 Additional lift	8.75 8.75 s available.	8.75 8.75

CM Series 622 **Hand Chain Hoist**

Features a simple, efficient and economical design. Its compact design, low headroom and lightweight steel construction makes this hoist easy to install, even in confined spaces. FOB Shipping Point.

- Hardened load chain for flexibility and long wear. • Hand wheel cover with
- guide slots minimizes jamming and slipping.
- Easy to maintain.
- for positive load control.

Weston-style brake

-year warranty.

•	rorged swiver nooks with
	latches reduce twisting of chai
	and unintentional unhooking.
	One-year warranty

CM SERIES 622 HAND CHAIN HOIST Product Cap. (tons) Lift Wt. Price No. Height (lbs.) Ea. \$136.60 155.59 H2255 10 18 1/2 H2256 10' 26 H2258 2 10' 61 313.90 ĩ 1Õ' 85 384.46 H2259 10' 01 643.26 H2260

Standard hand chain is 2' less than lift. Additional lifts available.

CM Series 633 Wide Range Trolley

Features a simple, rugged design built for trouble-free service and ease of operation across a wide range of beam applications. FOB Shipping Point.

- For use with hook-
- suspended hoists.
- Rugged steel construction. • Hardened wheels and
- axles for added strength and durability.
- Easy rolling on American standard shapes, wide flange shapes or patented rail. Easily adjusts to a
- wide range of beams. • One-vear warranty.
- H3302

H2255

HCBT(P)-0100

CM SERIES 633 WIDE RANGE TROLLEY

	RANGE OF ADJUSTMENT									
Product No.	Cap. (tons)	Beam Height	Flange Width	Wt. (lbs.)	Price Ea.					
H3302	1/2	3-15"	2½ - 5%"	17	\$185.44					
H3304	I	5-24"	3 - 8"	36	218.02					
H3306	2	6-24"	3% - 8"	53	364.56					
H3307	3	8-24"	4 - 8"	100	619.65					
H3309	5	10-24"	4% - 8"	179	936.27					

CM Series CBTP Plain Trolley

Features steel wrap around side plates, dual tread wheels and lifetime lubricated shielded ball bearings. This smooth rolling, versatile & reliable trolley is an economical choice. FOB Shipping Point.

- For use with hook-
- suspended hoists. Designed to provide
- superior performance and long, efficient service.

5

10 - 24

- Easily adjusts to a
- Dual wheel tread wheels will fit either tapered or flat beam flange within range of adjustment.

130

825.90



EN 1 a K

PERMANENT LIFT MAGNETS



XPL Series

• Powerful rare earth magnets.

• Handles wide range of diameters on round materials.

Manually operated rare earth permanent lift magnets offer high capacity and versatility for their size and cost. Extremely easy to operate, these magnets are capable of handling flat and round material. Six models with capacities up to 5,000 lbs. on flat and 3,700 lbs. on round materials. Easy to rotate handle with no backlash. Manual ON and OFF. No power supply required. FOB Shipping Point.

	XPL SERIES								
Product	Flat Max.	Round Max.	Size	Wt.	Price				
No.	Cap. (lbs.)	Cap. (lbs.)	L x W x H	(lbs.)	Ea.				
HXPL-4/3	400	300	$\begin{array}{c} 3\% \times 4 \times 4^{1}\%'' \\ 4\% \times 6\% \times 4^{11}\%'' \\ 5\% \times 7\% \times 7\%'' \\ 5\% \times 7\% \times 5\%'' \\ 5\% \times 9\% \times 6\%'' \\ 5\% \times 10\% \times 7^{1}\%'' \\ 6\% \times 13\% \times 9\%'' \end{array}$	16	\$644.00				
HXPL-8/6	800	600		33	1,029.00				
HXPL-15/9	1,500	900		55	1,223.00				
HXPL-24/16	2,400	1,600		88	1,414.00				
HXPL-30/24	3,000	2,400		111	2,190.00				
HXPL-50/40	5,000	3,700		212	3,552.00				



RPL Series

• Super compact.

• Handle multiple operations with same magnet.

Lift, move or position round or flat materials with the same magnet. Super compact rare earth SafeHold[®] RPL Series manually operated permanent lift magnets offer the flexibility to handle multiple operations. Five models with capacities up to 7,000 lbs. on flat and 1,750 lbs. on round materials. Locking mechanism built into handle for one hand operation. Manual ON and OFF. No power supply required. FOB Shipping Point.

	RPL SERIES							
Product No.	Flat Max. Cap. (lbs.)	Round Max. Cap. (lbs.)	Size L x W x H	Wt. (lbs.)	Price Ea.			
HRPL-3	300	150	3% x 2½ x 2%	7	\$252.00			
HRPL-11	1,100	550	6¾ x 3½ x 3½"	22	518.00			
HRPL-22	2,200	1,100	9 ¹ % x 4 ¹ 3% x 4%"	53	860.00			
HRPL-35	3,500	1,750	10 ⁵ % x 6 ¹⁵ % x 6 ¹³ / ₃₂ "	110	1,652.00			
HRPL-70	7,000	í -	14 ⁷ / ₈ x 9 ⁷ / ₃₂ x 8 ¹¹ / ₃₂ "	276	3,156.00			

LIFT MAGNET GUIDELINES:

Surface Condition: Magnet face and load surface must be clean and smooth. Capacity ratings listed are on flat, clean and polished steel plate with magnet face in full contact with the load surface. Point, coatings, scale or other materials between the load surface and the magnet will adversely affect the holding power of the magnet.

Material Thickness: Lifting capacity is lower on thinner materials. Contact dealer for more capacity information.

<u>Material Composition:</u> Magnet capacity is based on lifting low carbon steel. Other materials may reduce lifting capacity.

Load Size and Position: Thin sheets, rough and irregular surfaces, odd shapes and scale all affect holding power adversely and must be considered in establishing a safety factor. The magnet must be positioned on the load center of gravity. Tilted or unbalanced loads significantly affect the holding power of the magnet.

Capacity: Maximum attractive force is approximately twice the rated lifting capacity. Capacity ratings listed are on flat, clean and polished steel plate with magnet face in full contact with the load surface. The above factors should be taken into account when determining appropriated safety factors for a given load. A minimum of 2 to 1 safety factor must be applied based on the actual breakaway force for a given load. Refer to ASME Standard B30.20 for inspection and operating procedures of Close Proximity Operated Lifting Magnets and read Manufacturers' Operating Manual before using magnet.



APL Series

• Hands free activation.

• Great for use where operator access is limited.

Permanent magnets that turn on and off automatically without having to manually release the magnet. The APL Series is ideal for loading and unloading steel sheets from burn tables and anywhere that limits operator access. Crane activated ON/OFF mechanism. No manual-magnet activation required. Handle flat materials with ease and hands free activation. Four models with capacities up to 5,800 lbs. on flat material. No power supply required. FOB Shipping Point.

Product No.	Flat Max. Cap. (lbs.)	APL SERIES Size L x W x H	Wt. (Ibs.)	Price Ea.
HAPL-150	900	10% x 9% x 17%"	167	\$2,971.00
HAPL-152 HAPL-154	1,650 3,600	10 ¹ % ₆ x 12 x 21½" 17¼ x 12 x 22¼"	291 463	3,352.00 4,140.00
HAPL-156	5,800	23 x 13 ¹⁵ / ₁₆ x 23 ¹ / ₈ "	727	5,143.00



EPL Series

• Highest rated capacity permanent lift magnet on the market.

• Easy to use.

EPL Series permanent lift magnets can lift and transfer steel and iron without slings, hooks or cables. Make quick work of difficult time consuming steel handling. Highest rated capacity permanent lift magnet on the market. Handle flat materials with ease. Four models with capacities up to 10,000 lbs. on flat material. Easy to rotate handle with no backlash. Manual ON and OFF. No power supply required. FOB Shipping Point.

Product No.	Flat Max. Cap. (Ibs.)	EPL SERIES Size L x W x H	Wt. (Ibs.)	Price Ea.
HEPL-121	650	2% x 9½ x 7½"	37	\$936.00
HEPL-154	4,000	11‰ x 12 x 9"	225	2,002.00
HEPL-157	7,500	20 x 12 x 9"	400	3,839.00
HEPL-197	10,000	21% x 14 x 10%"	640	6,123.00

CONVEYOR ROLLERS



Conveyor Rollers

• Corrosion resistant and cost effective.

Great for corrosion resistant and wash down applications, PVC conveyor rollers are a cost effective alternative. Choose from a variety of bearing capacities and roller diameters for your specific application. Stainless steel rollers with all stainless steel bearings are perfect for heavier applications. FOB Shipping Point.

Product	CONVEYOR ROLLERS Product O.D. Axle Wt. Price Max Price Per									
	Tubing	Gauge	Size	(lbs.)	For 8"	Length	Add'l. Inch			
	PVC TU	JBE W/DE	LRIN RESIN	BEARIN	IGS	•				
	.840"	0.145"	1/4" RD	.85	\$12.90	22"	\$0.30			
H1.18PVC.25SS	1.18"	0.145"	1/4" RD	1	11.70	24"	0.40			
H1.18PVC.3125SS	1.18"	0.145"	%₀" HEX	1.3	13.70	24"	0.40			
	1.375"	0.145"	1/4" RD	1.4	13.95	24"	0.50			
	1.375"	0.145"	%₀" HEX	1.5	14.85	24"	0.50			
	1.375"	0.145"	%₀" HEX	2.7	15.95	30"	0.50			
H1.9PVC.25SS	1.9"	0.145"	1⁄4" RD	2.9	13.60	36"	0.55			
H1.9PVC.3125SS	1.9"	0.145"	‰" HEX	3	14.50	36"	0.55			
H1.9PVC.4375SS	1.9"	0.145"	%₀" HEX	3.75	15.50	36"	0.55			
STAINLESS STEEL TUBE W/SS BEARINGS										
H1.9SS.4375SS	1.9"	16"	‰ " HEX	5.75	36.65	36"	0.95			

Extruded Aluminum Conveyors

• Available with PVC or Stainless steel rollers.

For high visibility applications, extruded aluminum conveyors are the perfect answer. These aesthetically pleasing conveyors are available with PVC or Stainless steel rollers and in a variety of widths and lengths. FOB Shipping Point.

	EXTRUDED	ALUMINUM	CONVEYORS		
Product		14.00 141	Roller	Wt.	Price
No.	Length	Width	Centers	(lbs.)	Ea.
HEAC-12-2.16-5	5'-0"	12" BF	2.16"	70	\$705.00
HEAC-12-4.32-5	5'-0"	12" BF	4.32"	42	550.00
HEAC-12-6.48-5	5'-0"	12" BF	6.48"	34	500.00
HEAC-12-2.16-10	10'-0"	12" BF	2.16"	134	1,290.00
HEAC-12-4.32-10	10'-0"	12" BF	4.32"	78	1,000.00
HEAC-12-6.48-10	10'-0"	12" BF	6.48"	60	910.00
HEAC-18-2.16-5	5'-0"	18" BF	2.16"	35	755.00
HEAC-18-4.32-5	5'-0"	18" BF	4.32"	45	570.00
HEAC-18-6.48-5	5'-0"	18" BF	6.48"	35	535.00
HEAC-18-2.16-10	10'-0"	18" BF	2.16"	140	1,375.00
HEAC-18-4.32-10	10'-0"	18" BF	4.32"	81	1,040.00
HEAC-18-6.48-10	10'-0"	18" BF	6.48"	62	975.00
HEAC-24-2.16-5	5'-0"	24" BF	2.16"	76	800.00
HEAC-24-4.32-5	5'-0"	24" BF	4.32"	45	615.00
HEAC-24-6.48-5	5'-0"	24" BF	6.48"	36	545.00
HEAC-24-2.16-10	10'-0"	24" BF	2.16"	145	1,456.00
HEAC-24-4.32-10	10'-0"	24" BF	4.32"	85	1,120.00
HEAC-24-6.48-10	10'-0"	24" BF	6.48"	68	995.00

Pr





Product	Adj.	Wt.	Price
No.	Height	(Ibs.)	Ea.
HEAC-SUPPORT	20" - 37"	13	\$188.00



Stainless Steel Conveyors

• For wash down or corrosive applications.

Stainless Steel Conveyors are a good solution for wash down or corrosive applications. These heavy duty conveyors are available with 1.9" dia. stainless steel rollers with heavy duty stainless steel bearings and in a variety of widths and lengths. FOB Shipping Point.

STAINLESS STEEL CONVEYORS									
roduct No.	Length	Width	Roller Centers	Wt. (Ibs.)	Price Ea.				
S-12-3-5	5'-0"	12" BF	3"	140	\$1,135.00				
S-12-6-5	5'-0"	12" BF	6"	95	795.00				
5S-12-3-10	10'-0"	12" BF	3"	245	2,040.00				
5S-12-6-10	10'-0"	12" BF	6"	200	1,365.00				
S-18-3-5	5'-0"	18" BF	3"	145	1,310.00				
S-18-6-5	5'-0"	18" BF	6"	100	900.00				
S-18-3-10	10'-0"	18" BF	3"	255	2,390.00				
S-18-6-10	10'-0"	18" BF	6"	215	1,540.00				
S-24-3-5	5'-0"	24" BF	3"	1 <i>5</i> 0	1,350.00				
S-24-6-5	5'-0"	24" BF	6"	110	905.00				
S-24-3-10	10'-0"	24" BF	3"	265	2,470.00 1,575.00				
S-24-6-10	10'-0"	24" BF	6"	230					
S-30-3-5	5'-0"	30" BF	3"	155	1,520.00				
S-30-6-5	5'-0"	30" BF	6"	115					
S-30-3-10	10'-0"	30" BF	3"	275	2,680.00				
S-30-6-10	10'-0"	30" BF	6"	245	1,750.00				
			200						

Stainless Steel Supports

Stainless steel supports are available in a variety of widths and elevations. FOB Shipping Point.




\$215 Minimum Order

TRANSFER EQUIPMENT

Swing Stick Extension

• Packages glide easily over smooth rolling balls.

5' rigid frame aluminum Swing Stick with 3" axle centers attaches to the end of either of these conveyors. It can extend up into truck beds making loading and unloading fast and more efficient. When it is not in use, it nests on top of the conveyor. FOB Shipping Point.



Length	Width	SWING Wheels Per Axle	Cap.	EXTENSION Product No.	Wt. (lbs.)	Price Ea.
5'	14"	6	275	HSTK-145	45	\$284.40
5'	18"	6	275	HSTK-185	48	298.80
5'	24"	9	275	HSTK-245	56	378.00

Accordian Expandable Conveyor

• Expands, contracts, twists and turns to provide flexible conveyor use.

• Sets up in seconds, folds up for space-saving storage.

Expands to 4 times its length. Twists around corners and obstructions. Sections bend in either direction around a 21" radius. Rolls on long wearing 5" x 1½" rubber swivel casters with foot locks. Heavy duty tie rods. Height adjusts from 28" to 44". Includes 1 box stop and 1 set of hook couplers per unit. FOB Shipping Point.

		_	_					XPANDABLE C					
		Cap.	Leg	Wheels		LON WHEE			PLASTIC WHEEI				
Adj.	Mart Jul.	(lbs.)	Sets	Per	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price
2' - 8'	Width 14"	Per Ft. 226	Per Unit	Axle	No. H214-8N	(lbs.) 130	Ea. \$703.80	No. H214-8P	(lbs.) 130	Ea. \$714.60	No. H214-85	(lbs.) 150	Ea. \$775.80
3' - 12'	14	226	4	6	H214-01N	165	907.20	H214-0P	165	903.60	H214-05	190	1,011.60
4' - 16'	14"	226	5	ĕ	H214-16N	210	1,140.00	H214-16P	210	1,162.80	H214-16S	240	1,244,40
5' - 20'	14"	226	6	6	H214-20N	245	1,309.80	H214-20P	245	1,347.00	H214-20S	280	1 412 40
6' - 24'	14"	226	7	6	H214-24N	280	1,525.20	H214-24P	280	1,542.00	H214-24S	320	1,634.40 2,016.00 2,239.80 2,439.00
7' - 28'	14"	226	8	6	H214-28N	350	1,801.80	H214-28P	350	1,860.60	H214-28S	400	2,016.00
8' - 32'	14"	226	9	6	H214-32N H214-36N	385	1,912.80	H214-32P H214-36P	385 430	1,980.60	H214-325	440	2,239.80
9 - 36' 10' - 40'	14" 14"	226 226	10	6	H214-36N H214-40N	430	2,127.00	H214-36P	430	2,200.80	H214-365 H214-405	490	2,439.00 2,611.80
10' - 40' 2' - 8'	14" 18"	226	11	6	H214-40N H218-8N	465 150	2,317.20 714.60	H214-40P H218-8P	465 150	2,397.60 769.20	H214-405 H218-85	530 170	825.00
2 - 0 3' - 12'	18"	226	3	6	H218-12N	195	996.60	H218-12P	195	1,024.80	H218-12S	220	1 113 60
4' - 16'	18"	226	5	6	H218-16N	250	1,233.60	H218-16P	250	1,265.40	H218-165	280	1,113.60 1,374.00
5' - 20'	18"	226	6	ĕ	H218-20N	290	1,455.00	H218-20P	290 330	1,548.00	H218-205	330	1,602.00 1,849.80
6' - 24	18"	226	7	6	H218-24N	335	1,455.00 1,672.80	H218-20P H218-24P	330	1,757.40	H218-205 H218-245	380	1,849.80
7' - 28'	18"	226	8	6	H218-28N	415	1,996.80	H218-28P	415	2,077.20	H218-28S	470	2,210.40 2,459.40
8' - 32'	18"	226	9	6	H218-32N	455	2,210.40	H218-32P	455	2,280.00	H218-325	520	2,459.40
9 - 36'	18"	226	10	6	H218-36N	500	2,437.20	H218-36P	500	2,514.00	H218-365	570	2,712.00
10' - 40'	18" 18"	226	11	6	H218-40N	555	2,629.20	H218-40P	555 595	2,708.40	H218-405	635	2,926.20
11' - 44' 12' - 48'	18"	226 226	12 13	6	H218-44N H218-48N	595 660	2,853.00 3,075.60	H218-44P H218-48P	595 660	2,941.20 3,173.40	H218-445 H218-485	680 750	3,182.40 3,423.60
13' - 52'	18"	226	13	6	H218-52N	720	3,273.00	H218-52P	720	3,378.60	H218-52S	820	3,423.00
14' - 56'	18"	226	15	6	H218-56N	760	3,586.80	H218-56P	860	3,742.20	H218-56S	870	4 008 60
15' - 60'	18"	226	16	ĕ	H218-60N	800	3,808.80	H218-60P	800	3,934.20	H218-60S	920	4,154,40
2' - 8'	24"	226	3	8	H224-8N	175	811.80	H224-8P	175	834.00	H224-85	200	3,651.60 4,008.60 4,154.40 903.00
3' - 12'	24"	226	4	8	H224-12N	230	1,065.00	H224-12P	230	1,082.40	H224-125	260	1,182.00 1,491.00 1,759.20 2,026.20 2,412.00 2,736.60 2,965.20
4' - 16'	24"	226	5	8	H224-16N	295	1,344.00	H224-16P	295	1,404.00	H224-165	335	1,491.00
5' - 20'	24"	226	67	8	H224-20N	350	1,579.80	H224-20P	350	1,633.20	H224-205	400	1,759.20
6' - 24' 7' - 28'	24"	226 226	8	8 8	H224-24N H224-28N	400	1,825.20	H224-24P H224-28P	400	1,933.20	H224-24S H224-28S	460	2,026.20
8' - 32'	24" 24"	226	8	8	H224-28N H224-32N	495 545	2,157.00 2,394.00	H224-28P H224-32P	495 545	2,241.00 2,491.20	H224-285 H224-325	565 620	2,412.00
9 - 36'	24"	226	10	8	H224-32N	545	2,637.60	H224-32P	595	2,491.20	H224-325	680	2,730.00
10' - 40'	24"	226	11	8	H224-30N	665	2,859.60	H224-30P	665	2,971.80	H224-305	760	3,267.60
11' - 44'	24"	226	12	8	H224-44N	715	3,099.00	H224-44P	715	3,223.80	H224-403	820	3,551.40
12' - 48'	24"	226	13	8	H224-48N	790	3,425.40	H224-48P	790	3,564.00	H224-485	900	3,839.40
13' - 52'	24"	226	14	8	H224-52N	860	3,690.60	H224-52P	860	3,771.60	H224-52S	985	4,123.20
14' - 56'	24"	226	15	8	H224-56N	910	3,846.00	H224-56P	910	3,994.20	H224-56S	1040	4,401.60
15' - 60'	24"	226	16	8	H224-60N	965	4,075.20	H224-60P	965	4,246.80	H224-60S	1100	4,677.60

Heavy Duty Accordian Wheel Conveyor

• Features double cross braces and double wall inner leg supports.

• 7 ga. side links with black epoxy finish.

• 275 lb. load capacity per lineal foot when fully extended. 28"- 36" height adjustment. FOB Shipping Point.

HEAVY DUTY ACCORDIAN EXPANDABLE CONVEYOR Cap. Legs Wheels NYLON WHEELS PLASTIC WHEELS STEEL WHEELS													
Width	Adj. Length	(lbs.) Per Foot	Sets Per Unit	Per Axle	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (Ibs.)	Price Ea.
18" 18"	3'7"-12'2" 6'8"-23'2"	275 275	4	6	H418-12N H418-24N	220 380	\$1,171.80 1,996.20	H418-12P H418-24P	220 380	\$1,241.40 2,128.80	H418-12S H418-24S	275 475	\$1,303.80 2,215.20
18"	10'3"-35'4"	275	10	6	H418-36N	575	3,003.00	H418-36P	575	3,109.80	H418-36S	718	3,309.00
18" 18"	14'4"-49'5" 17'5"-60'5"	275 275	14 17	6 6	H418-48N H418-60N	820 980	4,209.60 4,826.40	H418-48P H418-60P	820 980	4,315.20 4,996.20	H418-48S H418-60S	1025 1225	4,597.20 5,272.80
24" 24"	3'7"-12'2" 6'8"-23'2"	275 275	$\frac{4}{7}$	9	H424-12N H424-24N	255 450	1,423.80 2,397.60	H424-12P H424-24P	255 450	1,503.60 2,515.20	H424-12S H424-24S	318 562	1,587.00 2,685.60
24"	10'3"-35'4"	275	10	9	H424-24N	675	3,586.80	H424-24P	675	3,770.40	H424-36S	844	4,014.60
24" 24"	14'4"-49'5" 17'5"-60'5"	275 275	14 17	9 9	H424-48N H424-60N	960 1155	4,828.20 5,718.60	H424-48P H424-60P	960 1155	5,078.40 6,079.20	H424-48S H424-60S	1200 1444	5,400.00 6,403.80
30"	3'7"-12'2"	275	4	12	H430-12N	300	1,620.00	H430-12P	300	1,585.80	H430-12S	375	1,654.80
30" 30"	6'8"-23'2" 10'3"-35'4"	275 275	10	12 12	H430-24N H430-36N	525 790	2,758.20 4,092.00	H430-24P H430-36P	525 790	2,755.80 4,015.80	H430-245 H430-365	656 988	2,889.00 4,184.40
30" 30"	14'4"-49'5" 17'5"-60'5"	275 275	14 17	12 12	H430-48N H430-60N	1140 1370	5,549.40 6,606.00	H430-48P H430-60P	1140 1370	5,445.60 6,552.00	H430-485 H430-605	1425 1712	5,995.20 7,170.00

SPECIALTY ROLLERS

Ball Transfer Rails

• Packages glide easily over smooth rolling balls.

These single frame rails are custom designed for transfer systems -- allows for fast change-of-load directions. Built for rugged durable use. FOB Shipping Point.

1" BALL WITH '/₄" STEM - 2'/₂ x 1" - 12 GA. GALVANIZED CHANNEL 5' Section 10' Section											
Ball Center Spacing	Cap. Ball (lbs.)	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.				
3"	50	HBTRL-3-5	16	\$81.00	HBTRL-3-10	31	\$145.20				
4" 6"	50	HBTRL-4-5	14	66.00	HBTRL-4-10	27	117.00				
6"	50	HBTRL-6-5	12 // • • 1" - 1	45.60	HBTRL-6-10 VANIZED CHANN	23	82.20				
3"	75	HBTRM-3-5	16	95.40	HBTRM-3-10	31	175.20				
3 4"	75	HBTRM-4-5	14	75.00	HBTRM-4-10	27	142.80				
6"	75	HBTRM-6-5	12	63.00	HBTRM-6-10	23	111.00				
	11/2" H	IEAVY DUTY BA	LL - 31/2 x	1" 10 GA.	PAINTED CHANN	IEL					
6"	250	HBTRH-6-5	25	195.00	HBTRH-6-10	50	384.00				
12"	250	HBTRH-12-5	18	114.00	HBTRH-12-10	36	223.20				

Medium-Duty Accordion Roller Conveyors

• 200 lb. per lineal foot load capacity.


• Galvanized steel rollers for excellent durability.

 1^{3} /s" O.D. galvanized steel rollers on 5^{1} /4" axle centers. 28" to 36", box stop, pull handle and couplers standard. 5 x 1^{1} /2" swivel/wheel lock casters: 9 rollers per bed section. FOB Shipping Point.

			MEDIUM-DUT	Y ACC	ORDION RO	LLER CONVEYO	RS				
LENGTH ADJUSTME	NT WITH 5	1/4" AXLE CENT	TERS 18	" widt		24'	WIDT	THS	30" W	/IDTHS	
ength Contracted/ Extended at Max.	Leg Sets per Unit	Bed Sections per Unit	Product No.	Wt. (Ibs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.
2' 8" - 8' 6"	3	2	HRLR18008S	185	\$1,030.20	HRLR24008S	210	\$1,098.00	HRLR30008S	220	\$1,150.80
3' 9" - 12' 2"	4	3	HRLR18012S	255	1,363.80	HRLR24012S	270	1,456.80	HRLR300125	280	1,528.80
4' 10" - 15' 10"	5	4	HRLR18016S	310	1,724.40	HRLR24016S	350	1,890.00	HRLR30016S	360	1,933.80
5' 11" - 19' 6"	6	5	HRLR18020S		2,053.20	HRLR24020S		2,156.40	HRLR30020S	430	2,385.00
7' 0" - 23' 2"	7	6	HRLR18024S	415	2,390.40	HRLR24024S			HRLR30024S	490	2,827.00
8' 4" - 27' 9"	8	7	HRLR18028S	520	2,855.40	HRLR24028S		3,075.00	HRLR30028S	610	3,222.00
9' 5" - 31' 5"	9	8	HRLR18032S			HRLR24032S		3,433.80	HRLR30032S	670	3,763.20
10' 6" - 35' 1"	10	9	HRLR18036S	625	3,547.20	HRLR24036S		3,783.00	HRLR30036S	730	4,228.80
12' 5" - 41' 6"	12	11	HRLR18040S	740	3,966.00	HRLR24040S	835	4,182.00	HRLR30040S	870	4,716.00

Replacement & Specialty Rollers

Due to differences in bearing hub projections, all rollers must be ordered with a between rail dimension or out to out length on bearings. Order minimum quantity is 11 pieces. FOB Shipping Point.



	Product No.	O.D. Tubing	Tube Finish	Gauge	Axle Size	Bearings	Price for 10" BR	Max Roller Length	Price per Add'l. Inch
	H034-AR	3/4"	Alum.	20	1/4" rd	Galv.	\$4.74	24"	\$0.25
ns,	H034-SR	3/4" 3/ II	Galv.	20	1/4" rd	Galv.	4.92	28"	0.26
ail	H034-SSR	3/4"	Stainless Steel Plain	20		White Plastic* Galv.	12.95	28"	0.80
	H078-SR	⁷ /8"		13			5.58	34"	0.32
•	H138-AR	13/8"	Alum.	18	1/4" rd	Galv.	4.80	28"	0.26
	H138-SR	13/8"	Galv.	18	1/4" rd	Galv.	4.92	34"	0.26
	H138-SRM	13/8"	Galv.	18	⁵ /16" hex	Galv.	5.46	34"	0.36
	H158-SSR	1 ⁵ /8"	Stainless Steel	16	⁷ /16" hex	White Plastic*	19.20	34"	0.89
	H190-PVC	1.9"	PVC	0.145	⁷ /16" hex	White Plastic*	16.20	34"	0.62
	H190-SRL	1.9"	Galv.	16	1/4" rd	Galv.	5.70	34"	0.34
	H190-SRM	1.9"	Galv.	16	7/16" hex	Galv.	5.88	46"	0.38
	H190-QSRM	1.9"	Galv.	16	⁷ /16" hex	Precision Quiet	7.90	46"	0.38
	H200-SSR	2"	Stainless Steel	16	7/16" hex	White Plastic*	24.00	46"	1.14
1.10	H200-ARL	2"	Alum.	16	1/4" rd	Galv.	5.70	28"	0.39
2	H200-SRH	2"	Plain	12	7/16" hex	Galv.	6.84	50"	0.43
1.00	H250-SRM	2 ¹ / ₂ "	Plain	14	⁷ /16" hex	Galv.	8.64	50"	0.47
1	H250-SRH	$2^{1}/_{2}$ "	Plain	11	¹¹ /16" hex	Galv.	16.20	60"	0.65
	H258-SRH	2 ⁵ /8"	Plain	7	¹¹ /16" hex	Galv.	17.40	60"	0.87
P	H350-SRH	3 ¹ / ₂ "	Plain	0.219	1 ¹ /16" hex	Galv.	42.60	60"	1.98
C	H350-SRM	3 ¹ /2"	Plain	10	¹¹ /16" hex	Galv.	37.20	60"	1.62
5	*\White Plastic	with stair	less steel ball bee	rings					

REPLACEMENT & SPECIALTY ROLLERS

*White Plastic with stainless steel ball bearings.



Chain Driven Live Roller Conveyors

• Perfect for steel and foundry industries.

• Use for heavy-duty applications.

This progressive chain driven live roller conveyor is used for heavy duty applications such as pallet moving and drum handling. 3/4 HP 220/3/60 motor with 4" and 6" structural channel construction. $2^{1}/_{2}$ " - 11 gauge rollers with 6" roller centers. No. 60 chain, roller-to-roller drive, 40 FPM. Adjustable supports included. 30" roller height. FOB Shipping Point.

Product No.	Overall Width	CHAIN DRIV Usable Width	EN LIVE ROLI Wt. (Ibs.)	LER CONVEYORS Price Base Length 5 Ft.	Max Length	Price per Add'l. Ft.
HCDLR-28	28"	21"	407	\$2,877.00	80'	\$150.00
HCDLR-34	34"	27"	436	3,058.20	80'	155.20
HCDLR-40	40"	33"	480	3,132.00	80'	162.40
HCDLR-46	46"	39"	524	3,258.00	80'	167.80
HCDLR-55	55"	48"	679	3,361.80	80'	186.00

401

GRAVITY

Skate Wheel Conveyors

• Transport boxes, cartons, packages, efficiently and speedily.


• Perfect for unloading trucks, assembly line work or moving material from one point to another.

Strong and long-lasting, built for minimum weight and maximum strength. Aluminum conveyors have 2%" x 1" x %" aluminum channel frames, while steel ones have 2%" x 1" x 12 gauge galvanized frames. Wheels are zinc plated to resist corrosion. Available in straight or curved sections. 3' inside radius on curved sections. FOB Shipping Point.

			AL	UMINU	M		STEEL	
Length	Width	Wheels Per Foot	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.
5'	12"	10 H	112-AW-06-5 112-AW-10-5 112-AW-12-5	18 21 22	\$97.20 113.40 123.00	H12-SW-06-5 H12-SW-10-5 H12-SW-12-5	30 34 36	\$96.00 110.40 118.80
5'	18"	12 H 14 H	112-AW-16-5 118-AW-12-5 118-AW-14-5 118-AW-16-5	25 25 26 28	138.60 129.60 144.00 154.80	H12-SW-16-5 H18-SW-12-5 H18-SW-14-5 H18-SW-16-5	40 39 41 43	135.00 129.00 133.80 144.00
5'	24"	18 H 18 H 20 H	118-AW-18-5 124-AW-18-5 124-AW-20-5	29 32 34	163.80 177.00 186.00	H18-SW-18-5 H24-SW-18-5 H24-SW-20-5	45 48 50	153.00 173.40 180.60
10'	12"	28 H 6 H	124-AW-24-5 124-AW-28-5 112-AW-06-10 112-AW-10-10	36 39 33 38	207.00 221.40 162.00 193.20	H24-SW-24-5 H24-SW-28-5 H12-SW-06-10 H12-SW-10-10		199.20 216.00 154.80 183.00
10		12 H 16 H	112-AW-12-10 112-AW-16-10 118-AW-12-10	40 45 46	211.80 244.80 226.20	H12-SW-12-10 H12-SW-16-10 H12-SW-16-10 H18-SW-12-10	65 72	198.00 227.40 220.20
10'	18"	16 H 18 H	118-AW-14-10 118-AW-16-10 118-AW-18-10	48 51 53	259.20 279.00 293.40	H18-SW-14-10 H18-SW-16-10 H18-SW-18-10	78 82	229.80 252.60 271.20
10'	24"	20 H 24 H	124-AW-18-10 124-AW-20-10 124-AW-24-10 124-AW-28-10	59 61 66 71	312.00 340.20 368.40 400.80	H24-SW-18-10 H24-SW-20-10 H24-SW-24-10 H24-SW-28-10	91 98	310.20 323.40 358.80 391.20

ALUMINUM 90° Curve Whools Brodust W/A Briss Brodust W/A Briss											
	Wheels	Product	Wt.	Price	Product	Wt.	Price				
	Per Ft.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.				
12"	16	H12-AW-10-90	22	\$183.60	H12-AW-10-45	11 \$	112.20				
18"		H18-AW-16-90	27	211.80	H18-AW-16-45	15	136.80				
24"		H24-AW-20-90	33	274.80	H24-AW-20-45	18	190.80				
			5	TEEL							
12"	10	H12-SW-10-90	24	171.60	H12-SW-10-45	17	105.00				
18"	16	H18-SW-16-90	42	222.60	H18-SW-16-45	22	141.00				
24"	20	H24-SW-20-90	50	289.20	H24-SW-20-45	26	198.00				

White Nylon Wheel Conveyors



- Aluminum frame with white nylon wheels.
- White nylon wheels will never rust.

• Consult factory for stainless steel frame. FOB Shipping Point.

	Aluminum Frame White Nylon Wheels 90° Curve 45° Curve											
Overall Width	Wheels Per Ft.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.					
12"	12	H12-AFWW-12-90	21	\$195.60	H12-AFWW-12-45	11	\$124.20					
18"	18	H18-AFWW-18-90	26	228.60	H18-AFWW-18-45	15	148.40					
24"	24	H24-AFWW-24-90	32	294.60	H24-AFWW-24-45	18	209.40					

		ALUMINUM FRAME WHITE NYLON WHEELS											
Overa Length	ll Width	Wheels Per Foot	Product No.	Wt. (lbs.)	Price Ea.								
		6	H12-AFWW-06-5	17	\$102.00								
5'	12"	10 12 16	H12-AFWW-10-5 H12-AFWW-12-5 H12-AFWW-16-5	20 21 23	118.80 128.40 147.00								
5'	18"	12 14 16 18	H18-AFWW-12-5 H18-AFWW-14-5 H18-AFWW-16-5 H18-AFWW-18-5	24 25 26 27	135.00 150.00 161.40 170.40								
5'	24"	18 20 24 28	H24-AFWW-18-5 H24-AFWW-20-5 H24-AFWW-24-5 H24-AFWW-28-5	30 32 34 36	184.80 193.80 216.00 231.00								
10'	12"	6 10 12 16	H12-AFWW-06-10 H12-AFWW-10-10 H12-AFWW-12-10 H12-AFWW-16-10	31 36 38 42	168.00 199.20 219.00 251.40								
10'	18"	12 14 16 18	H18-AFWW-12-10 H18-AFWW-14-10 H18-AFWW-16-10 H18-AFWW-18-10	44 46 48 50	233.40 267.60 287.40 302.40								
10'	24"	18 20 24 28	H24-AFWW-18-10 H24-AFWW-20-10 H24-AFWW-24-10 H24-AFWW-28-10	56 58 64 68	324.60 353.40 384.00 417.00								





Product	Dia.	Bore	SKATE WHEELS	Cap.	Ctn.	Price
No.		Size	Description	(lbs.)	Qty.	Per Ctn.
HSW HHDSW HAW HBNW HWNW	2" 2" 2" 2" 2"	½" rd. ½" rd. ½" rd. ½" rd. ½" rd.	Skate Wheel Heavy Duty Skate Wheel Aluminum Wheel Black Nylon Wheel White Nylon Wheel	50 100 40 50 50	5 5 5 5 5 5	\$5.10 6.10 6.10 5.10 6.10

402

RUGGED ROLLER

Medium Duty Conveyor

• Increase productivity and reduce costs with these super-strong roller conveyors.

• Designed especially for efficient transfer of heavy cartons, boxes, tote pans, packages, cases, etc.

Conveyors are easily set-up or rearranged when your needs change. Made of the finest aluminum or steel for long wear and trouble-free service. Aluminum: 21/2" x 1" x 1", .125 in. formed channel frame with 5 cross angles. 2", 16 ga. rollers with //" spring loaded axle. Hook and rod couplers. 600 lbs. frame capacity... 65 lbs. roller capacity. Steel: 2//" x 1", 12 ga. galvanized formed frame with 5 cross angles. 1.9", 16 ga. rollers with 4" spring loaded axles. Hook and rod couplers. 900 lbs. frame capacity... 125 lbs. roller capacity. FOB Shipping Point.

1 2			1 2	11 0				
			ALUMIN	NUM RC		STE		
Length	Width	Roller Center	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.
5'	12"	3"	H200ARL312-5	29	\$162.60	H190SRL312-5	51	\$146.40
5'	18"	3"	H200ARL318-5	36	188.40	H190SRL318-5	67	169.20
5'	24"	3"	H200ARL324-5	44	220.80	H190SRL324-5	80	189.00
10'	12"	3"	H200ARL312-10	54	294.60	H190SRL312-10	101	255.00
10'	18"	3"	H200ARL318-10	69	342.60	H190SRL318-10	134	298.20
10'	24"	3"	H200ARL324-10	83	421.20	H190SRL324-10	160	351.00
5'	12"	4½"	H200ARL4512-5	24	129.00	H190SRL4512-5	38	118.20
5'	18"	4½"	H200ARL4518-5	30	147.60	H190SRL4518-5	55	132.60
5'	24"	4½"	H200ARL4524-5	35	166.20	H190SRL4524-5	65	147.60
10'	12"	4½"	H200ARL4512-10	44	288.60	H190SRL4512-10	75	198.00
10'	18"	4½"	H200ARL4518-10	56	271.20	H190SRL4518-10	109	222.60
10'	24"	4½"	H200ARL4524-10	68	309.00	H190SRL4524-10	130	260.40
5'	12"	6"	H200ARL612-5	19	106.20	H190SRL612-5	35	106.80
5'	18"	6"	H200ARL618-5	23	129.00	H190SRL618-5	43	115.08
5'	24"	6"	H200ARL624-5	28	143.40	H190SRL624-5	50	127.20
10'	12"	6"	H200ARL612-10	35	183.60	H190SRL612-10	67	171.00
10'	18"	6"	H200ARL618-10	43	225.00	H190SRL618-10	85	189.60
10'	24"	6"	H200ARL624-10	52	255.60	H190SRL624-10	100	214.20

Light Duty Roller Conveyors

· Ideal conveyor for irregularly shaped or open bottom items

• Long lasting construction features stand up to daily industrial punishment.



ALUMINUM 90° Curve 45° Curve													
	Overall Width	Roller Center	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.					
	12" 18" 24" 12" 18" 24"	1½" 1½" 1½" 3" 3" 3"	H138-AR-1512-90 H138-AR-1518-90 H138-AR-1524-90 H138-AR-312-90 H138-AR-318-90 H138-AR-324-90	39 49 59 30 34 37	\$340.20 375.60 422.40 179.40 198.00 217.80	H138-AR-1512-45 H138-AR-1518-45 H138-AR-1524-45 H138-AR-312-45 H138-AR-318-45 H138-AR-324-45	20 25 30 15 17 18	\$230.40 247.80 270.00 118.80 132.00 144.00					
				9	STEEL								
	12" 18" 24"	1½" 1½" 1½"	H138-SR-1512-90 H138-SR-1518-90 H138-SR-1524-90	65 85 110	\$358.80 391.20 428.40	H138-SR-1512-45 H138-SR-1518-45 H138-SR-1524-45	35 45 56	\$241.20 256.80 271.20					
	12" 18" 24"	3" 3" 3"	H138-SR-312-90 H138-SR-318-90 H138-SR-324-90	48 53 54	169.20 184.20 196.80	H138-SR-312-45 H138-SR-318-45 H138-SR-324-45	24 27 28	111.00 121.20 127.20					

Mini Roller Conveyor

Light duty conveyor for all types of small

packages, where rollers have to be close together. Steel or aluminum rollers are ³/["] 20 gauge with ¹/₄" spring loaded axles for 20 lb. weight capacity. Angle frames are 21/2" x 1" angle, double punched so rollers can be set above or below the frame, depending on the application. FOB Shipping Point.

Length	Width	Roller Center	Product No.	ALUMINUA Wt. (lbs.)	A Price Ea.	Product No.	STEEL Wt. (Ibs.)	Price Ea.
5' 5' 5' 5' 5' 5'	5" 5" 11" 14" 14" 18" 18"	1" 2" 1" 2" 1" 2" 2"	H34AR105-5 H34AR205-5 H34AR111-5 H34AR211-5 H34AR114-5 H34AR214-5 H34AR118-5 H34AR218-5	17 12 26 16 30 19 36 22	\$236.40 147.00 278.40 164.40 292.80 174.60 308.40 187.20	H34SR105-5 H34SR205-5 H34SR111-5 H34SR211-5 H34SR114-5 H34SR214-5 H34SR118-5 H34SR218-5	29 21 42 28 50 33 59 37	\$243.60 153.60 280.80 166.80 295.20 175.20 310.20 189.00
10' 10' 10' 10' 10' 10' 10'	5" 5" 11" 14" 14" 18" 18"	1" 2" 1" 2" 1" 2"	H34AR105-10 H34AR205-10 H34AR111-10 H34AR211-10 H34AR114-10 H34AR214-10 H34AR118-10 H34AR118-10 H34AR218-10	34 23 51 32 60 38 71 44	434.40 255.00 508.80 294.00 537.00 330.00 570.00 334.80	H345R105-10 H345R205-10 H345R111-10 H345R211-10 H345R114-10 H345R214-10 H345R118-10 H345R218-10	57 42 84 56 99 65 117 74	444.00 261.00 511.20 298.20 538.80 331.20 579.00 337.20

PVC Rollers

- Made of .78" PVC with
- a ¼" spring loaded axle.
- 10 lb. roller capacity.
- Galvanized frame is 2¹/₂" x 1",

12 gauge punched for set high rollers. Double punched for roller high or low setting.

FOB Shipping Point

Over-All Width	Between Rail Width	Roller Center	Product No.	Wt. (lbs.)	Price Ea.
5"	⊿"	1"	H078-PVC-0104-5	21	\$304.80
		2"			220.20
9"		ī"	H078-PVC-0108-5		333.00
9"		2"	H078-PVC-0208-5		241.80
13"	12"	1"	H078-PVC-0112-5		374.40
13"	12"	2"	H078-PVC-0212-5		272.40
		1"	H078-PVC-0104-10		553.80
5"		2"	H078-PVC-0204-10		392.40
<u>9</u> "		1"	H078-PVC-0108-10		577.80
9"	8"	2"	H078-PVC-0208-10	38	426.60
13"	12"	1"	H078-PVC-0112-10	58	651.00
13"	12"	2"	H078-PVC-0212-10	45	486.00
	Over-All Width 5" 5" 9" 9" 13" 13" 5" 5" 5" 9" 9" 9" 13"	Over-All Width Between Rail Width 5" 4" 9" 8" 9" 8" 13" 12" 13" 12" 5" 4" 9" 8" 13" 12" 5" 4" 9" 8" 13" 12" 5" 4" 9" 8" 13" 12"	Over-All Width Between Rail Width Roller Center 5" 4" 1" 9" 8" 2" 9" 8" 2" 13" 12" 1" 5" 4" 2" 9" 8" 2" 13" 12" 1" 5" 4" 2" 9" 8" 2" 13" 12" 1" 9" 8" 1" 9" 8" 1" 9" 8" 1" 9" 8" 1" 9" 8" 1" 9" 8" 1" 9" 8" 1" 9" 8" 1"	Over-All Width Between Rail Width Roller Center Product No. 5" 4" 1" H078-PVC-0104-5 5" 4" 2" H078-PVC-0104-5 9" 8" 2" H078-PVC-0108-5 9" 8" 2" H078-PVC-0208-5 13" 12" 1" H078-PVC-0208-5 13" 12" 1" H078-PVC-0112-5 5" 4" 1" H078-PVC-0102-15 5" 4" 1" H078-PVC-0104-10 5" 4" 1" H078-PVC-0104-10 5" 4" 1" H078-PVC-0104-10 5" 4" 2" H078-PVC-0104-10 9" 8" 1" H078-PVC-0	Over-All Width Between Rail Width Roller Center Product No. Wf. (lbs.) 5" 4" 1" H078-PVC-0104-5 21 5" 4" 2" H078-PVC-0104-5 21 9" 8" 1" H078-PVC-0108-5 20 13" 12" 1" H078-PVC-0108-5 20 13" 12" 1" H078-PVC-0128-5 32 5" 4" 1" H078-PVC-0128-5 24 5" 4" 1" H078-PVC-0104-10 39 5" 4" 1" H078-PVC-0104-10 39 5" 4" 2" H078-PVC-0108-10 48 9" 8" 1" H078-PVC-0108-10 48 9" 8" 2" H078-PVC-0108-10 38

Replacement Roller H078-PVC-4"BR Price Ea. \$4.14 Replacement Roller H078-PVC-8"BR Price Ea. \$4.26

12" Replacement Roller H078-PVC-12"BR Price Ea. \$4.67

ALUMINUM 90° CURVE - 3" CENTERS Product Wft. Price Product Wft. No. (lbs.) Ea. No. (lbs.) H200AR312-45 20 Width Ea. \$207.60 12" 18" 26 31 H200AR318-90 41 H200AR318-45 249.60 313.20 H200AR324-45 24" H200AR324-90 50 365.40 283.20 STEEL H190SRL312-90 H190SRL318-90 H190SRL324-90 60 80 100 225.00 253.80 283.20 12' 18' 24' 90SRL318-45

Price

Rollers measure 1%" diameter and are 18 gauge galvanized steel or 18 gauge aluminum, with flanged type bearings and spring loaded 1/4" wide axle. Aluminum conveyors have 2¹/₂" x 1" x ¹/₈" aluminum channel frames, wile steel ones have 21/2" x 1" x 12 gauge galvanized frames. Channel capacity for steel conveyors is 900 lbs. and for aluminum, 600 lbs. FOB Shipping Point.

Le	ngth	Overal Width	Roller Center	ALU Product No.	MINU/ Wt. (lbs.)	N Price Ea.	Product No.	STEEL Wt. (lbs.)	Price Ea.
	5'	12"	1½"	H138AR1512-5	34	\$210.00	H138SR1512-5	61	\$181.20
	5'	18"	1½"	H138AR1518-5	44	234.00	H138SR1518-5	81	210.00
	5'	24"	1½"	H138AR1524-5	54	275.40	H138SR1524-5	102	238.80
	10'	12"	1½"	H138AR1512-10	62	384.00	H138SR1512-10	111	333.00
	10'	18"	1½"	H138AR1518-10	80	433.20	H138SR1518-10	148	387.00
	10'	24"	1½"	H138AR1524-10	99	520.20	H138SR1524-10	186	432.00
	5'	12"	3"	H138AR312-5	22	133.20	H138SR312-5	41	116.40
	5'	18"	3"	H138AR318-5	27	148.80	H138SR318-5	52	132.00
	5'	24"	3"	H138AR324-5	33	166.80	H138SR324-5	63	144.60
	10'	12"	3"	H138AR312-10	40	234.00	H138SR312-10	74	199.80
	10'	18"	3"	H138AR318-10	50	268.20	H138SR318-10	94	222.60
	10'	24"	3"	H138AR324-10	60	301.20	H138SR324-10	114	249.60
	5'	12"	4½"	H138AR4512-5	18	108.60	H138SR4512-5	34	97.80
	5'	18"	4½"	H138AR4518-5	22	119.40	H138SR4518-5	42	106.20
	5'	24"	4½"	H138AR4524-5	36	133.20	H138SR4524-5	50	118.20
	10'	12"	4½"	H138AR4512-10	32	181.80	H138SR4512-10	61	159.60
	10'	18"	4½"	H138AR4518-10	40	205.80	H138SR4518-10	76	177.00
	10'	24"	4½"	H138AR4524-10	48	234.60	H138SR4524-10	90	201.00
	5'	12"	6"	H138AR612-5	15	95.40	H138SR612-5	30	84.00
	5'	18"	6"	H138AR618-5	19	105.60	H138SR618-5	36	89.40
	5'	24"	6"	H138AR624-5	23	112.80	H138SR624-5	42	99.00
	10'	12"	6"	H138AR612-10	28	157.20	H138SR612-10	55	132.00
	10'	18"	6"	H138AR618-10	35	175.80	H138SR618-10	66	147.00
	10'	24"	6"	H138AR624-10	42	194.40	H138SR624-10	77	162.00

CONVEYORS

Heavy Duty Roller	Product No.	Length	Overall Width	Roller Center	Wt. (lbs.)	Heavy Duty Price Ea.	r Conveyors Product No.	Length	Overall Width	Roller Center	Wt. (lbs.)	Price Ea.
Conveyor	H190-SRM312-5 H190-SRM318-5 H190-SRM324-5	5' 5' 5'	12" 18" 24"	3" 3" 2"	80 90 115	\$163.80 195.00 218.40	H190-SRM312-10 H190-SRM318-10 H190-SRM324-10	10' 10' 10'	12" 18" 24"	3" 3" 2"	150 190 220	\$294.00 347.40 400.80
Built tough for extra rugged use.	H190-SRM324-5 H190-SRM330-5 H190-SRM336-5	5' 5'	30" 36"	3" 3"	144 168	247.80 277.20	H190-SRM324-10 H190-SRM330-10 H190-SRM336-10	10' 10' 10'	30" 36"	3" 3"	262 305	400.80 459.00 515.40
Sturdy 1400 lb. frame capacity, 250 lb. roller	H190-SRM4512-5 H190-SRM4518-5 H190-SRM4524-5	5' 5'	12" 18" 24"	4½" 4½" 4½"	70 85 95	133.80 151.20 169.80	H190-SRM4512-10 H190-SRM4518-10 H190-SRM4524-10	10'	12" 18" 24"	4½" 4½" 4½"	130 160 180	229.80 264.60 303.00
capacity. Features 3½" x 1" x 1" 10 ga.	H190-SRM4530-5 H190-SRM4536-5	5' 5'	30" 36"	4½" 4½"	110 126	192.00 208.20	H190-SRM4530-10 H190-SRM4536-10	10'	30" 36"	4½" 4½"	200 230	348.00 378.60

Features 3½" x 1" x 1" 10 ga. painted frame with 5 cross angles. 1.9", 16 ga. galvanized rollers with ‰" hex axle spring loaded. Butt couplers. FOB Shipping Point.

HRC

•				
ed	90° CU Product No.	RVE - 3" ROLL Overall Width	ER CENTER Wt. (lbs.)	Price Ea.
	H190-SRM-312-90 H190-SRM-318-90 H190-SRM-324-90 H190-SRM-330-90 H190-SRM-336-90	12" 18" 24" 30" 36"	90 114 132 150 170	\$263.40 294.00 336.60 378.00 418.80
	45° CU	RVE - 3" ROLL	ER CENTER	
	H190-SRM-312-45 H190-SRM-318-45 H190-SRM-324-45 H190-SRM-330-45	12" 18" 24" 30"	50 61 70 85	200.40 229.20 255.00 284.40
	H190-SRM-336-45	36"	98	309.60

SUPER DUTY Roller Conveyor

	Product	SUPEI	R DUTY CO Overall	NVEYOR Roller	Wt.	Price
	No.	Length	Width	Center	(lbs.)	Ea.
	H250-SRH312-5 H250-SRH318-5 H250-SRH324-5 H250-SRH330-5 H250-SRH336-5	5' 5' 5' 5'	12" 18" 24" 30" 36"	3" 3" 3" 3"	175 200 250 320 372	\$394.80 449.40 490.20 570.00 617.40
i	H250-SRH312-10 H250-SRH318-10 H250-SRH324-10 H250-SRH330-10 H250-SRH336-10	10' 10' 10' 10' 10'	12" 18" 24" 30" 36"	3" 3" 3" 3" 3"	297 390 480 581 676	680.40 794.40 881.40 1,029.00 1,131.00
	H250-SRH412-5 H250-SRH418-5 H250-SRH424-5 H250-SRH430-5 H250-SRH436-5	5' 5' 5' 5'	12" 18" 24" 30" 36"	4" 4" 4" 4"	150 170 200 258 299	338.40 375.00 410.40 467.40 505.20
	H250-SRH412-10 H250-SRH418-10 H250-SRH424-10 H250-SRH430-10 H250-SRH436-10	10' 10' 10' 10' 10'	12" 18" 24" 30" 36"	4" 4" 4" 4"	252 330 390 470 543	562.20 637.80 715.20 814.80 864.60
	H250-SRH612-5 H250-SRH618-5 H250-SRH624-5 H250-SRH630-5 H250-SRH636-5	5' 5' 5' 5'	12" 18" 24" 30" 36"	6" 6" 6"	115 140 160 197 225	268.80 303.00 334.20 384.60 401.40
	H250-SRH612-10 H250-SRH618-10 H250-SRH624-10 H250-SRH630-10 H250-SRH636-10	10' 10' 10' 10' 10'	12" 18" 24" 30" 36"	6" 6" 6" 6"	208 260 310 359 410	417.60 488.40 557.40 643.80 678.60

- Features 21%", 11 ga. steel rollers with "1%e" hex spring loaded axles, and 4" structural channel frame with five welded cross angles.
- Butt couplers. 750 lbs. roller capacity. FOB Shipping Point.

90° (Product No.	CURVE - 3" ROLL Overall Width	ER CENTER Wt. (lbs.)	Price Ea.
H250-SRH-312-90	12"	204	\$655.20
H250-SRH-318-90	18"	234	750.00
H250-SRH-324-90	24"	288	852.00
H250-SRH-330-90	30"	325	945.60
H250-SRH-336-90	36"	375	1,044.00
45° (CURVE - 3" ROLL	ER CENTER	
H250-SRH-312-45	12"	122	467.40
H250-SRH-318-45	18"	140	535.80
H250-SRH-324-45	24"	172	591.00
H250-SRH-330-45	30"	190	685.80
H250-SRH-336-45	36"	210	751.80

Super Heavy Duty Roller Conveyor

- No job is too tough for this super conveyor.
- $3\frac{1}{2}$ " conveyor is practically indestructible.

Rollers are $3\frac{1}{6}$ " x .216 wall thickness for extra strength. Axles are $1\frac{1}{6}$ " hex and drilled for cotter pins. Frames are 6 x 8.2 lbs./ft. structural channel. 5 welded cross braces for reinforcement. Butt couplers standard. Frame capacity over 10' is 8600 lbs.. 5' is 16600 lbs. 1100 lbs. roller capacity. Rollers can be set high or low. FOB Shipping Point.

Overall	Between	Roller	5' Product	Section Wt.) Price	10' Product	Sectio Wt.	n Price
Width	Rail Width	Centers	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.
12" 18" 24" 30"	8" 14" 20" 26"	4" 4" 4" 4"	H350-SRH-0412-5 H350-SRH-0418-5 H350-SRH-0424-5 H350-SRH-0430-5	263 346 434 522	\$837.00 958.20 1,083.00 1,194.60	H350-SRH-0412-10 H350-SRH-0418-10 H350-SRH-0424-10 H350-SRH-0430-10	515 680 855 1025	\$1,551.00 1,806.00 2,070.00 2,298.00
12" 18" 24" 30"	8" 14" 20" 26"	8" 8" 8"	H350-SRH-0812-5 H350-SRH-0818-5 H350-SRH-0824-5 H350-SRH-0830-5	178 225 273 320	532.20 588.00 711.00 780.00	H350-SRH-0812-10 H350-SRH-0818-10 H350-SRH-0824-10 H350-SRH-0830-10	346 435 522 610	942.00 1,065.00 1,288.80 1,449.00
12" 18" 24" 30"	8" 14" 20" 26"	12" 12" 12" 12"	H350-SRH-1212-5 H350-SRH-1218-5 H350-SRH-1224-5 H350-SRH-1230-5	152 185 220 248	469.20 515.40 564.60 614.40	H350-SRH-1212-10 H350-SRH-1218-10 H350-SRH-1224-10 H350-SRH-1230-10	290 350 415 473	804.00 894.00 996.00 1,092.00

RUGGED ROLLER CONVEYORS

Conveyor Supports Tripod Support. For fas

installation of temporary gravity lines. Adjusts up and down. Light Duty Permanent H-type Supports. For permaner sturdy support of conveyors. Adjustable. 2½" x 12 ga. channel frame construction.

					TRIPOD SU	DDODTE				
		1	2" Wide			18" Wide		24"	Wide	
	Adj. Hgt.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.
st	18 - 30" 24 - 40" 30 - 50"	HTP-12-1830 HTP-12-2440 HTP-12-3050	12 13 17	\$36.00 36.60 41.40	HTP-18-1830 HTP-18-2440 HTP-18-3050	13 14 18	\$38.40 41.40 42.60	HTP-24-1830 HTP-24-2440 HTP-24-3050	14 15 19	\$40.20 43.20 46.20
y D		HTP-12-4070	25	49.80	HTP-18-4070 DUTY PERMANE	26	51.60	HTP-24-3030 HTP-24-4070	27	55.80
nt	24 - 30" 31 - 37"	HPSL-12-1723 HPSL-12-2430 HPSL-12-3137 HPSL-12-3844	10 13 16 19	33.60 37.80 41.40 42.60	HPSL-18-1723 HPSL-18-2430 HPSL-18-3137 HPSL-18-3844	11 14 17 20	34.80 42.00 42.60 44.40	HPSL-24-1723 HPSL-24-2430 HPSL-24-3137 HPSL-24-3844	12 15 18 21	36.00 43.20 45.60 47.40
					MOBILE ST	ANDS*				
	18 - 30" 24 - 40" 30 - 50"	HMS-12-1830- HMS-12-2440- HMS-12-3050-	10 51	173.40 179.40 181.80	HMS-18-1830- HMS-18-2440- HMS-18-3050-	10 53	175.20 181.20 183.00	HMS-24-1830-10 HMS-24-2440-10 HMS-24-3050-10	56	177.00 183.60 186.00
	* For use	with skate whee	el and lig	ht duty c	onveyors only.					

Heavy Duty Conveyor Stands

• These brawny conveyor stands provide top-notch support and strength.

• Constructed of 2" 12 ga. square tubing uprights.

Adjustable plates for incline or decline positioning. Prepunched feet for permanent installation. Capacity 2000 lbs. Blue in color. FOB Shipping Point.

	12"	' Wide	•	18'	Wide		24	24" Wide			30" Wide			36" Wide		
Adj. Hgt.	Product No.	Wt. (lbs.)	Price Ea.													
17 - 23"	HPSH-12-1723		\$45.60	HPSH-18-1723	19	\$46.20	HPSH-24-1723	20	\$46.80	HPSH-30-1723	21	\$47.40	HPSH-36-1723	22	\$48.00	
24 - 30"	HPSH-12-2430	19	49.80	HPSH-18-2430	20	51.00	HPSH-24-2430	21	52.20	HPSH-30-2430	22	52.80	HPSH-36-2430	23	53.40	
31 - 37"	HPSH-12-3137	20	54.00	HPSH-18-3137	21	56.40	HPSH-24-3137	22	57.00	HPSH-30-3137	23	58.20	HPSH-36-3137	24	58.80	
38 - 44"	HPSH-12-3844	21	57.60	HPSH-18-3844	22	61.20	HPSH-24-3844	23	61.80	HPSH-30-3844	24	63.60	HPSH-36-3844	25	64.20	

Stainless Roller Conveyers

• Stainless steel construction renders this conveyor ideal for food equipment and other wash-down operations.

• U.S.D.A. approved.

1%" rollers feature 16 ga. stainless steel tubing and DeIron Bearing with S.S. balls. 7/6" spring loaded Hex axles and five welded cross braces support a 21/2" x 1" x 1" frame with 12 ga. S.S. formed channels. Frames over 10' support 900 lbs. with individual roller cap. of 100 lbs. FOB Shipping Point.

STAINLESS STEEL ROLLER CONVEYOR 5' Section 10' Section											
Roller Centers	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. Price (lbs.) Ea.						
3"	H158-SSR-0312-5	55	\$490.20	H158-SSR-0312-10	101 \$954.00 86 690.00						
4½ 6"	H158-SSR-0612-5	47 39	279.00	H158-SSR-0612-10	86 690.00 70 534.00						
3"	H158-SSR-0318-5	76	599.40	H158-SSR-0318-10	139 1,169.40 115 810.00						
6"	H158-SSR-0618-5	51	351.60	H158-SSR-0618-10	93 672.00						
	H158-SSR-0324-5	97	706.20	H158-SSR-0324-10	177 1,398.00						
4½" 6	H158-SSR-0624-5	79 56	492.60 417.00	H158-SSR-4524-10 H158-SSR-0624-10	145 966.00 103 804.00						
	Centers 3" 4½" 6" 3" 4½" 6" 3" 4½" 6" 3" 4½"	Roller Centers Product No. 3" H158-SSR-0312-5 4½" H158-SSR-0412-5 6" H158-SSR-0412-5 3" H158-SSR-0312-5 4½" H158-SSR-0312-5 4½" H158-SSR-0318-5 4½" H158-SSR-0318-5 6" H158-SSR-0318-5 6" H158-SSR-0418-5 3" H158-SSR-0418-5 3" H158-SSR-0324-5 4½" H158-SSR-0424-5	Section Roller Product Wt. Centers No. Wt. 3" H158-SSR-0312-5 55 4½" H158-SSR-0412-5 47 6" H158-SSR-0312-5 57 4½" H158-SSR-0318-5 76 4½" H158-SSR-0318-5 53 6" H158-SSR-0618-5 53 6" H158-SSR-0318-5 57 4½" H158-SSR-048-5 51 3" H158-SSR-03124-5 97 4½" H158-SSR-4524-5 79	Solid Section Roller Product Wt. Price No. (lbs.) Ea. 3" H158-SSR-0312-5 55 \$490.20 4½" H158-SSR-0312-5 37 355.20 6" H158-SSR-0318-5 76 599.40 4½" H158-SSR-0318-5 76 599.40 4½" H158-SSR-0318-5 51 351.60 3" H158-SSR-0318-5 51 351.60 3" H158-SSR-0318-5 51 351.60 3" H158-SSR-0312-5 97 706.20 3" H158-SSR-4522-5 77 492.60	5' Section 10' Roller Product Wt. Price Product 3" H158-SSR-0312-5 55 \$490.20 H158-SSR-0312-10 4½" H158-SSR-0312-5 37 355.20 H158-SSR-0312-10 6" H158-SSR-0312-5 37 355.20 H158-SSR-0512-10 3" H158-SSR-0318-5 76 599.40 H158-SSR-0512-10 4½" H158-SSR-0318-5 63 421.20 H158-SSR-0518-10 4½" H158-SSR-0618-5 51 351.60 H158-SSR-0618-10 6" H158-SSR-0618-5 51 351.60 H158-SSR-0618-10 3" H158-SSR-0312-5 97 706.20 H158-SSR-0322-10 4½" H158-SSR-0424-5 97 492.60 H158-SSR-0424-10						


	ALL STAINLESS STEEL 'H' TYPE SUPPORTS											
	12	24	24" Wide									
Adj. Hgt.	Product	Wt. Price	Product	Wt.	Price	Product	Wt.	Price				
Hgt.	No.	(lbs.) Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.				
17 - 23"	HSSPS-12-172	3 13 \$90.00	HSSPS-18-172	23 14	\$93.60	HSSPS-24-1723	15	\$99.00				
24 - 30"	HSSPS-12-243	0 15 105.60	HSSPS-18-243	30 16	110.40	HSSPS-24-2430	17	114.60				
31 - 37"	HSSPS-12-313	7 18 119.40	HSSPS-18-313	37 19	125.40	HSSPS-24-3137	20	128.40				

Ball Transfer Table Top

- Move boxes, packages, crates, etc. any direction, effortlessly.
- Material glides over smooth rolling 1" steel ball transfers mounted on a formed 12 ga. reinforced steel deck.

Ideal for assembly work, hand movement of cartons, etc. Each ball transfer handles 50 lbs. For use as a table, purchase Light Duty H-type supports. FOB Shipping Point.

	3" Spacing			4" Spacing			6" Spacing		
Size	Product . No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (Ibs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.
24 x 24" 24 x 36"	HBTT-2424-3 HBTT-2436-3	47 72	\$297.00 400.80	HBTT-2424-4 HBTT-2436-4	37 55		HBTT-2424-6 HBTT-2436-6		\$135.00 180.60
24 x 48" 36 x 36"	HBTT-2448-3 HBTT-3636-3	92 98	520.80 578.40	HBTT-2448-4 HBTT-3636-4	73 77	354.60	HBTT-2448-6 HBTT-3636-6	60	229.20 252.60
36 x 48" 48 x 48"	HBTT-3648-3 HBTT-4848-3	128 190	715.20	HBTT-3648-4 HBTT-4848-4	100 133	486.00	HBTT-3648-6	80 107	319.80 387.60





Tripod

Mobile Stand

Light Duty

Heavy Duty

Roller Stands

• These ultra-light roller stands provide complete portability and versatility in any desired application.

Height of stands adjustable up to 50". Two varieties offer mobility of flat and round materials. Each stand has weight capacity of 250 lbs. FOB Shipping Point

		0	1 ,			0
Product No.	Description	Cap. (lbs.)	Adjustable Height	Overall Width	Wt. (Ibs.)	Price Ea.
HRS-2339	Roller stands flat materials	250	23 - 39"	18"	17	\$60.60
HRS-2850	Roller stands flat materials	250	28 - 50"	18"	19	64.80
HVRS-2638	V-Roller stands round materials	250	26 - 38"	6"	20	71.40



• Steel balls are friction-free and easily glide boxes,

packages, etc. in any direction.

• Call factory for stainless steel or nylon ball transfers.

Ball Transfers									
Product	Ball	Overall	Cap.	Wt.	Price				
No.	Size	Height	(lbs.)	(Ibs.)	Ea.				
HBT-101	1"	1%6"	75	1½	\$3.04				
HBT-201	1½"	11%6"	250	1½	15.60				
HBT-1001*	1"	1%6"	50	½	2.64				

' Stem mount ¼-20 thread

405

POWERED BELT CONVEYORS

Heavy Duty Slider Bed Power Conveyor

- Where power, performance and efficiency are needed, slider bed conveyors do the job.
- Designed for semi-permanent installation to move parts, packages, etc.

Driven by a dependable ½ H.P. 115/1/60 motor. Long wearing belt is PVC construction. Rugged 12 ga. formed frame features a 4" dia. lagged pulley. Belt travels 60 F.P.M. Supports included for 30" conveyor height. Does not include electrical controls. FOB Shipping Point.

Product	Bed	Belt	Wt.	Base	Price Per
No.		Width	(Ibs.)	Length 5'	Add'l. Ft.
HHDSB12	16"	12'	261	\$2,034.00	\$48.60
HHDSB16	20"	16"	292	2,130.00	59.40
HHDSB18	22"	18"	301	2,172.00	63.60
HHDSB20	24"	20"	332	2,208.00	66.80
HHDSB24	28"	24"	354	2,370.00	78.00

Mini-Veyors

Designed to efficiently handle small parts in areas where space is limited.
Narrow 2½" profile fits in hard to reach places.

¼ H.P. 115/1/60 gear motor with 2" drive pulley delivers smooth running performance with 100 lb. capacity. 14 ga. formed bed and long lasting neopreme belt . Standard 60 F.P.M. pulling speed. No stands or electrical controls included. FOB Shipping Point.

Product No.	Bed	Belt Width	Wt. (Ibs.)	Base Length 5'	Price Per Add'l.Ft.
HBMV-06	7"	6"	148	\$1,302.00	\$36.00
HBMV-12	13"	12"	186	1,368.00	46.20
HBMV-18	19"	18"	220	1,476.00	61.80
HBMV-24	25"	24"	264	1,578.00	71.40

Cleated belt keeps the material from tumbling under EXTREME INCLINE CONDITIONS.



SLIM LINE Power Conveyor

- Affordable portable conveyor that is ideal for loading/unloading, incline transfer of packages or machine filling requirements.
- Lightweight for fast set-up, take-down.

Powered by a tough ¼ H.P. 115/1/60 motor. Long lasting belt travels 60 F.P.M. Rugged 12 ga. frame handles loads up to 100 lbs. Features extended frame above the belt to keep small parts from falling off. No supports or electrical controls included.

Maximum length 10'. FOB Shipping Point.

Product No.	Bed	Belt Width	Wt. (Ibs.)	Base Length 5'	Price Per Add'l. Ft.
HSL-6	7"	6"	150	\$1,332.00	\$35.40
HSL-12	13"	12"	190	1,398.00	45.60
HSL-18	19"	18"	225	1,498.80	61.20
HSL-24	25"	24"	270	1,605.00	70.80


Parts-Veyor

- This rugged and dependable inclined conveyor moves product from one level to the next.
- Engineered for superior performance and efficiency.

Cleated belt keeps the material from tumbling under extreme incline conditions. Features ½ H.P. 110/1/60 gear motor. Bed is 14 ga. formed. 4" drive pulley. 1 ½" high cleats on 12" centers. Top drive. FOB Shipping Point.

Product	Belt	Bed	Wt.	Base	Price Per
No.	Width	Width	(Ibs.)	Length 5'	Add'l. Ft.
HPBV-08	8"	12"	440	\$1,911.00	\$80.70
HPBV-12	12"	16"	480	2,046.00	101.20
HPBV-16	16"	20"	585	2,478.00	128.90





QUALITY RAMPS & CROSSOVERS




Wheel Risers

- Extra strong risers compensate for dock height diferences.
- Raises truck bed to dock height to handle fork lift and pallet truck loading and unloading operations.

Available in steel or aluminum. Call for additional sizes. FOB Shipping Point. HATWR-WL Wheels for Aluminum Wheel Riser Price Ea. \$60.70

ALUMINUM - 15,000 LB. CAPACITY EACH 18" Wide 24" Wide											
Product Wt.(lbs.) Price Product	Wt. (lbs.) Price										
Hgt. Length Level No. Ea. Ea. No.	Ea. Ea.										
6" 48" 30" HATWR-18-6-48 41 \$466.70 HATWR-24-6-48	59 \$542.80										
6" 60" 42" HATWR-18-6-60 87 563.60 HATWR-24-6-60	110 673.40										
8" 60" 36" HATWR-18-8-60 98 594.30 HATWR-24-8-60	122 741.60										
8" 108" 84" HATWR-18-8-108 148 1.018.50 HATWR-24-8-108	194 1,180.60										
10" 60" 30" HATWR-18-10-60 108 642.70 HATWR-24-10-60	133 754.50										
10" 114" 84" HATWR-18-10-114 175 1,160.80 HATWR-24-10-114	229 1,338.80										
12" 72" 36" HATWR-18-12-72 131 812.80 HATWR-24-12-72	169 960.20										
12" 120" 84" HATWR-18-12-120 208 1,334.90 HATWR-24-12-120	270 1,488.10										
STEEL - 20,000 LB. CAPACITY EACH	,										
6¼" 48" 24" HSWR-18-6-48 233 350.60 HSWR-24-6-48	218 375.20										
6¼" 72" 48" HSWR-18-6-72 296 461.20 HSWR-24-6-72	310 505.20										
8¼" 60" 28" HSWR-18-8-60 324 432.10 HSWR-24-8-60	271 472.00										
8¼" 96" 64" HSWR-18-8-96 445 596.90 HSWR-24-8-96	416 662.30										
10¼" 72" 32" HSWR-18-10-72 300 500.00 HSWR-24-10-72	361 565.30										
10¼" 96" 56" HSWR-18-10-96 392 633.30 HSWR-24-10-96	486 719.00										
12¼" 84" 36" HSWR-18-12-84 425 572.70 HSWR-24-12-84	499 656.80										
12¼" 108" 60" HSWR-18-12-108 503 749.00 HSWR-24-12-108	581 827.60										





EXTRUDED ALUMINUM HOSE

The Extruded Aluminum Hose & Cable Crossovers protects air lines, electrical cords and computer cables from damage by fork trucks, carts, and personnel. These ramps have serrated edges for maximum traction and are lightweight for easy portability. Contact factory for special lengths up to 25 feet. FOB Shipping Point.

Product No.	EXTRUDED A Overall W x H		IM HOSE & C Usable Span W x H	ABLE CROSSO Single-Wheel Capacity (lbs.)	VERS Wt. (lbs.)	Price Ea.
HWR-24	2% x %"	24"	1¼×¾"	2,500	2	\$29.80
HWR-36	2% x %"	36"	1¼×¾"	2,500	4	50.90
HWR-48	2% x %"	48"	1¼×¾"	2,500	5	59.50
HHCR-24	7% x 1%。"	24"	2% x ¾"	10,000	7	102.70
HHCR-36	7% x 1%。"	36"	2% x ¾"	10,000	8	129.60
HHCR-48		48"	2% x ¾"	10,000	13	182.40
HLHCR-36		36"	2½ x 1¼"	10,000	13	175.70
HLHCR-48		48"	2½ x 1¼"	10,000	17	235.20
HLHCR-60		60"	2½ x 1½"	10,000	24	291.80
HLHCR-72		72"	2½ x 1½"	10,000	26	351.40
HXHCR-34		" 36"	4½ x 3½"	10,000	51	271.90
HXHCR-44 HXHCR-60	B 21% × 3% D 21% × 3% Z 21% × 3%	" 48" " 60"	4½ x 3½" 4½ x 3½" 4½ x 3½"	10,000 10,000 10,000	58 72 88	361.90 452.90 542.80

A) Urethane Hose & **Cable Crossovers**

- Features traction cleats on ramp surface.
- Weather resistant skin strong tear strength.

Safety Orange for visibility. Capacity 2400 lbs. Measures 23¼"W x 23½"L. Other sizes available. Usable span 3"W. x 3"H. FOB Shipping Point. HURTH-24 Wt. 18 lbs. Price Ea. \$194.00

B) Molded Rubber Hose & Cable Crossove

- Flexible base apron provides maximum ground gripping as wheels touch ramp. • Features interlocking reinforced
- rubber units.

Special stepped construction for safe, smooth riding. Available with Aluminum Insertion. Capacity 2400 lbs. Measures 12"W. x 32%"L. Usable span 31/2"W. x 27/6"H. FOB Shipping Point. HRHCB-12 Wt. 33 lbs. Price Ea. \$90.30


Aluminum Walk Ramps

- Ideal for loading or unloading trucks when a
- dock is not available.
- Lightweight, convenient and safe.

Durable, yet lightweight, these ramps are perfect for use with 2 or 4 wheel carts. Safety chains are provided to connect the ramp to the truck. Grooved plates provide excellent traction. FOB Shipping Point.

Style A -- Rests on the truck bed.

Style B -- Steel hooks mount to exterior of truck.



DOCK BOARDS Veril

Aluminum Dockboards With Steel Curbs

• This dockboard is designed for extra strength and safety.

• Deck is made of tough aluminum alloy and curbs are structural steel with cast tapered ends.

Steel legs are bolted on for increased durability. When using three-wheeled fork trucks order dockboard with capacity at least four-times the lifting capacity of fork truck. Call factory for additional sizes. When using three wheeled fork trucks, select capacity +20% due to concentrated load on center of board. FOB Shipping Point.



Product	Size	Cap.	Wt.	Price	Product	Size	Cap.	Wt.	Price
No.	W x L	(Ibs.)	(lbs.)	Ea.	No.	W x L	(Ibs.)	(Ibs.)	Ea.
HTAS-10-6036 HTAS-10-6048 HTAS-10-6060 HTAS-10-6072 HTAS-10-7226 HTAS-10-7226 HTAS-10-7260 HTAS-15-6036 HTAS-15-6048 HTAS-15-6060	60 x 36" 60 x 48" 60 x 60" 60 x 72" 72 x 36" 72 x 48" 72 x 60" 60 x 36" 60 x 48" 60 x 60"	10000 10000 10000 10000 10000 10000 15000 15000 15000	100 129 160 220 110 157 223 107 146 204	\$642.70 814.70 1,007.50 1,225.10 725.70 939.40 1,149.00 697.10 1,015.50 1,242.00	HTAS-15-6072 HTAS-15-7236 HTAS-15-7248 HTAS-15-7260 HTAS-20-6036 HTAS-20-6040 HTAS-20-6060 HTAS-20-6060 HTAS-20-7236 HTAS-20-7248	$60 \times 72"$ $72 \times 36"$ $72 \times 48"$ $72 \times 60"$ $60 \times 36"$ $60 \times 48"$ $60 \times 60"$ $60 \times 72"$ $72 \times 36"$ $72 \times 48"$ $72 \times 60"$	15000 15000 15000 20000 20000 20000 20000 20000 20000 20000 20000	251 123 191 238 110 165 218 263 123 191 253	\$1,500.00 788.10 1,087.70 1,412.00 754.50 1,029.40 1,501.00 1,786.70 847.40 1,176.70 1,711.70

Lifting Chains

Now, boards can be quickly and easily moved with your forklift. Heavy duty chains lock onto board curbs with rugged steel hooks and locked by a screw and knob type locking pad. Removes in seconds.


HLC48-66 Fits boards 48" to 66". Price Per Pair \$71.10

HLC72-84 Fits boards 72" to 84". Price Per Pair \$79.50



Sliding Span Locks

Rugged steel span locks secure dockboard in place when the span between the dock and vehicle is greater than the understructure stops. Eliminates slipping or sliding. **HSSL** Price Per Poir **\$71.80**



Lever Lift Manual lift lever raises dockboard off the floor for easy forklift truck positioning. Lever falls to rest automatically when board is lifted. HALL Price Ea. **\$69.70**

Rugged Aluminum Dockboards

- Engineered and built to safely handle heavy forklifts and loads.
- Aluminum checker surface ensures skid-free traction.

Safety angle understructure provides REINFORCEMENT for heavy loads.

Safety angle understructure provides reinforcement for heavy loads. Locking legs prevent movement during loading and unloading operations (Meets OSHA 1910.30 (a) (z)). Welded safety curbs prevent runoffs. Beveled edges reduce the wear and excessive jarring of equipment. Usable width is approximately 5" less than overall width. Curb channels are designed to accommodate accessories. Lifting chains, or the lever lift are recommended for dockboards weighing over 100 lbs. FOB Shipping Point. Call for additional sizes and capacities. Available in 20,000 lb. capacities.

	5,000 lb. Capacity				10,00	10,000 lb. Capacity			15,000 lb. Capacity		
14.0° 1-1		Product	Wt.	' Price	Product	Wt.	Price	Product		Price	
Width	Length	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	
60"	36"	HBTA-05006036	82	\$708.00	HBTA-10006036	123	\$864.20	HBTA-15006036	141 \$1,01	14.60	
60"	48"	HBTA-05006048	105	1,007.50	HBTA-10006048	173	1,176.70	HBTA-15006048	180 1,15	50.00	
60"	54"	HBTA-05006054	123	1,091.60	HBTA-10006054	194	1,355.70	HBTA-15006054	206 1,33	37.90	
60"	60"	HBTA-05006060	133	1,207.40	HBTA-10006060	197	1,506.00	HBTA-15006060	229 1,46	60.40	
60"	66"	HBTA-05006066	156	1,315.10	HBTA-10006066	215	1,602.90	HBTA-15006066	256 1,59	96.90	
60"	72"	HBTA-05006072	163	1,407.10	HBTA-10006072	251	1,710.60	HBTA-15006072	272 1,80	02.60	
72"	36"	HBTA-05007236	92	883.00	HBTA-10007236	161	1,069,90	HBTA-15007236	162 1.17	77.91	
72"	48"	HBTA-05007248	152	1,096.50	HBTA-10007248	189	1,354.70	HBTA-15007248	212 1,53	31.20	
72"	60"	HBTA-05007260	195	1,405.10	HBTA-10007260	247	1,615.70	HBTA-15007260	269 1,83	31.71	
72"	72"	HBTA-05007272	281	1,632.60	-			HBTA-15007272	386 2,33	36.60	

DOCK PLATE

Aluminum Truck


- The convenient, safe and easy way to access loading docks from trucks.
- 11° bend in the plate allows edges to be flush at dock and truck for smooth material transfer.

Lightweight and easily portable by just one person. Checker surface ensures skid-free safe traction. Beveled edges reduce tire wear and excessive equipment jarring. Locking legs secure the plate for safe loading and unloading. Complete with carrying handles attached to the locking legs. Available in steel — call for pricing. FOB Shipping Point.





POSITION DOCKPLATE IN THIS MANNER IF TRUCK IS ABOVE DOCK LEVEL



	11″-	LOCKING LEGS ARE LOCATED AT 11"
HEIGHT		BEND OR CROWN OF UP IS 11" AND LOCATED 9" FROM DOCK- PLATE EDGE
	0"	

LENGTH

T	SELECT	ING Y	OUR	
D	DCKPLA			
1)	Rolling	Load	Capacity	7

Vehicle	% of Total Load
2 wheel handtrucks 4 wheel platform trucks	100 50
pallet trucks	66

2) Height Difference

Measure the difference in height between the truck and loading dock.

3) Determine Your Model

DO NOT exceed height difference or select too low of capacity.

OPTIONS - SPECIFY ON ORDER							
Model No.	Description	Price Ea.					
HOHDL H1HDL HSDP HSB	No handles One handle Smooth deck plate Special bend or location of bend	Add \$12.90 Add \$6.20 \$33.60 \$39.00					
HSLL	ot bend Special location of locking legs	\$22.50/pr.					
HLHDL	Extra pair of locking legs w/handles and hardware, specify leg length	\$32.70/pr.					

		Hgt. Diff.	Product	Thick Tread Ple Cap. (lbs.)	Wt.	Ship Via	Price	Product	' Thick Tread Plo Cap. (lbs.)	Wt.	Ship	Price
Width 30" 30" 30" 30"	Length 24" 30" 36" 48"	Diff. 3" 4" 5" 7"	No. HE-3024 HE-3030 HE-3036 HE-3048	(Ibs.) 3000 2300 1800 1400	(lbs.) 35 40 49 59	Via UPS UPS UPS UPS	Ea. \$211.60 247.20 282.80 351.00	No. HEH-3024 HEH-3030 HEH-3036 HEH-3048	(Ibs.) 5200 4100 3500 2600	(Ibs.) 42 50 61 74	Via UPS UPS UPS UPS	Ea. \$257.10 300.60 350.00 457.80
36" 36" 36" 36" 36"	24" 30" 36" 48"	3" 4" 5" 7"	HE-3624 HE-3630 HE-3636 HE-3648	3600 3000 2500 1900	45 55 71 88	UPS UPS UPS UPS	239.30 281.80 324.30 409.30	HEH-3624 HEH-3630 HEH-3636 HEH-3648	6200 5100 4300 3000	49 60 71 89	UPS UPS UPS UPS	300.60 356.00 407.40 520.20
42" 42" 42"	24" 30" 48"	3" 4" 7"	HE-4224 HE-4230 HE-4248	4300 3300 2100	44 51 80	UPS UPS	273.00 307.60 477.60	HEH-4224 HEH-4230 HEH-4248	7200 5900 3500	56 67 103	UPS UPS	342.20 404.40 598.20
48" 48" 48" 48" 48" 48" 48"	24" 30" 36" 42" 48" 54" 60"	3" 4" 5" 7" 8" 9"	HE-4824 HE-4830 HE-4836 HE-4842 HE-4848 HE-4854 HE-4860	5200 4100 3500 3000 2600 2200 1800	48 63 71 81 91 102 112	UPS UPS UPS	292.70 352.10 407.40 473.60 525.10 596.30 646.60	HEH-4824 HEH-4830 HEH-4836 HEH-4842 HEH-4848 HEH-4854 HEH-4860	8200 6300 5300 4300 3800 3300 2900	55 73 89 108 118 133 153	UPS UPS UPS	366.90 449.90 519.10 600.20 680.30 752.50 836.60
54" 54" 54" 54" 54"	24" 30" 36" 48" 60"	3" 4" 5" 7" 9"	HE-5424 HE-5430 HE-5436 HE-5448 HE-5460	5400 4300 3700 2600 2000	53 68 77 101 137	UPS UPS	324.30 389.50 465.80 581.40 724.80	HEH-5424 HEH-5430 HEH-5436 HEH-5448 HEH-5460	9100 7100 5300 4200 3400	68 86 111 134 163	UPS	415.30 500.40 597.20 754.50 928.40
60" 60" 60" 60" 60" 60"	24" 30" 36" 42" 48" 54" 60"	3" 4" 5" 7" 8" 9"	HE-6024 HE-6030 HE-6036 HE-6042 HE-6048 HE-6054 HE-6060	5700 4600 4100 3500 2900 2400 2000	60 69 75 107 119 127 136	UPS UPS	351.00 426.20 496.40 574.50 641.70 711.90 786.10	HEH-6024 HEH-6030 HEH-6036 HEH-6042 HEH-6048 HEH-6054 HEH-6060	10000 7800 6600 5500 4800 4100 3700	75 88 109 127 145 159 177	UPS UPS	429.10 547.80 630.90 734.70 824.60 921.50 1,013.50
72" 72" 72" 72"	24" 30" 36" 48"	3" 4" 5" 7"	HE-7224 HE-7230 HE-7236 HE-7248	6500 5400 4300 3400	84 92 100 138	UPS	415.30 500.40 583.40 757.50	HEH-7224 HEH-7230 HEH-7236 HEH-7248	11900 9500 7800 5900	87 106 129 173	UPS	524.10 633.90 740.60 970.10

PMENT



Mechanical Edge-O-Dock Operation Step

A) The Edge-O-Dock Leveler

• The Edge-O-Dock can never slip out of position, get lost or stolen and eliminates pinched fingers and toes.

Guards keep feet from under ramp. It's easy to operate. Spot trailer then put lip up and in. Lip automatically drops when truck pulls away. Counterbalance spring easily adjusts to desired tension. All heavy duty steel construction, takes a pounding year after year. All Edge-O-Docks have a height differential of +/-5". Standard with 27" ramping length. Dock bumpers measure 2" x 8" x 18". Installs easily with complete instructions. Available in either mechanical or hand pump hydraulic or electric models. Hydraulic features long lasting pump, cylinder, lines and fluid. Dock height must be minimum 48" high. FOB Shipping Point.Mechanical (Series FM) Hand Pump Hydraulic (Series PP) Electric Hydraulic (Series PE) Power unit mounted underneath.

Product	Cap.	Wid th	Ramping	Wt.	Price
No.	(lbs.)	MECHANICAL	Length	(Ibs.)	Ea.
HFM-2066 HFM-2072	20000 20000	66" 72" HAND HYDRAULI	27" 27"	484 510	\$1,032.70 1,182.50
HPP-1572-36	15000	72"	36%"	661	1,849.10
HPP-2066	20000	66"	29"	505	1,512.70
HPP-2072	20000	72"	29"	531	1,622.50
HPP-2572-36	25000	72"	36%"	705	2,160.80
		ELECTRIC HYDRAUL	IC		
HPE-1572-36	15000	72"	36%"	648	3,008.00
HPE-2066	20000	66"	29"	492	2,531.10
HPE-2072	20000	72"	29"	518	2,764.90
HPE-2572-36	25000	72"	36%"	692	3,274.60

Call for higher capacity applications. * HCE curb edge 6" x 96" L \$173.30 * HAP approach plate 96" w x 12" l x ½" thick \$179.50

B) Aluminum Hand Truck Dockboard

• Lightweight and can be carried and positioned by one person. Diamond tread surface and beveled edges provide safe and smooth entry and exit. Bend is designed to keep ramp edges flush with the dock surface and truck floor. Full length aluminum curbs provide hand holds and prevent runoffs. Includes steel safety locking legs. Plate and angles are welded - legs are bolted on. FOB Shipping Point.

Product	Cap.	Size	Hgt.	Wt.	Price
No.	(lbs.)	W x L	Diff.	(Ibs.)	Ea.
HAHTD-3036 HAHTD-3048 HAHTD-3648 HAHTD-3660 HAHTD-3672	800 800 800 800 800 800	28 × 35%" 28 × 47%" 34 × 47%" 34 × 59%" 34 × 71%"	5" 7" 7" 10" 13"	35 46 51 65 75	\$350.40 457.90 518.40 627.80 734.40


C) Steel Truck Dock Boards


• Lever Lift[™] feature permits convenient transfer with your forklift truck.

Heavy duty steel dock board is especially designed for ease of transfer. First, pull up lever lift handle, position forks under dockboard and it's ready to move or reposition. Beveled edges on both ends permit smooth entry and exit. Deck is checkered for safe, efficient use. Safety stops eliminate ramp movement. Lip is 9", crowned at truck end. Side rail ends are safety sloped. Meets OSHA requirements. FOB Shipping Point. Manually lift lever to raise dock board off the floor. Position forks under board...lever automatically falls when board is lifted. Ready to load, lever is out of the way.

	Hgt. Differential		10,000 LB CAPACITY			15,000 LB CAPACITY			20,000 LB CAPACITY		
	Size		Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price
	WxL	11°/19°	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.
đ	60 x 36"	5"	HTS-10-6036	259	\$697.40	HTS-15-6036	295	\$808.10	HTS-20-6036	303	\$825.60
ć	50 x 48"	7"	HTS-10-6048	388	899.40	HTS-15-6048	390	1,053.20	HTS-20-6048	433	1,075.90
ć	50 x 60"	10"	HTS-10-6060	447	1,298.40	HTS-15-6060	458	1,327.00	HTS-20-6060	582	1,795.80
ć	50 x 72"	12"	HTS-10-6072	535	1,540.40	HTS-15-6072	601	1,640.80	HTS-20-6072	791	2,138.30
7	72 x 36"	5"	HTS-10-7236	300	808.10	HTS-15-7236	347	937.40	HTS-20-7236	390	1,084.00
7	72 x 48"	7"	HTS-10-7248	386	1,053.20	HTS-15-7248	386	1,225.50	HTS-20-7248	512	1,423.50
7	72 x 60"	10"	HTS-10-7260	563	1,523.00	HTS-15-7260	552	1,548.60	HTS-20-7260	647	1,866.50
7	72 x 72"	12"	HTS-10-7272	721	1,805.00	HTS-15-7272	668	1,902.40	HTS-20-7272	919	2,481.90

* Deduct 6" for usable width. Aluminum dock boards also available. Call for variable sizes and capacities





Aluminum ni-Dockboards rb Jumpers

• Scale 3" to 5" curbs and high door thresholds with these easy to handle Curb Jumpers.

Perfect for use with hand trucks making deliveries. Rugged aluminum construction is lightweight for simple one person handling. Features carrying handle and diamond tread surface for non-slip traction. FOB Shipping Point.

Product No.	Cap. (lbs.)	Size W x L	Wt. (lbs.)	Price Ea.
HAMD-2418	500	24 x 18"	8	\$134.50
HAMD-3018	600	30 x 18"	13	150.30
HAMD-3618	700	36 x 18"	14	187.90

CK ARFA RUBBER SPEED HUMPS



Gently slows traffic to 5-10 mph. Ideal in neighborhoods, construction areas, hospitals, post office and airports. Easy tongue and groove installation. Feature two end caps and five middle sections. Embedded highway tape ensures high visibility. Constructed of recycled and virgin rubber. Hardware kits included. Capacity 40,000 lbs. series HRSH-108 and 60,000 lbs. series HRSH-120. FOB Shipping Point.

Product No.	Overall Size 1 W x L x H	Гуре of Hardwa Kit Included	re Color	Wt. (lbs)	Price Ea.
HRSH-108-24-C HRSH-108-24-A HRSH-120-36-C		Asphalt	Black/Yellow Black/Yellow Black/Yellow		\$269.70 345.40 457.50
HRSH-120-36-A			Black/Yellow		541.40



STO Speed Bumps

- Help control parking and driving safely with Car Stops & Speed Bumps.
- Units are lightweight and install quickly and easily on either concrete or asphalt, and may simply be relocated for snow removal, seal coating, or if your needs change.

Constructed of solid recycled plastic, these Car Stops & Speed Bumps resist marring by oil, road salt, sunlight and chemicals. Speed Bumps feature dual 1"W x [#]"H channel to run cables underneath. FOB Shipping Point.

		13		
Product No.	Description	Dimensions W x L x H	Wt. (lbs)	Price Ea.
HSB-36* HSBA-36* HSB-108* HSBA-108* HSBS-1012	For Concrete, Hardware inc. For Asphalt, Hardware inc. For Concrete, Hardware inc. For Asphalt, Hardware inc. Speed Bump Sign, excludes post	10 x 72 x 2" 10 x 72 x 2" 10 x 106 x 2" 10 x 106 x 2"	26 28 56 59 2	\$136.50 151.40 217.50 242.00 22.00
*Limited 30 da	y warranty.			

Product No.	CAR ST Dimensions W x L x H	TOPS Color	Wt. (Ibs)	Price Ea.				
HCS-33-G HCS-33-Y HCS-33-B	6 x 72 x 3¼" 6 x 72 x 3¼" 6 x 72 x 3¼"	Gray Yellow Blue	27 27 27	\$74.70 74.70 74.70				
HARDWARE KITS								
HCS-AK-3 HCS-33-KIT-3	Asphalt Hardware Kit: Concrete Hardware Kit	4 2	27.70 19.20					

REDUCES material handling costs, expedite loading.

Steel Yard

- Yard Ramps provide flexibility with ground-level loading. • Reduces material handling costs, expedite loading and utilize
 - dock mobility.

Unit is easy to operate with a manual hand crank system with a service range of 45-62". Standard features include: maximum traction steel grating, safety locking chains, 8%" steel wheels, 4" high safety curbs and rubber bumpers. Optional features include: pneumatic tires, hand pump hydraulic or DC lift, fork lift pickup slots, tow bar loop, tow bar hitch and handrails. Aluminum yard ramps also available. FOB Shipping Point.

Product No.	Cap. (lbs)	STEEL Y Overall Width	(ARD RAMP Usable Width	PS Length	Wt. (lbs)	Price Ea.
HYR-16-7230	16,000	72"	66"	30'	4625	\$10,462.70
HYR-16-8430	16,000	84"	78"	30'	5175	11,318.10
HYR-16-7236	16,000	72"	66"	36'	5925	11,392.90
HYR-16-8436	16,000	84"	78"	36'	6250	12,755.80
HYR-20-7330	20,000	73"	66"	30'	5275	11,310.80
HYR-20-8530	20,000	85"	78"	30'	5800	12,676.90
HYR-20-7336	20,000	73"	66"	36'	6275	12,751.80
HYR-20-8536	20,000	85"	78"	36'	6975	14,377.20
HYR-25-7336	25,000	73"	66"	36'	6475	13,416.30
HYR-25-8536	25,000	85"	78"	36'	7175	15,633.60
HYR-30-7336 HYR-30-8536 36'L. ramps include	30,000 30,000 30' of rampin	73" 85"	66" 78"	36' 36' sizes and cape	6650 7350	15,115.70 16,963.70

Rug Rams/Carpet Poles

• Transport rolls of carpet with the tough Rug Rams/Carpet Poles. • Available in either Fork Mounted or Carriage styles.

Strong 2³/₄" dia., high strength, rotatable, replaceable pole has tapered tip for easy entry. Made of steel construction to handle loads up to 2500 lbs. Blue in color. FOB Shipping Point.



mount and feature a spring loaded locking pin to secure to the carriage.

Product No.	Cap. (lbs.)	RUG RAMS/CAR	RPET POLES Pole Dia.	Wt. (lbs.)	Price Ea.			
	F	ORK MOUNTED	INVERTED					
HCRP-108 HCRP-120 HCRP-144	2500 2200 1800	108½" 120½" 144½"	2 ³ /4" 2 ³ /4" 2 ³ /4"	466 488 528	\$1,278.90 1,506.50 1,554.70			
FORK MOUNTED								
HCRF-108 HCRF-120 HCRF-144	2500 2200 1800	108½" 120½" 144½"	2 ³ /4" 2 ³ /4" 2 ³ /4"	389 424 450	1,264.50 1,474.70 1,532.20			
	CA	RRIAGE MOUNT	ED CLASS II					
HCR-108-2 HCR-120-2 HCR-144-2	2500 2200 1800	108½" 120½" 144½"	2 ³ ⁄4" 2 ³ ⁄4" 2 ³ ⁄4"	287 310 342	692.30 715.80 823.60			
	CA	RRIAGE MOUNT	ED CLASS III					
HCR-108-3 HCR-120-3 HCR-144-3	2500 2200 1800	108½" 120½" 144½"	2 ³ ⁄4" 2 ³ ⁄4" 2 ³ ⁄4"	296 316 478	703.60 729.10 837.90			

DOCK LIFTS



Quality products made in the USA!

Pit-Mounted Dock Lifts

• Superb durability.

• Built for safety and high quality performance.

Solid steel scissors provide excellent stability and the steel tread plate on running surfaces ensure safe footing. Piston-type hydraulic cylinders are hard-chrome plated with polished rods, polyurethane seals and wear plates for long life. 5HP, 3 phase motor. FOB Shipping Point.

	~	PIT-MOUNT I				р.:
Product No.	Cap. (lbs.)	Height	Platform Size	Axle Load over Bridge	Wt. (Ibs.)	Price Ea.
HDK050-60-72X96 HDK050-60-72X120 HDK050-60-96X96 HDK050-60-96X120	5,000 5,000 5,000 5,000	Raised - 70" Lowered - 10"	72 x 96" 72 x 120" 96 x 96" 96 x 120"	2,500 2,500 2,500 2,500	3,100 3,400 3,400 3,800	\$7,966.00 9,050.00 9,315.00 9,875.00
HDK060-60-72X96 HDK060-60-72X120 HDK060-60-96X96 HDK060-60-96X120	6,000 6,000 6,000 6,000	Raised - 70" Lowered - 10"	72 x 96" 72 x 120" 96 x 96" 96 x 120"	3,000 3,000 3,000 3,000	3,200 3,500 3,500 3,900	8,200.00 9,610.00 9,800.00 10,100.00
HDK080-60-72X96 HDK080-60-72X120 HDK080-60-96X96 HDK080-60-96X120	8,000 8,000 8,000 8,000	Raised - 76" Lowered - 16"	72 x 96" 72 x 120" 96 x 96" 96 x 120"	6,500 6,500 6,500 6,500	4,700 4,800 4,800 5,000	13,293.00 14,123.00 13,847.00 14,516.00
HDK0100-60-72X96 HDK0100-60-72X120 HDK0100-60-96X96 HDK0100-60-96X120	10,000 10,000 10,000 10,000	Raised - 76" Lowered - 16"	72 x 96" 72 x 120" 96 x 96" 96 x 120"	8,000 8,000 8,000 8,000	4,800 4,900 4,900 5,100	14,000.00 15,100.00 14,771.00 15,560.00
HDK0120-60-72X120 HDK0120-60-72X144 HDK0120-60-96X120 HDK0120-60-96X144	12,000 12,000 12,000 12,000	Raised - 76" Lowered - 16"	72 x 120" 72 x 144" 96 x 120" 96 x 144"	9,600 9,600 9,600 9,600	5,600 6,000 6,000 6,300	15,800.00 16,200.00 16,789.00 17,340.00
HDK0150-60-72X120 HDK0150-60-72X144 HDK0150-60-96X120 HDK0150-60-96X144	15,000 15,000 15,000 15,000	Raised - 76" Lowered - 16"	72 x 120" 72 x 144" 96 x 120" 96 x 144"	12,000 12,000 12,000 12,000	5,700 6,200 6,200 6,500	17,933.00 19,175.00 18,813.00 19,945.00





Surface Mount Dock Lifts

Turns any concrete surface into a loading dock. Lifts up to 5,000 lbs.

You can have a loading dock any place you need one, as long as the surface will support the dock lift base. There is no pit required. Steel tread plate on all running surfaces. Push button control with twist lock plug. Includes removable hand railing and safety chains. Standard models can lift up to 5,000 lbs. and can accommodate hand carts, 4-wheel carts and pallet trucks. FOB Shipping Point.

SURFACE MOUNT DOCK LIFT Product Cap. Height Height Platform Axle Load Wt. Price No. (lbs.) Raised Lowered Size over Bridge (lbs.) Ea.								
HDS030-54-72X72 HDS040-54-72X72 HDS050-54-72X72	4,000	60" 60" 60"	6" 6" 6"	72 x 72" 72 x 72" 72 x 72"	2,000 2,000 2,000	2,400	\$10,562.00 11,534.00 11,990.00	


YARD RAMPS & DOCKS Copperloy



Quality products made in the USA!

Safety feature: 15" LIP rests firmly on truck or dock prevents a

no overlap.



Mobile Yard Ramps

• Built strong for tough applications.

• Ideal for use when a dock is not available.

Durable ramps make loading and unloading trucks easy. Open steel grating ensures safe use in all weather conditions. Engineered for maximum efficiency. Standard color is Black. Also available in Yellow for an extra charge. FOB Shipping Point.

MOBILE STEEL CONTAINER YARD RAMPS WITH STEEL GRATING Product Cap. (lbs.) Size L x W Level Wt. (lbs.) Price No. Range Ea. HSMR16-70-36PL8 HSMR16-84-36PL8 HSMR20-70-36PL8 HSMR20-84-36PL8 HSMR25-70-36PL8 HSMR25-84-36PL8 36' x 70" 36' x 84" 16,000 38-65" 6,100 \$11,000.00 8' 8' 38-65" 16,000 6,900 12,130.00 36' x 84" 36' x 70" 36' x 84" 36' x 70" 36' x 84" 20,000 20,000 25,000 6,200 7,000 38-65" 8' 8' 8' ,985.00 38-65" 38-65" 13,205.00 6,300 25,000 38-65" 8' 8' 7,100 14,130.00 HSMR30-84-36PL8 38-65 30,000 36' x 84" 8'300

Add -YE to Product No. for Yellow Paint ... add \$375.00.

Call for information. Aluminum ramps available – call for more information.



Stationary Ramps

• Convenient and safe.

• Weather resistant steel grating.

Designed for fork trucks and some vehicles to access the dock to and from ground level. Steel grating is weatherproof and built for years of hard use. Standard color is Black. Also availabe in Yellow Paint for an extra charge. Other capacities available - call for information. FOB Shipping Point.

Product No.	STATIONAR Cap. (lbs.)	Y RAMPS WIT Size L x W	"H STEEL GR Range	ATING Wt. (lbs.)	Price Ea.
HSDG16-70-30	16,000	30' x 70"	38-60"	5,020	\$8,074.00
HSDG16-84-30	16,000	30' x 84"	38-60"	5,770	8,777.00
HSDG16-96-30	16,000	30' x 96"	38-60"	6,475	10,468.00
HSDG20-70-30	20,000	30' x 70"	38-60"	5,175	8,574.00
HSDG20-84-30	20,000	30' x 84"	38-60"	5,925	10,222.00
HSDG20-96-30	20,000	30' x 96"	38-60"	6,600	11,606.00

Add -YE to Product No. for Yellow Paint ... add \$375.00. Dimensions are overall width including curbs. Subtract 8" for useable width.

Edge-of-Dock Leveler

• Smooth and easy to operate with handle or optional wall mounted push button.

• Exclusive lift mechanism and spring assembly sets the board in place with 1/4 the effort of a conventional edge-of-dock.

FOB Shipping Point.

	EDGE-O	F-DOCK LEVELER	00	
Product	Cap.	Plate	Wt.	Price
No.	(lbs.)	Width	(lbs.)	Ea.
HSEL2066CG	20,000	66"	490	\$803.00
HSEL2072CG	20,000	72"	505	846.00
HSEL3066CG	30,000	66"	524	876.00
HSEL3072CG	30,000	72"	563	923.00
HSEL3078CG	30,000	78"	598	1,090.00
HSEL3084CG	30,000	84"	625	1,184.00

Add 30" to plate width for overall width. Standard price includes molded rubber bumpers and steel blocks.

Optional Steel Bumper Guard...add \$67.00/pair. Longer Lip for refrigerated trucks...add \$67.00.

Hydraulic Power...add \$1,200.00.






Optional Steel Bumper Guards



dangerous gap between

truck and ramp that can happen on models with



DOCKBOARDS & DOCKPLATES



Quality products made in the USA!

Steel Dockboards

- Fully welded, all steel curbs.
- Tire saver curbs for reduced tire wear.
- Heavy duty steel tread plate deck.
- Fold-down lift loops (lift chains available).
- Double bend design.
- Rugged locking legs.

Steel dockboards are designed for the safe loading and unloading of heavy duty freight with the use of a forklift. Copperloy steel dockboards can accommodate capacities from 15,000 - 35,000 lbs. FOB Shipping Point.

STEEL DOCKBOARDS 15,000 LB. 20,000 LB.										
Width	Length	Max. Height Differential	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.		
60"	36"	5"	HSTR15-60-36	375	\$1,006.00	HSTR20-60-36	465	\$1,107.00		
60" 60"	42" 48"	6" 7½"	HSTR15-60-42 HSTR15-60-48	465 515	1,061.00 1,136.00	HSTR20-60-42 HSTR20-60-48	575 635	1,177.00		
60"	40 54"	8½"	HSTR15-60-54	600	1,241.00	HSTR20-60-54	705	1,328.00		
60"	60"	9 ¹ / ₂ "	HSTR15-60-60	650	1,345.00	HSTR20-60-60	770	1,460.00		
60"	72"	12"	HSTR15-60-72	750	1,554.00	HSTR20-60-72	900	1,664.00		
60" 60"	84" 96"	14" 16"	HSTR15-60-84 HSTR15-60-96	860 1,000	1,764.00	HSTR20-60-84 HSTR20-60-96	1,060 1,200	1,874.00 2,078.00		
72"	36"	5"	HSTR15-72-36	440	1,082.00	HSTR20-72-36	540	1,141.00		
72"	42"	6"	HSTR15-72-42	545	1,145.00	HSTR20-72-42	670	1,299.00		
72" 72"	48" 54"	7½" 8½"	HSTR15-72-48 HSTR15-72-54	600 690	1,252.00 1,355.00	HSTR20-72-48 HSTR20-72-54	800 825	1,400.00 1,524.00		
72"	60"	9½"	HSTR15-72-60	750	1,457.00	HSTR20-72-60	900	1,649.00		
72"	72"	12"	HSTR15-72-72	870	1,664.00	HSTR20-72-72	1,050	1,894.00		
72"	84"	14"	HSTR15-72-84	995	1,874.00	HSTR20-72-84	1,240	2,139.00		
72" 84"	96" 36"	16" 5"	HSTR15-72-96 HSTR15-84-36	1,150 500	2,078.00	HSTR20-72-96 HSTR20-84-36	1,395 615	2,384.00 1,306.00		
84"	48"	71/2"	HSTR15-84-48	670	1,400.00	HSTR20-84-48	850	1,555.00		
84"	60"	91/2"	HSTR15-84-60	850	1,649.00	HSTR20-84-60	1,030	1,835.00		
84"	72"	12"	HSTR15-84-72	990	1,890.00	HSTR20-84-72	1,200	2,119.00		


More sizes available - call for information.

10.1

ALUMINUM DOCKBOARDS WITH STEEL BOLT-ON CURBS

Width	Length	Product No.	10,000 LB. Wt. (lbs.)	Price Ea.	Product No.	15,000 LB. Wt. (lbs.)	Price Ea.
60" 60" 60" 60"	36" 42" 48" 60" 72"	HABC10-60-36 HABC10-60-42 HABC10-60-48 HABC10-60-60 HABC10-60-72	128 147 164 202 241	\$640.00 730.00 822.00 1,002.00 1,185.00	HABC15-60-36 HABC15-60-42 HABC15-60-48 HABC15-60-60 HABC15-60-72	154 178 200 248 297	\$806.00 920.00 1,035.00 1,260.00 1,488.00
72" 72" 72"	36" 48" 60"	HABC10-72-36 HABC10-72-48 HABC10-72-60	145 187 230	715.00 928.00 1,140.00	HABC15-72-36 HABC15-72-48 HABC15-72-60	178 231 285	900.00 1,185.00 1,470.00

More sizes available - call for information.



Aluminum Dockboards

- Tough aluminum tread plate deck.
- Structural steel curbs bolted on 6" centers.
- High traction, corrosion free surface.
- Lightweight for easy maneuvering.

This product provides strength and durability in a lighter, more maneuverable dockboard. Available in 10,000 lb. and 15,000 lb. capacities.

FOB Shipping Point.

Aluminum Dockplates

- Manufactured with ³/₈" or ¹/₂" aluminum tread plate.
- Rugged 1/2" steel locking legs are attached with vibration-proof fasteners.
- Includes knuckle saver strap handles for lifting.

Dockplates are used in lighter capacity applications where low height differences exist and safety curbs are not necessary. FOB Shipping Point.

	ALUMINUM DOCKPLATES 3/8" THICK 1/2" THICK										
Width	Length	Max. Height Differential	Leg Ht.	Product No.	Cap. (lbs.)	Wt. (lbs.)	Price Ea.	Product No.	Cap. (lbs.)	Wt. (lbs.)	Price Ea.
48" 48" 48" 48" 48" 48"	36" 42" 48" 54" 60" 72"	5" 6" 7" 8" 9½" 11½"	9" 9" 13" 13" 13"	HLP48-36 HLP48-42 HLP48-48 HLP48-54 HLP48-60 HLP48-72	3,100 2,600 2,200 1,700 1,200 700	89 100 112 135 146 168	\$390.00 436.00 482.00 528.00 574.00 664.00	HTLP48-36 HTLP48-42 HTLP48-48 HTLP48-54 HTLP48-60 HTLP48-72	5,500 4,600 4,000 3,500 3,100 1,600	110 125 139 165 180 209	\$498.00 565.00 633.00 702.00 770.00 905.00
60" 60" 60" 60" 60"	36" 42" 48" 54" 60" 72"	5" 6" 7" 8" 9½" 11½"	9" 9" 13" 13" 13"	HLP60-36 HLP60-42 HLP60-48 HLP60-54 HLP60-60 HLP60-72	3,800 3,200 2,700 2,100 1,500 850	106 120 134 160 174 202	468.00 527.00 589.00 648.00 709.00 830.00	HTLP60-36 HTLP60-42 HTLP60-48 HTLP60-54 HTLP60-60 HTLP60-72	6,800 5,800 5,000 4,400 3,800 2,000	132 153 168 198 217 253	595.00 678.00 763.00 845.00 929.00 1,095.00

Price includes heavy duty strap handles. More sizes and other options available – call for information.



Hydraulic Truck Dock Scissor Lift

• Load and unload trucks without a dock with this hefty scissors lift.

• Engineered for maximum safety and efficiency.

Saves time and reduces manhours where there are no docks. Checkered plate deck is made of heavy gauge steel for hard use. Hydraulic unit features emergency automatic stop if line breaks. Complete with upper travel limit switch, and overload relief. Push-button control is 24 volt on 20' coiled cord. Prewired control box includes Magnetic Starter and overload fuse. High visible hand rails are removable. Built for years of daily use, with minimum maintenance. Standard 6.5 HP 208-230/460 V, 3-phase, 60 Hz motor. FOB Shipping Point.

Two Speed Pump

Replace standard pump with 2 speed and increase lifting speed by 55% when lift is unloaded. HWL-TSP Price Ea. \$628.60

____ . _ . _ .

Warning Beeper & Strobe Sounds and flashes during the lift and lowering operation. 80 decibels.

HWL-WB Price Ea. \$524.10

Stop Signal Sign

Optional Stop Sign Signal that raises up to let the driver know when to stop for safe loading/unloading. This is only available on surface mount units with fixed tow boards. (Reduces usable width by 3".)



HWL-SSS Wt. 19 (lbs.) Price Ea. \$131.30

MECHANICAL HINGED - LIP Dockleveler

- Ease truck loading and unloading with this rugged dockleveler, engineered and designed for minimum maintenance.
- Latest design features ensure smooth operation...pulling recessed chain releases deck allowing it to go up.

Springs lift dock through a graduated cam ensuring a uniform vertical force. Easy walk down. All heavy duty construction features...platform is ¼" non-skid checkered plate (55,000 PSI) steel. 6" structural steel support understructure for long life. Lip is 16" long with 55,000 PSI steel. Includes steel toe guards on both sides, flush with platform edge. The most dependable dockleveler on the market today. 20,000 lb. load capacity. Capacities to 50,000 lbs. available. Contact dealer. FOB Shipping Point.







Convenient Spring Adjustment

Product	Size	Wt.	Price				
No.	W x L	(lbs.)	Ea.				
HRR-65-20	6' x 5'4"	1570	\$2,684.90				
HRR-66-20	6' x 6'4"	1766	2,962.30				
HRR-68-20	6' x 8'4"	2144	3,434.70				
HRR-610-20	6' x 10'4"	2517	4,410.90				
HRR-76-20	7' x 6'4"	1970	3,317.30				
HRR-78-20	7' x 8'4"	2382	3,746.80				
HRR-710-20	7' x 10'4"	2808	4,410.90				
Includes two laminated bumpers 10"H x 14"D. HES Emergency Stops Price Ea. \$288.20							

HES Emergency Stops Price Ea. \$288.20 HWS-DV Weatherstripping. Price Ea. \$101.70 Stops and weather stripping are factory installed.



5,000 LB. CAPACITY

			Lift					
Product No.	Platform W x L	End Load Axle Cap. (lbs.)	Lowered Hgt.	Raised Hgt.	Wt. (lbs.)	Price Ea.		
HWL-100-5-68 HWL-100-5-78 HWL-100-5-610 HWL-100-5-710	72 x 96" 84 x 96" 72 x 120" 84 x 120"	3750 3750 3250 3250	8" 8" 8"	68" 68" 68" 68"	3485 3706 3828 4032	\$8,940.80 9,848.40 10,244.20 10,696.50		
		6,000 LB (CAPACITY					
HWL-100-6-68 72 × 96" 4500 10" 70" 3648 9, HWL-100-6-78 84 × 96" 4500 10" 70" 3793 10, HWL-100-6-610 72 × 120" 4000 10" 70" 3944 10, HWL-100-6-710 84 × 120" 4000 10" 70" 4043 11,								
		8,000 LB (CAPACITY					
HWL-100-8-68 HWL-100-8-78 HWL-100-8-610 HWL-100-8-710	72 x 96" 84 x 96" 72 x 120" 84 x 120"	6750 6750 6250 6250	10" 10" 10" 10"	70" 70" 70" 70"	4401 4597 4812 4918	13,105.60 13,780.30 14,149.60 14,581.40		
		10,000 LB	CAPACITY					
HWL-100-10-68 HWL-100-10-78 HWL-100-10-610 HWL-100-10-710 HWL-100-10-612 HWL-100-10-712	72 x 96" 84 x 96" 72 x 120" 84 x 120" 72 x 144" 84 x 144"	8250 8250 8250 8250 8250 8250 8250	14" 14" 14" 14" 14" 14"	72" 72" 72" 72" 72" 72"	5809 5996 6042 6229 6509 6695	15,816.10 16,695.00 17,176.00 17,430.30 18,218.00 18,369.70		
		12,000 LB	CAPACITY					
HWL-100-12-68 HWL-100-12-78 HWL-100-12-710 HWL-100-12-810 HWL-100-12-612 HWL-100-12-712	72 x 96" 84 x 96" 84 x 120" 96 x 120" 72 x 144" 84 x 144"	9750 9750 9750 9750 9750 9750 9750	14" 14" 14" 14" 14" 14"	72" 72" 72" 72" 72" 72"	6392 6578 6812 6998 7103 7230	16,939.10 17,848.70 18,534.80 19,012.70 18,859.90 19,210.70		



WHEEL CHOCKS



Safety Orange Molded Urethane

- Long wearing urethane material stands up to years of hard use.
- Eliminates accidental trailer movement.

Available in three styles; Mini for buses, trucks, auto, fork lifts; Standard for trailers, larger trucks, rec. vehicles; and Jumbo for heavy duty construction equipment. Meets OSHA requirements. FOB Shipping Point.

Product No.	Description	Base	Hgt.	Wt. (lbs.)	Price Ea.	
HURWC-2 HURWC-15 HURWC-25	Mini Standard Jumbo	7 x 8" 8 x 11" 14% x 17½"	6" 8" 1 <i>5</i> "	3 5 21	\$23.00 37.30 206.10	
HOH-15 Optional 15' chain and hanger. Price Ea. \$15.80 HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. \$17.50						

D) Aluminum Wheel Chocks

- A lightweight, easy to handle aluminum chock.
- FOB Shipping Point.



ŀ	Гуре	No.	Description	Size* W x H x D	(lbs.)	Ea.
	Α	HEALUM-7	Chock	7 x 8 x 11¾"	8	\$44.50
	В	HEALUM-7-HNDG		7 x 8 x 13‰"	7	88.00
	С	HEALUM-YEL	Yellow Chock	7 x 8 x 11¾"	8	48.90
		HEALUM-7-H	Chock with Handle	7 x 7 ¹ / ₆ x 11%"	13	122.60
		HEALUM-7-HS	Chock with Handle & Sign	7 x 7 ¹ ‰ x 11‰"	13	161.30
- 2						

HOH-15 Optional 15' chain and hanger. Price Ea. \$15.80 HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. \$17.50 *Size of Chock only - not including handle and sign.

E) Sturdy Steel Chock

• Guaranteed to hold trucks in mud, sand, concrete, asphalt, ice, whatever.

• Features easy grip hand hold for ease of positioning.

Chock can be positioned on either side. Rugged all welded steel construction won't bend or break. Meets OSHA requirements. Measures 6"W x 17%"D x 9%"H. FOB Shipping Point. HSWC-22 Wt. 19 (lbs.) Price Ea. \$54.20

HOH-15 Optional 15' chain and hanger. Price Ea. \$15.80 HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. \$17.50

F) The Sloped Chock

• Features superior holding power.

• Tire rests on slope rather than against it.

Heavy bottom cleats provide sure gripping on many surfaces. Grip slot for easy positioning. Measures 8½"W x 8½"H x 15¼"L. Meets OSHA requirements. FOB Shipping Point. F HSSC-17 Cast Steel. Wt 25 (lbs.) Price Ea. \$70.80

G) Safety Wheel Chock

• Designed for maximum traction on any surface.

• Features grip slot for easy pickup and positioning. Bottom teeth securely grip ground to resist slipping.

Long, long wear due to super strength cast metal. Meets OSHA requirements. Measures 8%6"W x 7%6"H x 8¼"L. FOB Shipping Point. HMS-15 Cast Steel. Wt. 16 (lbs.) Price Ea. \$43.70 HOH-15 Optional 15' chain and hanger. Price Ea. \$15.80 HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. \$17.50

Chain & Hanger

• Tough 15' chain attaches to chock and wall.

• Discourages theft and misplacement. FOB Shipping Point. HOH-15 Wt. 3 (lbs.) Price Ea. \$15.80

HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. \$17.50



"Chock Your Wheels" Sian

- Attention-getting sign warns truck drivers and dock workers of OSHA regulations to chock their wheels.
- Durable aluminum construction. FOB Shipping Point.

Product	Size	Wt.	Price
No.	W x H	(Ibs.)	Ea.
HSA-1012	11¾ x 9¾"	1	\$20.20

F.





A) Rubber Wheel Chock

- Economical nylon reinforced molded rubber provides sure grip traction.
- Rubber resists tearing, abrasion, ozone weathering, etc.

Safety engineered to prevent sliding. Complete with cadmium plated eyebolt. Meets OSHA requirements. Measures 9¹/₄"W x 6"H x 8"D. FOB Shipping Point. HRWC-8 Wt. 11 (lbs.) Price Ea. \$20.50 HOH-15 Optional 15' chain and hanger. Price Eq. \$15.80

HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. \$17.50

B) Molded Rubber Chock

- Sloped design increases holding capability by allowing truck tire to roll on to chock face.
- Features rubber handle for convenient carrying.

Rugged rubber chock resists tearing, abrasions, and ozone weathering. Hole in handle accepts chain and hanger. Meets OSHA requirements. Measures 7"W. x 10"D. x 7¼"H. FOB Shipping Point. HRWC-11 Wt. 11 (lbs.) Price Ea. \$33.80

HOH-15 Optional 15' chain and hanger. Price Ea. \$15.80

HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. \$17.50

C) Laminated **Rubber Wheel** Chock

- A popular chock thanks to functional design and durability.
- Cord reinforced rubber provides a sure grip on concrete or paved surfaces.

Curved surface contours to fit tires. Chock measures 7¹/₂"W x 8"L x 8"H. Overall size including handle is 10% "W x 8"L x 8"H. Meets OSHA requirements.

FOB Shipping Point. HLWC-15 Wt. 13 (lbs.) Price Ea. **\$30.80** HOH-15 Optional 15' chain and hanger. Price Ea. \$15.80

HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. **\$17.50**

416

WHEEL CHOCKS

A) Molded Rubber Wheel Chock

- Economical nylon reinforced molded rubber chock provides sure grip traction.
- Rubber resists tearing, abrasion and ozone weathering.

Comes with U-bolt to utilize as a handle or to fasten a chain and hanger. Measures 9¼"W. x 8"D. x 6"H. FOB Shipping Point. HRWC-9-U Wt. 11 (lbs.) Price Ec. \$21.50

B) Extruded Rubber Chock

- Affordable chock retains a sure grip traction.
- Features a hollow center and comes with an eyebolt.

Resists tearing and abrasions. Meets OSHA requirements. Measures 8% "L. x 8% "W. x 6"H. FOB Shipping Point.

HEX-11 Wt. 14 (lbs.) Price Ea. \$37.00

C) Aluminum Wheel Chock W/Flag

• This rugged chock features a warning flag.

• Flag is painted safety yellow, with the word chock in black.

Inside the chock contains a tube for the flag insert. Locking pins keep the flag from twisting down. Holes on each end of the tube allows the chock to be used on either side of the wheel. Meets OSHA requirements. Measures 7"W. x 8"H. x 11%"D. FOB Shipping Point.

HCWS-13 Wt. 16 (lbs.) Price Ea. \$139.50

D) Laminated Wheel Chock

- Constructed of reinforced rubber providing a sure grip on concrete or paved surfaces.
- Large handle allow easy transport of chock.

Straight sides allow chock to be used on all sides. Meets OSHA requirements. Measures 9½"W. x 10%"D. x 5½"H. FOB Shipping Point. HLWC-14 Wt. 17 (lbs.) Price Ea. \$31.80

E) Aircraft Chocks

- Designed especially for aircraft use.
- Can be utilized on any side, thanks to the reflective tape running down the lengths.

Ribbed edges around the perimeter provides excellent traction in virtually any kind of weather. Meets OSHA requirements. FOB Shipping Point. HEX-13 Measures 12"L. x 6½"W. x 5½"H. Wt. 18 (lbs.) Price Ea. \$44.10

HEX-13 Measures 12 L. x 0/2 VV. x 3/4 H. vVI. 16 (lbs.) Price Ed. **\$44.10 HEX-4** Measures . 10"W. x 3/4"H. x 41/2"D Wt. 5 (lbs.) Price Ed. **\$34.80**

F) All Welded Steel Chock

- Features a textured treadplate to provide maximum traction to wheels.
- Handle is welded to back of chock for easier moving as well as fastening a chain and hanger.

Meets OSHA requirements. Measures 7½"W. x 8"H. x 8"D. FOB Shipping Point. HFAB-8 Wt. 7 (lbs.) Price Eq. \$43.00


G) Formed Steel Chock

Utilizes a saw tooth bottom for sure grip traction.
Designed for all weather use.
Extra dependable. Meets OSHA requirements. Measures 8"W. x 9"H. x 10%"D.
FOB Shipping Point.
HFAB-11 Wt. 11 (lbs.) Price Ea. \$33.80

H) Chain & Hanger

Tough 15' chain attaches to chock and wall.
Discourages theft and misplacement. FOB Shipping Point.
HOH-15 Wt. 3 (lbs.) Price Ea. \$15.80
HOH-15R Optional 15' chain and hanger w/reflector. Price Ea. \$17.50





TRUCK & EQUIPMENT

Trailer Stabilizing Jacks

• Prevents up-ending semi-trailers when they are not connected to tractor during loading and unloading operations.

Also used to level trailers parked on sloped ground and to prevent landing gear from sinking into a soft surface. Features high-strength steel construction. Flush-type zerk fitting for lubricating. ACME screw. Meets OSHA regulations when used with wheel chocks. Includes reflective collar for visibility at night. Powder coat safety Yellow finish. FOB Shipping Point.

B HLO-J-BEAM Ratchet Beam 100,000 40,000 40 to 51" 10 x 2" - Hard Rubber 182 448.10 C HCJ-BEAM-SN Hand Crank 100,000 50,000 41 to 55" 16" - Solid Foam 238 781.40 C HCJ-BEAM-PN Hand Crank 100,000 50,000 41 to 55" 16" - Folly Pneumotic 221 741.44 D HLO-J Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 137 302.50 E HHI-J Ratchet 100,000 40,000 39 to 57" 10" - Hard Rubber 141 311.88 F HSP-TOP Spin Top 100,000 40,000 39 to 51" 10" - Hard Rubber 129 267.70 G HSP-TOP-R Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 129 267.70 G HSP-TOP-R Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 138 302.50									
B HLO-J-BEAM Ratchet Beam 100,000 40,000 40 to 51" 10 x 2" - Hard Rubber 182 448.10 C HCJ-BEAM-SN Hand Crank 100,000 50,000 41 to 55" 16" - Solid Foam 238 781.40 C HCJ-BEAM-SN Hand Crank 100,000 50,000 41 to 55" 16" - Solid Foam 238 781.40 D HLO-J Ratchet 100,000 40,000 39 to 51" 16" - Fully Pneumatic 221 741.44 D HLO-J Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 137 302.50 E HHI-J Ratchet 100,000 40,000 39 to 57" 10" - Hard Rubber 141 311.86 F HSP-TOP Spin Top 100,000 40,000 39 to 51" 10" - Hard Rubber 129 267.70 G HSP-TOP-R Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 138 302.50			Description	Static	Lifting	Service			
C HCJ-BEAM-SN Hand Crank 100,000 50,000 41 to 55" 16" - Solid Foam 238 781.44 C HCJ-BEAM-SN Hand Crank 100,000 50,000 41 to 55" 16" - Fully Pneumatic 221 741.40 D HLO-J Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 137 302.50 E HHI-J Ratchet 100,000 40,000 45 to 57" 10" - Hard Rubber 141 311.88 F HSP-TOP Spin Top 100,000 40,000 39 to 51" 10" - Hard Rubber 129 267.70 G HSP-TOP Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 129 267.70									\$428.60
C HCJ-BEAM-PN Hand Crank 100,000 50,000 41 to 55" 16" - Fully Pneumatic 221 741.40 D HLO-J Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 137 302.50 E HHI-J Ratchet 100,000 40,000 45 to 57" 10" - Hard Rubber 141 311.80 F HSP-TOP Spin Top 100,000 40,000 39½ to 51" 10" - Hard Rubber 129 267.70 G HSP-TOP-R Ratchet 100,000 40,000 39½ to 51" 10" - Hard Rubber 138 302.50	B							182	448.10
D HLO-J Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 137 302.50 E HHI-J Ratchet 100,000 40,000 45 to 57" 10" - Hard Rubber 141 311.80 F HSP-TOP Spin Top 100,000 40,000 39½ to 51" 10" - Hard Rubber 129 267.70 G HSP-TOP-R Ratchet 100,000 40,000 39½ to 51" 10" - Hard Rubber 128 302.50	C								781.40
E HHI-J Ratchet 100,000 40,000 45 to 57" 10" - Hard Rubber 141 311.8 F HSP-TOP Spin Top 100,000 40,000 39½ to 551" 10" - Hard Rubber 129 267.70 G HSP-TOP-R Ratchet 100,000 40,000 39½ to 51" 10" - Hard Rubber 129 267.70	С		Hand Crank						741.40
F HSP-TOP Spin Top 100,000 40,000 39½ to 51" 10" - Hard Rubber 129 267.7(G HSP-TOP-R Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 138 302.5(D	HLO-J				39 to 51"		137	302.50
G HSP-TOP-R Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 138 302.50	E								311.80
G HSP-TOP-R Ratchet 100,000 40,000 39 to 51" 10" - Hard Rubber 138 302.50 H HSJ-35 Economy 50,000 5,000 44 to 51" N/A 39/UPS 117.00	F		Spin Top						267.70
H HSJ-35 Economy 50,000 5,000 44 to 51" N/A 39/UPS 117.00		HSP-TOP-R	Ratchet			39 to 51"		138	302.50
	H	HSJ-35	Economy	50,000	5,000	44 to 51"	N/A	39/UPS	117.00



Cargo Bars

Keep truck contents in place -- eliminate damaged goods. Simple mechanical lock, won't vibrate loose.

When trucks move, keep trailer contents securely in place with these easy to use Cargo Bars. All steel 1½" sq. 14 ga. tubular construction won't bend or give. 4" sq. steel end plates on HCL-15, HCL-16, HCL-17. 4" x 2½" end plates on HCB-7 and HCB-7-S. 3%" x 3%" end plates on HCL-18 and HCBH-32. End plates feature rubber pads for positive gripping action. Fits between trailer walls. Two piece model may be stored in cab. FOB Shipping Point.


Style	Product No.	Description	Range	Wt. (lbs.)	Price Ea.
Ç	HCB-5	1 piece aluminum (round tube)	88" to 103"	8	\$50.50
С	HCB-7	1 piece aluminum (round tube)	89" to 104"	9	60.30
С	HCB-7-S	1 piece steel (round tube)	89" to 104"	12	52.30
В	HCL-15	1 piece steel	87" to 119"	15	42.20
В	HCL-16	1 piece steel galvanized	87" to 119"	15	56.10
D	HCL-17	2 piece steel folding galvanized	88" to 116"	17	57.60
D	HCL-18	2 piece steel folding galvanized 2 piece steel galvanized (telescopic)	90%" to 139%	24	80.30
Α	HCBH-32	1 piece steel w/full hoops	87" to 116"	28	73.80
E	HCH-7	Galvanized hoops for CB series	30½"W. x 23½"H.	16	44.10/Pr.
E	HCH-3	Galvanized hoops for CL series	31"W. x 24½"H.	15	50.30/Pr.

Dock Warning Sign

Bring attention to proper loading dock procedures with this Non-Reflective Aluminum Sign. Measures 11¼"W. x 9½"H. Trailer stabilizing jack signs available. FOB Shipping Point. HSAJ-1012 Wt. 1 lb. Price Ea. \$21.70



G



Loading Dock Lights

Your choice of incandescent or high pressure sodium units. Provides uniform visibility inside trucks or around dock area.

Lights minimizes freight damage while expediting loading and unloading operations. Adjustable arm knuckle joint allows vertical and horizontal positioning. Incandescent units accept PAR 38 bulb. High pressure sodium units save energy and lower lighting costs. UL approved. Meets OSHA 1910.178 (H) for lighting areas. FOB Shipping Point.

	Incandescent Units		High Press	ure Sodi	um Units	
Description	Product No.	Wt. (Ibs.)	Price Ea.	Product No.	Wt. (Ibs.)	Price Ea.
Single Arm - 24" Double Arm - 40" Double Arm - 60" Triple Arm - 90"	HLL-24 HLL-40 HLL-60 HLL-90	14 16 21 30	\$112.80 132.20 157.80 272.10	HLLS-24 HLLS-40 HLLS-60 HLLS-90 HAALLS-40 HAALLS-60	10 18 21 30 17 19	\$268.80 276.20 309.40 414.80 274.10 291.10

HLL-Stand Loading Light Stand. Wt. 60 (lbs.)., Price Ea. \$234.80

DOCK BUMPERS



Extruded Dock Bumpers

• Protects against the heavy impact and damaging results of trailers. • Made of all weather and abrasion resistant rubber.

Perfect for use on trucks or docks. Half-oval shape allows for effective fendering action over a wide radius. Fast installation on any surface. Ships UPS. FOB Shipping Point.

Product No.	Size W x H x L	Wt. (Ibs.)	Price Ea.
HM-2-12 HM-2-18 HM-2-24 HM-2-36 HM-4-12 HM-4-12 HM-4-18 HM-4-24 HM-4-36 HM-6-12 HM-6-18 HM-6-24	$2 \times 1\frac{3}{4} \times 12"$ $2 \times 1\frac{3}{4} \times 18"$ $2 \times 1\frac{3}{4} \times 24"$ $2 \times 1\frac{3}{4} \times 36"$ $4\frac{3}{4} \times 4 \times 12"$ $4\frac{3}{4} \times 4 \times 12"$ $4\frac{3}{4} \times 4 \times 24"$ $4\frac{3}{4} \times 4 \times 36''$ $6 \times 6 \times 12"$ $6 \times 6 \times 18"$ $6 \times 6 \times 24''$	2 2 3 8 10 14 18 14 18 24	\$12.80 16.00 21.30 21.30 27.70 35.20 53.30 40.50 58.60 73.60
HM-6-36	6 x 6 x 36"	34	106.60

Special lengths available.





Molded Dock Bumpers

- Built to endure years of pounding, yet remain undamaged and serviceable.
- Made from weather and abrasionresistant rubber. FOB Shipping Point.

Ltr.	Product	Size	Wt.	Price
No.	No.	D x H x W	(Ibs.)	Ea.
A B C D	HT-22 HB-1224-3 HB-1224-6 HL-1818-4 HB-1213-4	3 x 22 x 22" 3 x 12 x 24" 6 x 12 x 24" 4 x 18 x 18" 4 x 13 x 12"	44 34 57 36 24	\$54.30 44.80 95.20 59.60 52.50

Molded **Bumpers**

- An economical bumper for excellent truck and dock protection.
- Made of tough long wearing rubber, 3" thick and 41/2"W.
- Easily mounted to wood, steel or concrete. FOB Shipping Point.

This low cost investment is easily attached to any surface. Uses 5/8" anchor bolts, not included. Ships UPS. FOB Shipping Point.

Product	Length	Wt.	Price
No.		(Ibs.)	Ea.
HDBE-10-1	10"	6	\$20.40
HDBE-20-1	20"	13	39.00
HDBE-30-1	30"	16	58.50



Extruded Bumper Strip

- Protect your docks and walls.
- Made of high impact resistant solid rubber for excellent durability.
- Prevents damage to the truck or dock. Ideal to bolt on vertically. FOB Shipping Point.

Product	Size	Wt.	Price
No.	W x L x H	(Ibs.)	Ea.
HBS-12	5½ x 12 x 1¼"	4	\$23.50
HBS-18	5½ x 18 x 1¼"	5	26.70
HBS-24	5½ x 24 x 1¼"	7	31.80
HBS-36	5½ x 36 x 1¼"	10	43.00

Rubber Wedges

- These industrial-duty wedges can assist while stacking drums, paper rolls, steel pipe and cylinders.
- Movement is minimized as the weight of the stacked items bears down on the wedge. FOB Shipping Point.

Product No.	Size D x W x H	Wt. (lbs.)	Price Ea.
HRBW-2	6½ x 4 x 3"	2	\$7.90
HRBW-3	6½ x 6 x 3"	5	11.80
HRBW-5	6¾ x 12 x 3"	7	20.40
HRBW-10	6¾ x 24 x 3"	12	45.10




Laminated Dock **Bumpers**

- Protect your docks, trucks, walls and floors from damaging trailer impact.
- Shock-absorbing laminated bumpers are made of indestructible piles of truck tire fabric.
 - Bumpers resist outdoor aging and weathering. Install easily by bolting or welding. Pliable rubber fits

uneven surfaces. No dock should be without a shock-absorbing dock bumper. Meets OSHA requirements. FOB Shipping Point.

Product	Size	Wt.	Price			
No.	D x H x W	(lbs.)	Ea.			
H1012-4.5	4½ x 10 x 12"	22	\$43.00			
H1014-4.5	4½ x 10 x 14"	25	45.10			
H1018-4.5	4½ x 10 x 18"	36	52.30			
H1024-4.5	4½ x 10 x 24"	45	61.50			
H1030-4.5	4½ x 10 x 30"	60	69.70			
H1036-4.5	4½ x 10 x 36"	68	77.00			
H1212-4.5	4½ x 12 x 12"	24	44.10			
H1214-4.5	4½ x 12 x 14"	31	46.20			
H1218-4.5	4½ x 12 x 18"	41	56.40			
H1224-4.5	4½ x 12 x 24"	56	70.80			
H1230-4.5	4½ x 12 x 30"	69	79.00			
H1236-4.5	4½ x 12 x 36"	88	97.50			
H1018-6	6 x 10 x 18"	43	70.80			
H1218-6	6 x 12 x 18"	51	74.80			
H624-4.5	4½ x 6 x 24"	26	52.30			
H636-4.5	4½ x 6 x 36"	45	63.60			
Call for extra depth projections and special configurations						







CHOCKS



Rubber Wheel Chocks

• Strong, safe and resistant to damage from UV, moisture, salt, and oils.

ROADBLOCKSTM Rubber Wheel Chocks are strong, safe and resistant to damage from UV, moisture, salt, and oils. Their traction design grips tire and road and will not cause tire or pavement damage. The chock design also allows either side to be positioned against tire. FOB Shipping Point.

	RUBBER WHEEL CH			
Product	Description	Size	Wt.	Price
No.		L x W x H	(lbs.)	Ea.
HRC450	Void Bottom	10 x 8 x 5.5"	7	\$21.86
HRC450-CL	Void Bottom, Aluminum Ice Cleat	10 x 8 x 5.5"	9	95.90
HRC450-GR	Void Bottom, 14 ga. Steel Grate	10 x 8 x 5.5"	10	83.23
HRC450-S	Solid Bottom	10 x 8 x 5.5"	10	23.58
HRC5510-P	Pair Roped Together	10 x 5 x 4.4"	14	57.47
HRC5510-S	Single with Rope	10 x 5 x 4.4"	6.5	29.60
HRC5512-P	Pair Roped Together	12 x 5 x 4.4"	16	61.37
HRC5512-S	Single with Rope	12 x 5 x 4.4"	7.7	31.58
HRC5515-P	Pair Řoped Together	15 x 5 x 4.4"	20	73.37 37.57
HRC5515-S	Single with Rope	15 x 5 x 4.4"	9.3	90.42
HRC5518-P	Pair Roped Together	18 x 5 x 4.4"	23	
HRC5518-S	Single with Rope	18 x 5 x 4.4"	11	46.10
HRC5521-P	Pair Roped Together	21 x 5 x 4.4"	30	97.32
HRC5521-S	Single with Rope	21 x 5 x 4.4"	12.7	49.51
HRC5524-P	Pair Roped Together	24 x 5 x 4.4"	30	109.27
HRC5524-S	Single with Rope	24 x 5 x 4.4"	14.4	55.52
HRC815	Void Bottom	10 x 8 x 6"	9	17.48
HRC915	Void Bottom	11.5 x 10 x 7.25"	15	41.93

Urethane Wheel Chocks


• Impact-absorbing chocks grip tire and road and are oil and chemical resistant.

ROADBLOCKSTM Urethane Wheel Chocks are strong, safe and lightweight. Impact-absorbing chocks grip tire and road, will not cause tire or pavement damage, and are oil and chemical resistant. For added safety, chocks feature a high visibility Orange color and "How to Use" guidelines molded into each chock. FOB Shipping Point.

Product No.	URETHANE WHEEL CHOCKS Description	Size L x W x H	Wt. (Ibs.)	Price Ea.
HUC1400-4.5 HUC1400-6 HUC14HM HUC14VM	Urethane Chock, with Easy Grip Handle, 4½ lb. Chock Urethane Chock, with Easy Grip Handle, Denser 6 lb. Chock Horizontal Mounting Bracket for HUC1400 Chocks Vertical Mounting Bracket for HUC1400 Chocks	10 x 8.5 x 5" 10 x 8.5 x 5" -	5 6 3	\$45.45 58.47 51.05 39.81
HUC1500-4.5 HUC1500-6 HUC15HM HUC15VM	Urethane Chock, with Recessed Handle, 4½ lb. Chock Urethane Chock, with Recessed Handle, Denser 6 lb. Chock Horizontal Mounting Bracket for HUC1500 Chocks Vertical Mounting Bracket for HUC1500 Chocks	11 × 7.75 × 8" 11 × 7.75 × 8" -	5 6 3 3	43.85 51.27 41.15 41.15
HUC1600 HUC1700 HUC17VM HMC1210	Urethane Chock, with Recessed Handle Urethane Chock, with Recessed Handle Vertical Mounting Bracket for HUC1700 Chocks Heavy Duty Urethane Chock for Mining/Construction	11.25 x 8 x 8.25" 8.5 x 7.5 x 6.25" 17 x 14 x 14"	4 2 2 25	36.83 28.06 37.09 193.10



HRC450 Wheel Chock Models (bottoms shown)





HUC1400 Wheel Chock HUC1500 Wheel Chock





HUC1600 Wheel Chock HMC1210 Wheel Chock

All Terrain Urethane Wheel Chocks

• Specifically designed for use on fire equipment.

ROADBLOCKS™ All-Terrain Urethane Wheel Chocks comply with NFPA 1901-09 and meet SAE-J348 standard for up to 32" and up to 44" wheel diameters. These tough, damage resistant, polyurethane chocks are resistant to oils, fuels, and solvents. They also feature high strength, replaceable aluminum base plates with posi-grip traction cleats or anti-slip rubber traction pads. For added safety and convenience, Checkers incorporates a molded carrying handle and high visibility color for easy identification. FOB Shipping Point.

Product No.	ALL TERRAIN URETHANE WHEEL CF Description	IOCKS Size L x W x H	Wt. (lbs.)	Price Ea.
HAT3512-AC-Y HAT3512-RP-Y HAT2512-HM HAT2512-VM	Yellow Chock, Aluminum Cleat Base Yellow Chock, Rubber Pad Base Horizontal Mounting Bracket for HAT2512 Chocks Vertical Mounting Bracket for HAT2512 Chocks	15.5 x 8.5 x 8.25" 15.5 x 8.5 x 8.25" -	9 9 4 6	\$168.80 164.76 60.94 37.60
HAT3514-AC-Y HAT3514-RP-Y HAT2514-HM HAT2514-VM	Yellow Chock, Aluminum Cleat Base Yellow Chock, Rubber Pad Base Horizontal Mounting Bracket for HAT2514 Chocks Vertical Mounting Bracket for HAT2514 Chocks	21 x 11.25 x 12.25" 21 x 11.25 x 12.25" -	22 23 8 7	261.75 247.86 84.95 48.89



HAT3512 Wheel Chocks (bottoms shown)



HAT3514 Wheel Chocks (bottoms shown)

ow Profile



• Ideal for preventing potential accidents. Designed to set up quickly and easily wherever and whenever they are needed. Lightweight design allows personnel to quickly retrieve the gate and limit access to unsafe areas. Smooth operating scissor action. Interlocking and nestable. Suffix -C features casters. Model HPEXGATE is constructed of heavy duty molded yellow and black plastic. One side of gate includes reflectors for better visibility. End pieces are hollow and may be filled with liquid for added weight. Assembly required. FOB Shipping Point.

Product No.	Collapsed Width	PAND-A-GAT Expanded Width EL CONSTR	Overall* W x L x H	Wt. (Ibs.)	Price Ea.
HEXGATE-30 HEXGATE-30-C	1 <i>9</i> ¾" 1 <i>9</i> ¾"	143¹¼₀" 143¹¼₀"	19¼ x 15 x 38" 19¾ x 15 x 40%"	55 57	\$222.50 255.30
	ALUM	INUM CONS	STRUCTION		
HALEXGATE-30 HALEXGATE-30-	19¾" c 19¾"		19¾ x 15 x 38" 19¾ x 15 x 40%"	25 28	308.20 338.90
PLASTIC CONSTRUCTION					
HPEXGATE-30	11½"	122"	38"H.	9	193.80
*Overall height when collapsed.					



С

Mezzanine **Safety Gate**

Provides an OSHA required 42" high handrail, 21" high mid-rail and 4" high kickplate for mezzanines without sacrificing load accessibility.

To accommodate the maximum load height of 68" when utilizing a standard 48"W x 48"D pallet, load positioning within the gate is critical. For greatest amount of clearance and item placement flexibility, shorter loads are recommended. Gate design is balanced to allow for easy operation without use of springs. Safety yellow powder coat finish. Welded steel construction. FOB Shipping Point.

Product No.	MEZZANINE SAFETY Overall Size H x W x D	0	Wt. (lbs.)	Price Ea.
HMEZZ-200	801/6 x 681/2 x 785/6"	56"	215	\$971.20



Crowd Control Interlocking Barrier

- Lightweight one-piece handrail is attractive and functional.
- Easy to move to meet changing needs and conditions.

Interlocking portable railing has many commercial and industrial applications. Upright bars are vertically spaced at 5%" intervals. Includes connectors to attach multiple units together to form long runs. All welded steel construction available with a galvanized or yellow powder coat finish. Also available in standard or heavy duty construction. A variety of foot styles available - call for more information. FOB Shipping Point.

	11 0		
Product		Overall Size Rail	
No.	Finish	LxH Dia	(lbs.) Ea.
HPRAIL-102-G		100% x 39% "11/4"	25 \$96.40
HPRAIL-102-HD-G		100% x 40% "1%"	
HPRAIL-102-Y	Yellow Powder coat standard		
HPRAIL-102-HD-Y	Yellow Powder coat heavy duty	/ 102 x 40% " 1%"	49 164.10

Corner & Column Guards A) Triple Elbow Guard

Protect the corners of machinery, buildings and offices. The 90 degree bend fits snugly around corners providing the ultimate protection against lift

trucks or other mobile equipment.

B) Column Guard Prevent costly damage to steel columns, pipe and tubing. Wrap around protection, 2 piece installation. Steel construction with powder coat finish.

C) Column/Gantry Guard

Prevent costly damage to steel columns, pipe or tubing. Wrap around protection. Steel construction with safety yellow powder coat finish. FOB Shipping Point.

Structural Rack Guards (4 Anchors)

- An economical way to protect against damage to pallet racks or ordinary wall corners.
- Lightweight and easy to install to concrete surface.

Constructed of 6" or 8" cast steel "C" channel. Four hole mount for maximum rigidity. Mounting hardware available separately. FOB Shipping Point.

Rack Guard With Rubber Insert (No Anchors)

- Protect pallet racking with durable wrap around protection.
- Increase pallet rack column strength on impact made by over 100%.

Fits pallet rack measuring 3[']/^W x 4[']/^D opening size. Includes rubber shock absorber and hardware. Easy to install with wrench or socket -- no concrete drilling required. Safety yellow powder coat finish. Overall size 3^kW x 4^k/₂"D. FOB Shipping Point.

RACK GUARD WITH RUBBER INSERT Overall Overall Height Size Product Wł. Height (lbs.) No. 24" 3%"W x 4%"D 13 \$30.80 HRUD-24 Usable opening w/bumper - 31/8 x 41/4".

Low Profile Rack Guards (2 Anchors)

- Protect pallet racks or ordinary wall corners against damage from fork trucks, pallet trucks, etc.
- Quick and easy 2 hole installation.

Laser cut components for precision installation and dependability. High quality safety yellow powder coat finish. Mounting hardware available separately. FOB Shipping Point.

	Product No.	LOW PROFILE R Usable Opening W x D	ACK GUAI Base Size W x D	RDS Overall Height	Wt. (Ibs.)	Price Ea.
1	HNPG4-12 HNPG4-14 HNPG4-24 HNPG4-36	8 4¼ x 1" 4 4¼ x 1"	8 x 3" 8 x 3" 8 x 3" 8 x 3"	12" 18" 24" 36"	5 7 9 15	\$26.70 28.20 29.70 47.20
	HNPG6-12 HNPG6-18 HNPG6-24 HNPG6-36	8 6¼ x 1" 4 6¼ x 1"	10 x 3" 10 x 3" 10 x 3" 10 x 3"	12" 18" 24" 36"	7 8 11 16	28.50 32.80 36.90 49.20



HG6-24

HG6-24-B

HNPG4-18

CORNER & COLUMN RACKS					
Ltr. No.	Product No.	Overall Size L x Dia.		Wt. (lbs.)	Price Ea.
A I A I A I A I	HTEG-24-24-4 HTEG-24-36-4 HTEG-24-42-4 HTEG-30-24-4 HTEG-30-36-4 HTEG-30-42-4	24% x 4½" 24% x 4½" 30% x 4½" 30% x 4½"	24%6" 36%6" 42%6" 24%6" 36%6" 42%6"	96 108 116 106 111 120	\$286.10 308.70 321.00 302.50 326.10 339.50
	HCGP-36 HCGP-48	20"W. x 20"L. 20"W. x 20"L. 20"W. x 20"L. 3⁄4"W. x 10%"	36" 48"	125 137 140 180	564.10 574.70 584.60 289.20

STRUCTURAL RACK GUARDS					
Product No.	Usable Opening W x D	Base Size W x D	Overall Height	Wt. (lbs.)	Price Ea.
HG6-12 HG6-18 HG6-24 HG6-36	$\begin{array}{c} 6\%_{6} \times 2^{11}/_{6}"\\ 6\%_{6} \times 2^{11}/_{6}"\\ 6\%_{6} \times 2^{11}/_{6}"\\ 6\%_{6} \times 2^{11}/_{6}"\end{array}$	10 ¹ / ₆ x 6" 10 ¹ / ₆ x 6" 10 ¹ / ₆ x 6" 10 ¹ / ₆ x 6"	12½" 18½" 24½" 36½"	12 16 22 31	\$23.00 30.30 39.40 54.00
HG8-12 HG8-18 HG8-24 HG8-36	6½ × 4" 6½ × 4" 6½ × 4" 6½ × 4"	9% x 6" 9% x 6" 9% x 6" 9% x 6"	12" 18" 24" 36"	13 21 28 37	33.30 38.30 44.40 58.10
STR	UCTURAL RACI	K GUARDS	WITH BL	JMPER	S
HG6-12-B HG6-18-B HG6-24-B HG6-36-B	4%6 x 2%" 4%6 x 2%"	8½ x 6" 8½ x 6" 8½ x 6" 8½ x 6"	12¼" 18¼" 24¼" 36¼"	19 25 42 44	54.30 70.80 87.50 99.30
		10¼ ₆ x 6" 10½ ₆ x 6" 10½ ₆ x 6" 10½ ₆ x 6"	12¼" 18¼" 24¼" 36¼"	23 38 51 53	60.10 80.20 97.30 139.00



LOADING DOCK

Heavy Duty LED Module

- LED lamp uses only 18 watts; replaces a 300 watt incandescent bulb.
- 1000 lumen LED lamp uses up to 94% less energy.
- Shatterproof polycarbonate lens; no fragile • filament or glass parts to break.
- Qualifies for many utility rebates.
- Ideal for food service industries or refrigerated warehouses.
- All LED Modules have an average life of 60,000 hours and 5-year warranty.
- Rated for wet locations IP66, NEMA4.
- RoHs compliant and UL/cUL listed.

Tri Lite's patented Heavy Duty LED dock light has a cast aluminum body to withstand the bumps and collisions that occur on a loading dock. The light is virtually indestructible! FOB Shipping Point.

Product	HEAVY DUTY LED MOD		D.1.	
	Arm	Wt.	Price	
No.	Length	(lbs.)	Ea.	
	SINGLE-SWING AR	N		
HSDL24-HDLED	24"	18	\$444.00	
HSDL40-HDLED	40"	18	455.00	
HSDL60-HDLED	60"	21	470.00	
	DOUBLE-STRUT ARM	1		
HDL24-HDLED	24"	18	452.00	
HDL40-HDLED	40"	20	465.00	
HDL60-HDLED	60"	24	480.00	
	DOUBLE-STRUT SWING	ARM		
HDSDL40-HDLED	40"	20	472.00	
HDSDL60-HDLED	60"	24	487.00	
FAN/LIGHT COMBO WITH DOUBLE-STRUT ARM				
HFANDL40-HDLED	40"	40	690.00	
HFANDL60-HDLED	60"	44	694.00	
LAMP HEAD				
HHDLED	No Arm	7	364.00	

Loading Dock Fans and Fan/Light Combo



Provide a more comfortable environment for warehouse workers with high output fans mounted to loading dock arms; available with or

without a light head. Fans are equipped with a three-speed selector switch to customize air movement. Lamp head choices include Polycarbonate and Metal LED modules, or a Polycarbonate Lamp Head that requires a customer supplied Par 38 bulb. FOB Shipping Point.

LOADING DOCK FANS AND FAN/LIGHT COMBO				
Product	Arm	Wt.	Price	
No.	Length	(Ibs.)	Ea.	
	FAN WITH MOUNTING	S ARM		
HDLFAN24	24"	30	\$307.00	
HDLFAN40	40"	32	318.00	
HDLFAN60	60"	36	330.00	
	FAN AND POLYCARBONATE L	IGHT COMBO		
HFANDL24-P	24"	31	346.00	
HFANDL40-P	40"	34	357.00	
HFANDL60-P	60"	38	374.00	
FA	N AND POLYCARBONATE LED MC	DULE LIGHT COMBO		
HFANDL40-PL1	40"	37	568.00	
HFANDL60-PL1	60"	41	584.00	
FAN AND METAL LED MODULE LIGHT COMBO				
HFANDL40-ML1	40"	37	589.00	
HFANDL60-ML1	60"	41	606.00	

Gooseneck Industrial Lights

• Stainless Steel arm will not sag. • UL/cUL certified.

Simplify dock light positioning with a bendable stainless steel neck. Rugged and flexible, the Gooseneck is ideal for both dock and task lighting applications. Available in module style, with LEDs built-in to the light housing, or as HDLGN-120, with user supplied incandescent PAR 38 bulb. FOB Shipping Point.

HDLGN-L1 LED Module, Wt. 10 (lbs.) Price Ea. \$434.00.

HDLGN-120 Incandescent, Wt. 10 (lbs.) Price Ea. \$234.00.

Metal or Polycarbonate LED Modules

- Emits cool white light LED models are always cool to the touch.
- Uses only 14 watts of energy, provides the same light as a 150-watt incandescent bulb.
- Qualifies for many utility rebates.
- LEDs are built-in to the dock light housing; more durable than screw in type fixtures.
- All LED Modules have an average life of 60,000 hours and 5-year warranty.

• UL/cUL listed.

The Polycarbonate and Metal LED dock light modules illuminate trailers with an energy efficient light head that can withstand harsh loading dock environments. Made from a flame resistant material that protects from corrosion, pitting, and other environmental factors. FOB Shipping Point.

Metal LED

Head

Polycarbonate LED

Head

Product	MEDAL OR POLY Head	CARBONATE LED MODULES	; Wt.	Price
No.	Туре	Arm Length	(lbs.)	Ea.
	DOL	JBLE-STRUT ARM		
HDL24-ML1 HDL40-ML1 HDL60-ML1 HDL24-PL1 HDL40-PL1 HDL60-PL1	Metal LED Metal LED Metal LED Polycarbonate LED Polycarbonate LED Polycarbonate LED	24" 40" 60" 24" 40" 60"	16 18 23 15 17 22	\$364.00 375.00 386.00 337.00 348.00 364.00
		GLE-SWING ARM		
HSDL24-ML1 HSDL40-ML1 HSDL60-ML1 HSDL24-PL1 HSDL40-PL1 HSDL60-PL1	Metal LED Metal LED Metal LED Polycarbonate LED Polycarbonate LED Polycarbonate LED	24" 40" 60" 24" 40" 60"	15 18 21 15 17 20	353.00 362.00 372.00 326.00 335.00 350.00
		E-STRUT FLEX ARM		
HFLDL40-ML1 HFLDL60-ML1 HFLDL40-PL1 HFLDL60-PL1	Metal LED Metal LED Polycarbonate LED Polycarbonate LED	40" 60" 40" 60"	17 21 16 20	455.00 468.00 428.00 446.00
		-STRUT SWING ARM		
HDSDL40-ML1 HDSDL60-ML1 HDSDL40-PL1 HDSDL60-PL1	Metal LED Metal LED Polycarbonate LED Polycarbonate LED	40" 60" 40" 60"	23 33 23 33	382.00 392.00 355.00 370.00
HML1Head Rep	laceable Metal Head (L	ED Module) Wt. 6 (lbs.) Price	Ea. \$304	.000

HPL1Head Replaceable Polycarbonate Head (LED Module) Wt. 5 (lbs.) Price Ea. \$284.00

Loading Dock Lights

- All Tri Lite Loading Dock Lights are designed and assembled in the USA.
- Components have a long life and are field replaceable.
- Single-Swing Arms, Double-Strut Arms, and Double-Strut Flex Arms available on most models.
- Available arm lengths from 24" t

Tri Lite loading dock lights were introdu 40 years ago and are now widely used are world. Whether needing metal or plastic efficient LED light sources, or convention Tri Lite is the leader in dock lighting solutions. Our rugged lamp heads fit a user supplied PAR 38 Bulb. FOB Shipping Point.



HDLGN-L1

422

to 114" on	selected models.				
uced over 📠					
ound the 工		Manufacture 1.	-		
: heads, 🛛 📲		- T			
onal bulbs,	FLD	L Double-Str			
	110	Flex Arm			
	LOADING D	OCK LIGHTS	5		
Product No.	Arm Length	Wt. (Ibs.)	Price Ea.		
POLYCA	RBONATE	OUBLE-STR	UT ARM		
HDL24-P HDL40-P HDL60-P	24" 40" 60"	12 15 19	\$132.00 143.00 160.00		
		LE-STRUT A			
HDL24 HDL40 HDL60	24" 40" 60"	13 16 20	148.00 160.00 178.00		
POLYCA	RBONATE S	INGLE-SWI	NG ARM		
HSDL24-P HSDL40-P HSDL60-P	24" 40" 60"	12 13 16	120.00 129.00 164.00		
POLYCARE		UBLE-STRUT	FLEX ARM		
HFLDL40-P HFLDL60-P	40" 60"	16 20	223.00 240.00		
MET		STRUT FLEX			
HFLDL40 HFLDL60	40" 60"	17 21	240.00 258.00		

DL Double-Strut



DL Double-

Strut Arm

SAFETY/WARNING LIGHTS



Heavy Duty LED Rotating Warning Beacon

• Long life - Rated at 50,000 hours.

• 850 lumens - It's our brightest beacon! This full-sized rotating warning beacon features a modern LED light module. Base of unit is heavy-duty anodized aluminum. Used for indoor or outdoor signaling, process control, warning, safety, and entertainment applications. UL and cUL Listed. Available in Amber, Blue, Clear, Green, or Red -please specify. 120 VAC. 9%"H. x 85/"W. x 63/"D. FOB Shipping Point.

	HEAVY D	UTY LED ROT	TATING WA	RNING BEACO	V	
Product No.	Туре	Flashes/ Minute	Voltaae	Bulb	Wt. (lbs.)	Price Ea.
	1700	minore	vonago	2010	(1000)	
HRF6L1-120P	Rotating	70-80	120 AC	LED Module	3	\$498.00

Economical LED Mini-Strobe

• Rugged and lightweight.

• 5-year limited warranty. The high intensity "pops" of light seen along the entire 360-degree circumference of this unique LED beacon indicate warning protection for safety and emergency vehicles, utility vehicles, lift trucks, and other indoor or outdoor 12-36 VDC signaling applications. Rugged and lightweight, the polycarbonate base and dome are shatter resistant. The unit is waterproof and will operate in all types of weather. Permanent mounting standard, magnet mount optional. Available in Amber, Blue, Clear, Green, or Red -- please specify. 3%" high, 4½" diameter. FOB Shipping Point.



Price

Ea.

\$80.00

ECONOMICAL LED MINI-STROBE Strobe Product Туре Pattern Voltage Bulb (lbs.) HSTLP-DCP Strobe Quad 12-36 DC LED

LED Replacement Bulbs

• Long life -- Rated at 30,000 hours.

• Simple installation.

LED replacement bulbs for warning lights last thousands of hours longer than other type bulbs, are visibly brighter, and drastically lower amp draw. Available for the above 12-24 VDC and 120 VAC rotating warning light models. FOB Shipping Point



H426012	

		LED REPLACEMENT BULBS		
Product	Operating	Current	Wt.	Price
No.	Voltage	Draw	(lbs.)	Ea.
H426012	120	40mA at 120 VAC	1	\$40.00
H426013	12 or 24	120mA at 12 VDC	1	36.00

Heavy Duty Strobe Warning Beacons

- High output 3-4 Watt 3.6 joules.
- 360° clear Fresnel inner dome / rugged polycarbonate outer dome.

A full sized strobe warning light excellent for indoor or outdoor signaling, safety, or warning applications. Your choice of 120VAC or auto-voltage 12VDC-48VDC. Permanent shock mounting standard, magnet mount optional -- call for details. Available in Amber, Blue, Clear, Green, or Red -- please specify. 91/2" high, 81/2" diameter. FOB Shipping Point.



Product	HEAV	Y DUTY STR Flashes/	OBE WARNIN	IG BEACONS	Wt.	Price
No.	Туре	Minute	Voltage	Bulb	(lbs.)	Ea.
HST1-110SP HST11P	Strobe Strobe	70-80 90	120 AC 12-48 DC	Xenon Flash Xenon Flash	4 4	\$206.00 210.00

Economical Rotating Warning Beacons

• Magnet mount option available.

Compact and economical rotating reflector beacons come in two bulb styles: LED or incandescent. Permanent shock mounting standard, magnet mount option available. Two-wire hookup. Available in Red, Amber, Blue, Green, or Clear -- please specify. Available in 12, 24, 36, & 48 volt DC, or 120 volt AC -- please specify. 7%" high, 6" diameter. FOB Shipping Point.



Product No.	ECO Type	NOMICAL V Flashes/ Minute	VARNING BE Voltage	ACONS Bulb	Wt. (Ibs.)	Price Ea.
HMV2IND-VDC*P	Rotating	90-100	12-48 DC	Single 25W	3	\$91.00
HMV2IND-110*P	Rotating	75	120 AC	Single 25W	3	80.00
HMV2LED-DC*P	Rotating	90-100	12-48 DC	Single LED	3	130.00
HMV2LED-120*P	Rotating	75	120 AC	Single LED	3	120.00

Flashing Warning Beacons

• Two wire hookup.

High visibility, flashing warning lights used as safety indicators for automated machines, small vehicles, and hazardous areas. Permanent shock mounting standard, magnet mount option available. Available in Red, Amber, Blue, or Clear -- please specify. Available in 12, 24, 36, & 48 volt DC, or 120 volt AC -- please specify. 6½" high, 5½" diameter. FOB Shipping Point.



ce	Product No.	FLA Type	SHING WA Flashes/ Minute	RNING BEA	CONS Bulb	Wt. (lbs.)	Price Ea.
.00	HFF3-VDC*P	Flashing	60-75	12-48 DC	Single 25W	2	\$75.00
.00	HFFLP-110*P	Flashing	60-75	120 AC	Single 25W	2	88.00

DOCK LIGHTS & AUDIBLE ALARMS

Loading Dock Guide Light Set

- Long-life LEDs reduce replacement costs and down time.
- High impact polycarbonate housing resists shocks and vibrations.
- No separate power supply needed for 120 VAC units.
- 120 VAC units are UL and cUL listed.
- HDGLED-12 units connect to a 12/24 volt power supply such as a programmable controller.

The LED Loading Dock Guide Light Set provides drivers with a visual target to align a truck trailer with the dock door and is especially useful in low-light environments like enclosed dock bays. Combine the set with "Stop & Go" lights to provide a reliable visual system that reduces the risk of accidents in and around loading docks. The guide lights may also be used inside the building to mark door openings for forklift operators and other warehouse personnel. Measures 15"H. x 3%"W. x 2%"D. FOB Shipping Point.

LOADING DOCK GUIDE LIGHT SET

Product No.	Description	Wt. (Ibs.)	Price per Set
HDGLED-120/A	120 VAC Guide Light Set (2 per set)	2	\$375.00
HDGLED-12/A	12-24 AC/DC Guide Light Set (2 per set)	2	375.00

LED Stop & Go Light

- Direct traffic and enhance safety at loading docks.
- Use anywhere controlled access is needed.
- 3-year warranty.

LED Stop & Go lights save energy, maintenance costs and fixture down time. Durable Polycarbonate housing will not rust, pit or dent. Sun visors enhance visibility, even in direct sunlight. Use with the Loading Dock Guide Light Set for a simple and reliable safety system. Measures 11%"H. x 6%"W. x 3%"D. Available in 12 or 24 volt DC, 120 volt AC -please specify. FOB Shipping Point.



Product No.	LED STOP & GO LIGHT Light Colors	Wt. (Ibs.)	Price Ea.
HSG10-RG-LED	Red & Green	2	\$151.00
LED STOP &	GO LIGHT WITH TOGGLE SW	/ITCH & FLASHER	
HSG20-RG-LED	Red & Green	4	188.00
LED STOP	& GO LIGHT SET WITH (1-SG	10 & 1-SG20)	
HSG30-RG-LED	Red & Green	4	327.00









Electronic Back-up Alarms

- Operates in extreme temperature ranges.
- Easy to install.
- Solid-state circuitry for VDC applications.

Water-resistant Electronic Back-up Alarms provide high volume audio output. They're an economical way to warn personnel of approaching equipment. Your choice of a single sound-level model or a two sound-level model for either indoor or outdoor use. Specify VDC voltage in two sound level model. FOB Shipping Point.



HLTA2 Solid State

	ELECT	RONIC BACK-UP	ALARMS		
Product No.	Sound Level	Values	Amp	Wt. (lbs.)	Price
		Voltage	Draw	(IDS.)	Ea.
HLTA2-12*	97 or 87 DP	12	.3	1	\$67.00
HLTA2-24*	+ – 4 DB 4'	24	.3	1	67.00
HLTA2-36*		36	.3	1	67.00
HLTA2-48*		48	.3	1	67.00
HFEA1	97 DB + - 4 DB 4'	12	.3	1	43.00

*Two sound levels.



Mechanical Back-up Alarms

- Mounts directly on wheel.No wires or switches needed.
- No wires or switches needed.Zink plated 10-gauge steel.

Mechanical Back-up Alarms offer a big sound at a low price. Mounts easily to vehicle wheels with standard tools. As the vehicle moves, gravity actuated hammers ring out as the wheel turns. The bell may be set to ring in either forward or reverse direction. FOB Shipping Point.

Product	MECHANICA	AL BACK-UP ALARMS	Wt.	Price
No.	Sound Level	Diameter	(lbs.)	Ea.
HBKA	86 DP @ 1 Ft.	6"	4	\$63.00
HCVA	96 DP @ 1 Ft.	8"	6	91.00

STIL 20
E.

Electromechanical Sirens

• Low cost/high quality materials.

• Compact size.

Sound level is 101db at 10 feet. Siren operates continuously for up to 60 seconds with a 20-second sound break. Has a versatile chrome grill and a durable pedestal mount. Available in 12VDC or 120VAC. Measures 6½"H. x 5½"W. x 7"L. FOB Shipping Point.

Product No.	Operating Voltage	ELECTROMECHANIC Operating Current	CAL SIRENS Load RPM	Wt. (Ibs.)	Price Ea.
HVS1	12 VĎC	20-25A Start, 4-6A Run	7,000 + - 500	4	\$107.00
HV\$110	110 VAC	8-10A Start, 2-3A Run	9,000 + - 500	4	114.00

OOR LOCKS &

Floor Locks

- Used on platform trucks, fixture dollies or caster equipment.
- Simple foot pressure immobilizes equipment.

Locks when large friction face is pressed against the floor. To release simply kick release rod. Brake is independent of casters and can be installed to any convenient location of truck. FOB Shipping Point. Side Mounted Floor Lock...automatically locks when operator pushes pedal. Spring loaded pad accommodates uneven floors. Unit mounts with pad 1¹/₂" off the floor when retracted.

Product No.	Mounting Height	Retracted	LKS Use w/ Casters Size	Wt. (lbs)	Price Ea.
HFL-LK-7X	7¼"	61/4"	6"	11	\$59.60
HFL-LK-7G	7 ¾"	61/4"	6"	11	59.60
HFL-LK-10	9 ¹⁵ /16"	8%"	8"	16	92.90
HFL-LK-S	8 ¾6"	7"	6"	6	92.90
HFL-LK-SMR*	10"/13%"	15 ¹ 5⁄32"	(2" of travel)	7	53.50
	FLOOR LOCKS	STAINLESS	STEEL CONSTRUC	TION	
HFL-LK-SMR-SS	* 10"/13%"	15 ¹ 5/32"	(2" of travel)	7	287.90

*Add -L for left side mount and -R for right side mount.

Multi-Purpose Ramp

• Makes it simple to move loads onto a curb or over hoses and cables

High impact plastic ramp is perfect for a variety of work environments - postal carriers, schools, hospitals, warehouse and delivery trucks. Textured non-skid surfaces allow for sure footing on the incline and decline. Lightweight and completely portable unit handles hand trucks and other wheeled equipment with ease. Holes located on each side to attach multiple units. Can be mounted permanently. UV resistant plastic. 5,000 lb. capacity. FOB Shipping Point.



Single Fold Suitcase Ramps

23¼ x 13¼ x 5½"



HMPR-2313-G



59.50





Suction cup bottom pad helps secure unit

Side mounted

floor lock

HFL-LK-SMR

Adjustable Height Floor Lock

- Adjustable height foot pad that works on carts with caster heights between 4" and 8".
- Provides uniform locking and safety unlocking force for better economic operation.

Uniform locking keeps the unit working properly as spring and pads wear over time. Features a bright zinc plated finish with heavy-duty cast steel construction. Bottom pad includes suction cups for extra grip. Height is adjustable by turning the bottom pad. FOB Shipping Point.

ADJUSTABLE HEIGHT FLOOR LOCK								
Product No.	Extended Height	Retracted Height	Use w/ Casters Size	Wt. (lbs)	Price Ea.			
HFL-ADJ-46	6¼ to 8"	5½ to 7¼"	4-6"	7	\$48.10			
HFL-ADJ-810	8¼ to 11½"	6¼ to 9½"	6-8"	9	50.40			

Polyurethane Floor Locks

Premium floor locks stabilize mobile equipment by stopping horizontal movement. They are spring-loaded with a thermoplastic polyurethane (TPU) foot pad. Constructed of heavy duty industrial strength steel. Zinc plated finish. FOB Shipping Point.

Product No.	Retracted Height	FLOOR LOC Extended Height	KS Use w/ Casters Size	Wt. (lbs)	Price Ea.	HFL-LKL-3	610
HFL-LKL-3 HFL-LKH-6 HFL-LKH-8	3%" 6%₀" 8%"	4½" 7%" 9%"	3" 6" 8"	2 5 5	\$24.20 32.30 33.30		HFL-LKH-6


Pallet Buster

Easily break down pallets and increase warehouse space!

Perfect for removing unsightly pallets, increasing warehouse space or recycling valuable pallets. Simply place the tines

on either side of a pallet runner and push the handle downward. This proactive action can lower disposal costs. Pipe handle measures 41½"L. Cast steel pry head is 4" x 5¾". 3' distance between tines. FOB Shipping Point. HSKB-7 Wt. 9 (lbs.) Price Ea. \$60.50





328

\$867.60

All Terrain Pallet Truck

• Large wheels allow for movement over most surfaces.

Use at construction sites, gravel pits or nurseries - where uneven or rough surfaces exist. Lightweight, yet strong tubular frame design handles evenly distributed loads up to 2,000 lbs. (2,000 lbs. at 12 horizontal load center, 1500 lbs. at 15" horizontal load center and 750 lbs. at 24" horizontal load center). Features large 15" front pneumatic tires and 10" pneumatic steering wheels. Pneumatic tires have sealed bearings for outside durability. Individual forks are 4"W. x 2"H. Easy to operate with 3 position handle, UP, DOWN and NEUTRAL. Inside straddle is 50" - outside straddle is 64" Optional Tow Bar allows truck to be towed by an ATV or small utility tractor. FOB Shipping Point.



3 - 9"

HALL-T-2 32" 63¾ x 49 x 51" HALL-TTB Optional Tow Bar Package. Wt. 23 (lbs.) Price Ea. \$194.80

9½ - 26"

Vesti

CABLE COTECTORS



THE BEST DEFENSE IN CABLE PROTECTION.

Modular Cable/Hose Protectors

• Protect valuable electrical cables, cords and hose lines from damage and abuse while ensuring a method of safe passage for vehicles and pedestrian traffic.

Ideal for convention centers, amusement parks, construction sites, public utilities, municipalities, manufacturing plants and industrial applications. All weather polyurethane construction with heavy load capacity. Non-metallic protectors insulate cables/hose lines from human contact. Satisfies state and federal regulatory agencies. Multiple channels and sizes for various cable/hose line diameters. Hinged lid makes placing and removing cable/hose lines easy. Modular interlocking design is lightweight and easy to transport, set-up, disassemble and store. FOB Shipping Point.

LINEBACKER[®] HD

HEAVY DUTY 2, 3, 4, and 5 CHANNEL CABLE/HOSE PROTECTOR • Load capacities up to 20,150 lbs. per tire -- call for specific load capacities for each model.

				Siz	e			
Product No.	Description	A-Length	B-Width	C-Height	D-Channel Width	E-Channel Height	Wt. (Ibs.)	Price Ea.
HCP5X125 HCPEC5X125 (Pair Only)	5-channel protector 5-channel end caps (female)	36" 7.5" 5.25"	20" 20" 20"	2.31" 2.31" 2.31"	1.25" 1.25" 1.25"	1.25" 1.25" 1.25"	25 3.5 3.5	\$296.45 141.17
HCP4X125 HCPEC4X125	5-channel end caps (male) 4-channel protector 4-channel end caps (female)	36" 7.5"	20" 20"	2.31" 2.31"	2" 2"	1.25" 1.25"	26 3.5	296.45 139.91
(Pair Only) HCP3X225 HCPEC3X225	4-channel end caps (male) 3-channel protector 3-channel end caps (female)	5.25" 36" 8.25"	20" 20" 20"	2.31" 3.05" 3.05"	2" 2.25" 2.25"	1.25" 2.25" 2.25"	3.5 28 4	354.62 170.74
(Pair Only) HCP2X325	3-channel end caps (male) 2-channel protector	6.25 6" 36"	20" 20" 22"	3.05" 4.13"	2.25" 2.25" 3.25"	2.25" 2.25" 3.25"	4 33	459.85

Protector Color: Y/O=Yellow Lid w/Orange Ramps. End cap color: Orange.


LINEBACKER[®] GP

GENERAL PURPOSE 5 CHANNEL CABLE/HOSE PROTECTOR

• Load capacity 10,500 lbs. per tire.

	Size							
Product No.	Description	A-Length	B-Width	C-Height	D-Channel Width	E-Channel Height	Wt. (Ibs.)	Price Ea.
HCP5X125-GP HCPEC5X125-GP (Pair Only)	5-channel protector 5-channel end caps (female) 5-channel end caps (male)	36" 4.75" 4.75"	17.25" 17.25" 17.25"	1.95" 1.95" 1.95"	1.3" 1.3" 1.3"	1.3" 1.3" 1.3"	22 2.7 2.7	\$213.31 129.74
Protector Color: C End cap color: Or)/Y=Orange Lid w/Yellow Rai ange.	mps.						


(line drawings represent heavy duty and general purpose models)



LINEBACKER® GP-1

GENERAL PURPOSE 1 CHANNEL CABLE/HOSE PROTECTOR

• Load capacity 11,700 lbs. per tire on 1.25" channel models.







Linebacker HD 5 Channel Features 5-1.25" x 1.25" channels Load capacity: 20,150 lbs./tire, 40,300 lbs./axle. Length: 36"



Linebacker HD 3 Channel Features 3-2.25" x 2.25" channels Load capacity: 14,210 lbs./tire, 28,420 lbs./axle. Length: 36"



Linebacker HD 2 Channel Features 2-3.25" x 3.25" channels Load capacity: 10,880 lbs./tire, 21,760 lbs./axle. Length: 36"



Linebacker GP 5 Channel Features 5-1.25" x 1.25" channels Load capacity: 10,500 lbs./tire, 21,000 lbs./axle. Length: 36"



Linebacker GP 1 Channel Features 1-1.25" x 1.25" channels Load capacity: 11,700 lbs./tire, 23,400 lbs./axle. Length: 36"

CABLE PROTECTORS

CUARD DOG.

GUARD DOG® Low Profile Cable Protectors

\bullet Only $1^{1\!\!4"}$ high with $^{3\!\!4"}$ channel height and dog bone connectors.

Heavy duty GUARD DOG® Low Profile Cable Protectors are the most compact, top-loading cable protectors on the market. They provide a safe and easy crossing for vehicle and pedestrian traffic and are perfect for valuable electrical and delicate multi-media electronic cables. These low profile Protectors with Dog-Bone connectors are available with standard ramps or with low angle ADA Compliant ramps. Ideal for stage, studio, and broadcast applications. FOB Shipping Point.

HEAVY DUTY 1, 2, 3, and 5 CHANNEL CABLE PROTECTORS

• Load capacities up to 34,000 lbs. per tire -- call for specific load capacities for each model. GUARD DOG® LOW PROFILE CABLE PROTECTORS

Product No.	Description	A-Length	B-Width	C-Height	D-Channel Width	E-Channel Height	Wt. (Ibs.)	Price Ea.	
HGD1X75-ST HGD1X75	1-channel/Standard Ramps	36" 36"	10.8" 27.3"	1.25" 1.25"	2.25" 2.25"	.75" .75"	8 22	\$116.33 195.69	
HGD2X75-ST	2-channel/Standard Ramps	36"	11.9"	1.25"	1.5"	.75"	10	133.72	
HGD2X75	2-channel/ADA Ramps	36"	28.4"	1.25"	1.5"	.75"	23	213.06	
HGD3X75-ST	3-channel/Standard Ramps	36"	13.8"	1.25"	1.25"	.75"	13	165.41	
HGD3X75	3-channel/ADA Ramps	36"	30.3"	1.25"	1.25"	.75"	24	246.75	
HGD5X75-ST	5-channel/Standard Ramps	36"	16.9"	1.25"	1.28"	.75"	15	178.89	
HGD5X75	5-channel/ADA Ramps	36"	33.3"	1.25"	1.28"	.75"	25	288.56	

HCPRPKIT.75-20 Optional Anti-Slip Rubber Pad Kit for Low Profile Standard Ramp Models Only, Wt. 1 (lb.), Price Ea. \$11.82 Protector Color: O/B=Orange Lid w/Black Ramps.



FASTLANE® Small Drop Over Protectors

• For lightweight traffic.

FastLane® Drop Over Protectors are made from durable polyurethane and feature heavy duty "L" shape connectors for easily attaching additional protectors as required. Patented 5-bar tread plate surface provides maximum traction for pedestrian traffic. Low profile protectors are compact for easy set-up, take-down and storage. FOB Shipping Point.

		FASTLANE			CTOR			
Product No.	Description	A-Length	B-Width	C-Height	D-Channel Width	E-Channel Height	Wt. (Ibs.)	Price Ea.
HFL1X1.5 HFL1X4 HFL2X1.75	Drop over protector Drop over protector Drop over protector	36" 36" 36"	5.25" 10.75" 10.75"	.75" 1.5" 1.5"	1.5" 4" 1.75"	.5" 1" 1"	3 8 9	\$43.48 80.28 80.28
HCPRPKIT.75-18 Optional Rubber Pad Kit for HFL1X1.5 Protectors, Wt. 1 (lb.), Price Ea. \$10.73 HCPRPKIT1-8 Optional Rubber Pad Kit for HFL1X4 and HFL2X1.75 Protectors, Wt. 1 (lb.), Price Ea. \$5,82								

HCPCARPETKIT-3 Optional Carpet Kit with Velcro[®] brand fastners for all FASTLANE[®] models. Wt. 1 (lb.), Price Ea. **\$11.61** Protector Color: O=Orange. B=Black. Please specify color.



POWERBACK® Rubber Duct Protectors

• For lightweight traffic.


POWERBACK® Rubber Duct Systems protect and cover valuable cords and cables located in walkways or work areas. These non-metallic, flexible rubber protectors organize portable cords and cables while reducing trip hazards. Available in 5' or 10' lengths and can be slit on the bottom for easy cord insertion. Shipped without the slit on the bottom except models HRFD7, HRFD8 and HRFD9. Connector Kit available for select models. FOB Shipping Point.

RFD7


POWERBACK [®] RUBBER DUCT PROTECTORS								
Product	Length	Connector Kit	Wt.	Price				
No.		Product No.	(lbs.)	Ea.				
HRFD1-10	10'	None	5	\$32.93				
HRFD2-10	10'	None	4	28.16				
HRFD3-10	10'	None	7	43.34				
HRFD4-10	10'	HRFDCN-3/8	10	48.98				
HRFD5-5	5'	HRFDCN-3/8	7	38.37				
HRFD5-10	10'	HRFDCN-3/8	13	72.38				
HRFD6-5	5'	HRFDCN-1/2	10	62.86				
HRFD6-10	10'	HRFDCN-1/2	19	121.36				
HRFD7-5	5'	HRFDCN-1/2	12	78.67				
HRFD8-5	5'	HRFDCN-1/2	15	96.88				
HRFD9-5	5'	HRFDCN-1/2	16	100.55				
HRFDCN-3/8	B Optiona	Connector Kit, Wt. 1	(lb.) Price Ea	\$8.96				
HRFDCN-1/2	2 Optiona	Connector Kit, Wt. 1	(lb.) Price Ea	\$9.52				


3 Channel with Standard Ramps











RFD6

RFD9



RFD4

RFD1

RFD8

RFD5

GUARD RAIL & DOOR TRACK

STRUCTURAL GUARD RAIL							
DROP-IN STYLE (2 BRACKETS INCLUDED PER RAIL)							
Product			Guard	Mounting	Wt.	Price	
No.	Color	Height	Length	Posts Required	(lbs.)	Ea.	
HYGR-LO-4	Yellow	15"	41%"	2	58	\$142.50	
HYGR-LO-5	Yellow	15"	53%"	2	73	159.00	
HYGR-LO-6 HYGR-LO-7	Yellow Yellow	15" 15"	65%" 77%"	2	85 97	176.30 193.80	
HYGR-LO-8	Yellow	15	89%"	2	109	210.30	
HYGR-LO-9	Yellow	15"	101%"	2	121	228.70	
HYGR-LO-10	Yellow	15"	113%"	2	133	245.10	
HGGR-LO-4	Galvanized	15"	41%"	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	61	169.70	
HGGR-LO-6	Galvanized	15"	65%"	2	85	209.10	
HGGR-LO-8	Galvanized	15" 15"	89%"	2	109	249.50 289.90	
HGGR-LO-10	Galvanized		113%"	-	133	289.90	
			ON STY				
HYGR-B-4	Yellow	15"	41%"	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	45	\$123.00	
HYGR-B-5 HYGR-B-6	Yellow Yellow	15" 15"	53%" 65%"	2	60 72	139.50 155.80	
HYGR-B-7	Yellow	15"	77%"	2	84	172.30	
HYGR-B-8	Yellow	15"	89%"	2	96	188.70	
HYGR-B-9	Yellow	15"	101%"	2	108	207.20	
HYGR-B-10	Yellow	15"	113%"	2	120	223.60	
HGGR-B-4	Galvanized	15"	41%"	2	72	144.40	
HGGR-B-6	Galvanized	15" 15"	65%" 89%"	2	96	184.80 224.20	
HGGR-B-8 HGGR-B-10	Galvanized Galvanized	15"	89%" 113%"	2	120 48	224.20	
1100K-D-10	Guivanized	. 🜩	D POSTS	_	40	204.00	
	N/ II		DPOSIS)	24	100.50	
HYGR-TP18 HYGR-TP42	Yellow Yellow	18%"	-	-	36	102.50	
HGGR-TP18	Galvanized	43¼" 18%"			65 35	145.60	
HGGR-TP42	Galvanized	43%"	-	_	59	170.70	
			Bolts (4)	⅓ x 4", Wt. 2 (II			

Price Ea. **\$17.80**

Warning Bar
Protects the bottom panel of the door from damage.
Reduces repair costs in the event of an accident.

Rail

• Drop-in and bolt-on styles.

Floor Mounted

Wł

Price

Triple ridge corrugated rails are constructed **Bolt-On S** from ¹/₄" thick material, made for high impact resistance

indoors or out. Bolts and washers are provided with individual rail. Provide easy accessibility with our Drop-In Style rails. Slide rail sections into post saddles for simple assembly. Each Drop-In Style rail section includes two brackets. Bolt-On Style rails are designed for permanent installation. Rigid posts include mounting holes on four sides

for use as a corner or center post. Choose from galvanized

material or powder coated yellow finish. FOB Shipping Point.

The horizontal warning bar consists of 2 all steel uprights supporting a wood 4x4. If a load hits and breaks the 4x4 it is much easier and cheaper to replace the 4x4 than the door. Damaged door panels can become inoperable creating security problems. Custom sizes available -- contact dealer for details. FOB Shipping Point.



Product No.	FLOOR MOUNTED WA Accommodates Door Size	RNING BAR Wt. (Ibs.)	Price Ea.
HDWB-88	8 x 8'	358	\$549.70
HDWB-810	8 x 10'	475	593.80
HDWB-910	9 x 10'	490	608.10
HDWB-1010	10 x 10'	505	621.50

Galvanized Bolt-On Style

Overhead Door TRACK PROTECTORS

- Protect overhead door tracks against damage from fork trucks, or pallet trucks.
- Made of solid steel construction for extra durability.

Base plate is 6" sq. with a 3" notch out and %" dia. mounting holes. Safety yellow powder coat finish for long term wear. FOB Shipping Point.

OVERHEAD DOOR TRACK PROTECTOR								
Product No.	Height	Wt. (lbs.)	Price Ea.					
HDSP-24 HDSP-36 HDSP-48	24¼" 36¼" 48¼"	13 18 19	\$37.00 48.20 59.50					
HAS-125 1/	" x 51//" anchor holts	Wt 1 (bs) Pr	ico Eg. \$3.00					

HAS-125 ½" x 5½" anchor bolts. Wt. 1 (lbs.) Price Ea. \$3.90

Product

Structural Guard Rails & Posts

- Drop in style protects personnel and machinery against damage.
- Constructed of structural C-channel 11.5 lbs. per foot for maximum strength.
- Available in standard and custom lengths. FOB Shipping Point.

Rail

	STRUCTU	JRAL GUARD	RAILS	
Product No.	Height	Length	Wt. (Ibs.)	Price Ea.
HST-GR-4	8"	48"	56	\$64.60
HST-GR-6	8"	72"	71	101.50
HST-GR-8	8"	96"	95	145.60
HST-GR-10	8"	120"	118	183.60
HST-GR-12	8"	144"	168	192.80

TUBULAR MOUNTING POSTS WITH DROP-IN STYLE BRACKET

Product	Height	Wt.	Price
No.		(lbs.)	Ea.
HSTGR-TP-18DI	18" High Post (accommodates 1 rail)	27	\$133.30
HSTGR-TP-42DI	42" High Post (accommodates 2 rail)	52	178.50
HSTGR-TP-60DI	60" High Post (accommodates 3 rail)	95	225.60
HSTGR-TP-72DI	72" High Post (accommodates 3 rail)	116	273.80
HSTGR-BKT-DI	Extra Post Mounting Bracket	7	35.90

Guard Rail Safety System

- Protect people, equipment, buildings and components.
- Rails are galvanized steel for mar, corrosion, collision resistance.

Many applications need just one rail. For more and higher protection use the double rails. Rails bolt to face of posts for maximum strength. End caps finishes off ends. Curved guard rail available. FOB Shipping Point.

No.	Length	Height	(lbs.)	Ea.
HGR-4 HGR-6 HGR-8 HGR-12	4' Section 6' Section 8' Section 12' Section	12" 12" 12" 12"	30 47 56 118	\$65.70 98.00 137.40 179.80
Product No.	Description	Height	Wt. (lbs.)	Price Ea.
HGR-SP HGR-TP18 HGR-TP42 HGR-CAP	Spring Post Tubular Post Tubular Post End Cap	24" 18" 42"	19 27 57 5	\$111.30 99.00 117.20 48.30

428





Yellow Finish Bolt-on Style

PROTECTION idea SHIELD

Industrial Guardrail Systems

• So strong it will stop a forklift in its tracks!

 \bullet Made of 4" schedule 40 pipe rail and 2'/2" schedule 80 pipe posts.

Made strong enough to sustain a direct hit and still maintain structural integrity. Pipe rail is sleeved in ¹/4" high-density polyethylene, resists chemicals, temperature changes and never needs painting. Each guardrail is a modular unit -- units may be combined to create custom lengths or configurations. Delivered fully assembled to your site, easily installed with either a base mount or removable core insert (removable option available). Custom configurations are available to meet specific guarding requirements. Installation options are base plate, cored, or removable with a core and drop option. Available in two standard colors: OSHA Yellow and Gunmetal Gray. FOB Shipping Point.

Product No.	Length	UARDRAIL SYSTE	Wt. (lbs.)	Price Ea.
HSGR-1-048-14 ³ / ₄ -P HSGR-1-072-14 ³ / ₄ -P HSGR-1-096-14 ³ / ₄ -P HSGR-1-120-14 ³ / ₄ -P	4' 6' 8' 10'	L - 14 3/4" HIGF 14 ³ /4 14 ³ /4 14 ³ /4 14 ³ /4	103 127 151 175	\$265.61 290.67 320.44 351.28
	2 LINE R	AIL - 42" HIGH		
HSGR-2-048-42-P HSGR-2-072-42-P HSGR-2-096-42-P HSGR-2-120-42-P	4' 6' 8' 10'	42" 42" 42" 42"	187 235 283 331	\$400.00 453.33 506.67 545.33

Width

96"

120" 144"

Goal Posts

- Protects dock doors and frames from wayward forklifts.
- Made of 6" schedule 40 steel pipe and of 4" schedule 40 steel pipe.

Posts and rail are both sleeved with sturdy HDPE tube -- eliminates the need for painting. OSHA yellow color for a highly visible, professional look. FOB Shipping Point.



(lbs.)

600 726 852

			Bat
	1		
10		100	



Handrails

- Secure handrails for maximum safety.
- Made of 1'/4" schedule 40 steel, sleeved with high-density polyethylene thermoplastic.

OSHA yellow standard, custom colors available. Handrails come fully assembled and offers easy installation. Core-In or Bolt-In applications. All rails are 42"H. with 21" midrail. Meets OSHA fall-protection standards. Custom sizes available -- please contact dealer. FOB Shipping Point.



	HAN	ORAILS		
Product			Wt.	Price
No.	Length	Height	(lbs.)	Eq.
HHRS-2-48-42-B	4'	42"	45	\$186.00
HHRS-2-72-42-B	6'	42"	65	245.00
HHRS-2-96-42-B	8'	42"	75	302.00
HHRS-2-120-42-B	10'	42"	85	360.00

Standard Bumper Post Sleeve %"

Height

96'

120" 144"

• Eliminates painting.

Product No.

HGP-YL-096-096-C-24

HGP-YL-120-120-C-24 HGP-YL-144-144-C-24

HGP-YL-168-168-C-24

Has a 1/8" nominal wall thickness. Standard colors: OSHA Yellow, White, or Red Easy - please specify. Installation and reflective tape available for an extra charge - please specify when ordering. Standard height is 60". Fits pipe diameters of 5" and 7". FOB Shipping Point.

STAI Product No.	NDARD BUMPER PO Fits Post Digmeter	ST SLEEVE Wt. (lbs.)	Price Ea.
HPPP-YL-04-60-S	4 - 4½"	4	\$37.32
HPPP-YL-06-60-S	6 - 6%"	5	37.32
Potloctive stripes in Ped V	allow or Silver Price Fa	\$6.67	

The Original Bumper Post Sleeve ¼"

Slide plastic bumper post sleeve over post for a clean new look. Eliminates painting.

Durable 1/4" thick polyethylene thermoplastic - cut to custom heights. Fits pipe diameters of 3"-12". Installation tape included. Standard colors: OSHA Yellow, Red, Blue, Green, Gray, Urban Bronze and Black - please specify. Custom logos and colors are available. FOB Shipping Point.

speeny. Oustoin logos and colors are available. I OD ompping I onte.					
Pro	duct	THE ORIGINAL Fits Pipe	BUMPER POST SLEE	WE Wt.	Price
N	lo.	Dia.	Height	(lbs.)	Ea.
HPPH-YI	L-6-52-S	6-6 ⁵ /8	52"	10	\$51.33
HPPH-YI	L-4-52-S	$4 - 4^{1}/_{2}$	52"	8	51.33
HPPH-YI	L-8-69-S	8-85/8	69"	16	77.00



Price

Ea.

\$733.33

860.00 980.00

,100.00



Pyramid Sign Base

The sign base is made of durable long lasting polyethylene thermoplastic. By filling the base with our base gel, water, or sand, it becomes stable and can be moved with ease. Optional wheels offer an even easier way to transport your signs. Available in a variety of colors. Custom logos and signage are also available. Signs and hardware are available for an additional charge. Base size is 22"H x 22"W x 22"D. FOB Shipping Point.



PYRAMID SIGN BASE					
Product	Wt.	Price			
No.	(lbs.)	Ea.			
HBPB-YL-98-BL-WITH OUT	45	\$132.00			
HBPB-YL-98-BL-WITH WHEELS	45	180.00			

RETRACTA-BELT® ROWD CONTROL BARRIERS

Many Additional Finishes, **Belt Options** and Models Available.

Retracta-Belt[®] Posts by Visiontron • Guide traffic, mark off hazards and restrict access indoors and outdoors. The high strength, tightly woven belts in the Retracta-Belt[®] posts are available in 10' - 30' lengths. Retracta-Belt[®] posts are compatible with most existing posts from other

manufacturers. Heavy gauge aluminum or PVC construction makes each post rustproof and highly resistant to the outdoor elements. The outdoor-rated Utility Posts (Models 302, 303, 322, and 323) are constructed of high quality recyclable aluminum or premium PVC. Posts insert easily into a solid 100% recycled rubber base or a plastic base that can be filled with water or sand to increase the base weight up to 30 lbs. Utility Post bases include a convenient carrying handle and storage spot for when posts are not in use. All posts except HPM412 ship Knocked Down in multiples of two. All products featured have a 10 year warranty. Economy stanchions feature a cement base suitable for lighter traffic areas and come with a 3 year warranty. They must be ordered in multiples of two. FOB Shipping Point.





15' Belt H323PYW-CAU



30' Belf HPM412-30YA-CAU

Base Descriptions:

101 Model - 17 lbs. Galvanized Steel 301 & 321 Model - 18 lbs. cast iron weatherproofed 302 & 322 Model - 100% Recycled Rubber Base (below) 303 & 323 Model - Plastic Fillable Base (below) PM412 Model - 30 lbs. cast iron weatherproofed w/wheels



303/323 Plastic Fillable Base

	DESCRIPTION		BLACK BELT		BLACK/YELLOW DIAG	ONAL BELT	"CAUTION-DO NOT EN	NTER" BELT
Belt Length	Post Style	Wt. (lbs.)	Product No.	Price Ea.	Product No.	Price Ea.	Product No.	Price Ea.
10'	Black Steel - Economy Line	21	H101SB-BK	\$50.00	H101SB-BYD	\$65.50	H101SB-CAU	\$65.50
10'	Yellow Aluminum - Economy Line	21	H101YA-BK	82.00	H101YA-BYD	97.50	H101YA-CAU	97.50
10'	Black Aluminum '	23	H301BA-BK-WP	161.00	H301BA-BYD-WP	168.50	H301BA-CAU-WP	168.50
10'	Yellow Aluminum	23	H301YA-BK-WP	166.00	H301YA-BYD-WP	173.50	H301YA-CAU-WP	173.50
10'	Black Alum./Rubber Base	23	H302BA-BK	148.50	H302BA-BYD	156.00	H302BA-CAU	156.00
10'	Yellow Alum./Rubber Base	23	H302YA-BK	153.50	H302YA-BYD	161.00	H302YA-CAU	161.00
10'	Yellow PVC/Plastic Base	7	H303PYW-BK	131.00	H303PYW-BYD	138.50	H303PYW-CAU	138.50
15'	Black Aluminum	25	H321BA-BK-WP	208.00	H321BA-BYD-WP	219.25	H321BA-CAU-WP	219.25
15'	Yellow Alum./Bk Head	25	H321YA-BK-WP	215.00	H321YA-BYD-WP	226.25	H321YA-CAU-WP	226.25
15'	Black Alum./ Bk Head/Rubber Base		H322BA-BK	188.50	H322BA-BYD	199.75	H322BA-CAU	199.75
15'	Yellow Alum./Bk Head/Rubber Base	25	H322YA-BK	192.50	H322YA-BYD	203.75	H322YA-CAU	203.75
15'	Yellow PVC/Bk Head/Plastic Base	9	H323PYW-BK	176.00	H323PYW-BYD	187.25	H323PYW-CAU	187.25
30'	Yellow Aluminum	36	HPM412-30YA-BK	388.00	HPM412-30YA-BYD	413.00	HPM412-30YA-CAU	413.00

Wall Mount Retracta-Belt® Units by Visiontron

• Quicker setup, frees up floor space, and last for years.

Wall mount units from 10' - 30' are ideal for closing off hallways, warehouse aisles, maintenance areas, etc. They're an ideal alternative to floor or caution tape. All products featured have a 10 year warranty. Features & Options: The 10', 15' & 30' Retracta-Belt units are available with either a fixed/removable mounting plate with a universal belt end and fixed receiving end, or a magnetic mounting plate with S-Hook belt end. Other mounting options are available including suction cup, hose clamp, velcro, and recessed. Suction cup and magnetic belt ends are also available. Call for details. FOB Shipping Point.



DESCRIPTION				FIXED/REMOVABLE WALL PLATE W/STANDARD BELT END				
	Belt Length	Head	Wt. (lbs.)	BLACK/YELLOW DIAGO Product No.	NAL BELT Price Ea.	"CAUTION - DO NOT E Product No.	NTER" BELT Price Ea.	
	10'	Black Body	2	HWM100SB-BYD-RE	\$62.50	HWM100SB-CAU-RE	\$62.50	H
	15'	Black Body	5	HWM412SB15-BYD-RE	105.25	HWM412SB15-CAU-RE	105.25	I F
	15'	Yellow Body	5	HWM412YW15-BYD-RE	105.25	HWM412YW15-CAU-RE	105.25	F
	30'	Black Body	5	HWM412SB30-BYD-RE	194.00	HWM412SB30-CAU-RE	194.00	I F
	30'	Yellow Body	5	HWM412YW30-BYD-RE	194.00	HWM412YW30-CAU-RE	194.00	H



BLACK/YELLOW DIAGONA	L BELT
Product	Price
No.	Ea.
HWM700MSB-BYD-SHOOK	\$106.50
HWM412MSB15-BYD-SHOOK	130.25
HWM412MYW15-BYD-SHOOK	130.25
HWM412MSB30-BYD-SHOOK	219.00
HWM412MYW30-BYD-SHOOK	219.00





HWM412YW30-CAU-RE









CROWD CONTROL PRODUCTS





Chain

- Create safe walkways in your facility.
- Block restricted areas for safety.
- Bring awareness to potential hazards.

Lightweight, strong, durable and weather resistant are characteristics of Mr. Chain products. Made of high density polyethylene containing UV inhibitors, they resist fading and becoming brittle. Available in 7 colors. FOB Shipping Point.





TRADE SIZE #6 D'REEL CHAIN	300' P/	AIL CHAIN
Wt. Price (lbs.) Ea.	Product No.	Wt. Price (lbs.) Ea.
11 \$136.19 11 136.19	H30001-P H30002-P	15 \$206.89 15 206.89
11 136.19	H30005-P	15 206.89 15 206.89
11 136.19	H30014-P	15 206.89 15 206.89 15 329.87
	Wt. Price Ea. 11 \$136.19 11 136.19 11 136.19 11 136.19 11 136.19 11 136.19 11 136.19 11 136.19	Wf. Price Product [lbs.] Eo. No. 11 \$136.19 H30001-P 11 136.19 H30002-P 11 136.19 H30003-P 11 136.19 H30005-P 11 136.19 H30005-P 11 136.19 H30012-P 11 136.19 H30014-P

2" PLASTIC CHAIN - LINK SIZE: 2" LONG x 1" WIDE x .25" THICK. TRADE SIZE #8

50' BOX CHAIN			10	0' BOX CH	IAIN	12	5' REEL CHA	AIN	160	' PAIL CHA	IN	
	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price
Color	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.
White	H50001-50	3.5	\$38.80	H50001-100	7	\$77.60	H50101	10	\$98.69	H50001-P	15	\$127.76
Yellow	H50002-50	3.5	38.80	H50002-100	7	77.60	H50102	10	98.69	H50002-P	15	127.76
Black	H50003-50	3.5	38.80	H50003-100	7	77.60	H50103	10	98.69	H50003-P	15	127.76
Red	H50005-50	3.5	38.80	H50005-100	7	77.60	H50105	10	98.69	H50005-P	15	127.76
Safety Orange	H50012-50	3.5	38.80	H50012-100	7	77.60	H50112	10	98.69	H50012-P	15	127.76
Safety Green	H50014-50	3.5	38.80	H50014-100	7	77.60	H50114	10	98.69	H50014-P	15	127.76
Black/Yellow	H50029-50	3.5	54.40	H50029-100	7	127.20	H50129	10	161.11	H50029-P	15	207.59

Crowd Control Stanchions

The base of the Light Duty, Medium Duty and Heavy Duty Stanchions can be filled with sand for ballast. When filled with sand, the weights are: Light Duty 4.8 lbs., Medium Duty 6.6 lbs. and Heavy Duty 12 lbs. The overall height of the Light Duty and Heavy Duty Stanchion is 41". The overall height of the Medium Duty Stanchion is 40". Chain can be run through the top in one continuous length on the Light Duty and Medium Duty Stanchion or hung on the C-Hook. Chain is cut to length and hung from the C-Hook on the Heavy Duty Stanchion. Chain sold separately. FOB Shipping Point.

X-Treme Duty Stanchions:

The base of the X-Treme Duty Stanchion contains a water bladder that can be filled with water for ballast. When filled, it weighs 25 lbs. The overall height of the X-Treme Duty Stanchion is 46.5". It has wheels on the base for easy mobility. Chain can be run in one continuous length or hung on the C-Hook. Chain sold separately. FOB Shipping Point.



431

RAILING ROTECTION



All WELDED steel.



• Features yellow powder coated bollard and spring loaded design.

Mercury switch activated warning beeper and strobe light is available -- alerts individual that they have hit the bollard and should stop. FOB Shipping Point.

Product No.	Description	Height		Price Ea.
HSPBOL-42 HSPBOL-42-BL	Steel Pipe Bollard Steel Pipe Bollard w/ Beeper & Stro	42" be 42"	2½" 2½"	\$87.20 194.80
	Anchor Bolt. Wt. 2 (lbs.) Price Ea. \$3.40			



Bollard Post Covers

- Eliminate the need for costly scraping and painting of unsightly bollards.
- Units slide over existing bollards.
- No hardware needed.

This durable poly sleeve will minimize maintenance and improve appearance. FOB Shipping Point.

Dock Safety Railings

 Prevent accidents and injuries at loading docks, truck wells, floor openings or walkways. • These durable and strong railings provide extra

protection for workers and equipment.

RAILINGS FOR SURFACE MOUNTING

bolts and i

Length

2'

3' 4'

5' 6'

7' 8'

PARTS FOR SURFACE MOUNTING

Description

Single socket includes 2 se

Wt. (lbs.)

18

22 28

33 34

36 48

6

(1%" OD) 42"H. FOB Shipping Point.

Height

42"

42" 42"

42" 42"

42'

12

(Sockets, toel

Product No.

HVDKR-P101

PLASTIC BOLLARD COVERS								
Product		Outside	Inside	Wt.	Price			
No.	Height	Dia.	Dia.	(lbs.)	Ea.			
HBPC-4	52"	5"	4%"	6	\$46.20			
HBPC-7	52"	71/8"	7"	8	52.50			

Steel Safety Bollards

- All welded steel. **FOB Shipping Point.**
- Features removable cap to permit cement filling.

Product No.	Height	Dia.	Wt. (Ibs.)	Price Ea.
HBOL-24-4.5	24"	4.5"	17	\$65.70
HBOL-36-4.5	36"	4.5"	22	87.20
HBOL-42-4.5	42"	4.5"	26	100.50
HBOL-24-5.5	24"	5.5"	20	74.80
HBOL-36-5.5	36"	5.5"	26	99.50
HBOL-42-5.5	42"	5.5"	30	110.80
-				

HAS-344-4PK (4) ¾" x 4¼" Anchor Bolts. (for 4½" & 5½" dia. Bollards) \$17.80.

GATE							
(Latch and 2 clamp-on hinges included) Product No. Length Wt. (lbs.) Price Ea.							
Product No.	Length	Wt. (lbs.)	Price Ea.				
HVDKR-G3	3'	23	\$92.30				



					Ea.
HPCG-24 Ste	eel plate corner guard eel plate corner guard inum plate corner guard	16 x 16" 24 x 24" 24 x 24"	8" 12¼" 12"	59	115.90 146.20 185.30

HAS-344 (1) 3/" x 41/4" Anchor Bolt. Wt. 2 (lbs.) Price Ea. \$4.40

Machinery and Rack Guards

- These durable and tough guards help protect your personnel and equipment.
- May be bolted (1/2" dia.) to surface or secured into concrete.

Steel construction provides a barrier that can minimize damage from fork truck and other equipment. Mounting hardware not included. Painted Safety Yellow. FOB Shipping Point.

	YELLOW MACH				
Product No.	Size H x L	Dia.	Wt. (lbs.)	Price Ea.	High Profile (HPRO)
HHPRO-36-24-4 HHPRO-48-24-4 HHPRO-36-36-4 HHPRO-48-36-4 HHPRO-36-42-4* HHPRO-48-42-4*	24% × 36%" 24% × 48%" 36% × 36%" 36% × 48%" 42% × 36%" 42% × 36%"	$\begin{array}{c} 4^{1}/_{2}^{11} \\ 4^{1}/_{2}^{11} \\ 4^{1}/_{2}^{11} \\ 4^{1}/_{2}^{11} \\ 4^{1}/_{2}^{11} \\ 4^{1}/_{2}^{11} \\ 4^{1}/_{2}^{11} \end{array}$	46 50 56 63 69 76	\$146.70 173.30 178.50 191.80 178.50 203.00	Machine Guard
HAS-344-4PK (4) ¾" x 4 *Only models with a cer	4¼" Anchor Bolts. Pric nter bar.	æ/4 \$17.80			
	YELLOW RA	CK GUARD)		
HLPRO-36-9-4 HLPRO-48-9-4 HLPRO-36-16-4 HLPRO-48-16-4	8 ¹ %6 x 36%" 8 ¹ %6 x 38%" 16 ¹ %6 x 36%" 16 ¹ %6 x 38%"	4 ¹ /2" 4 ¹ /2" 4 ¹ /2" 4 ¹ /2"	35 39 42 46	144.60 160.00 157.00 180.50	Low Profile (LPR Machine Guard
	AVEA L D.L. D.L.	11 417 00			machine oouru

RO HAS-344-4PK (4) 3/1" x 41/2" Anchor Bolts. Price/4 \$17.80

CORNER GUARD

• Protect busy corners, expensive machinery and personnel.

• 90° perpendicular protection.

Durable and super tough for maximum protection. "Safety First" promotion reminds personnel of the number one priority. Powder coat vellow finish. Aluminum unit is unfinished. FOB Shipping Point.

ded.)

Price Ea.

\$72.80

81.00 86.20

97.50 103.60

108.70 120.00

\$32.80

Wt. (lbs.) Price Ea.

RAILING FITTINGS & AFETY GATES

Kee Klamp® Fittings

- Assembly is fast...just slip pipe in and tighten case hardened set screws with standard hex tool.
- No welding, no threading, no drilling or bolting.

Strong pipe fittings make it easy and economical to assemble railings, racks, fencing, awning frames, boat docks, stalls, light grid systems and 1001 other applications. Galvanized fittings are ideal for either indoor or outdoor use. Holds up to two tons, with larger size fittings. 100% reusable. Meets or exceeds OSHA requirements for railings. FOB Shipping Point.

Nominal Pipe Size	ן"	1¼"	1½"	2"
Pipe O.D.	1.315	1.66	1.90	2.375
Kee Klamp I.D.	1.375	1.72	1.94	2.410
Kee Klamp Suffix No.	-6	-7	-8	-9



Additional Styles & Sizes available - call dealer for details. Also available in Aluminum.



Kee

Safetv

Kee Pallet Gate

• Four configurations.

The Kee Pallet Gate is available in four configurations. The standard size provides excellent load width and depth while also offering 6' 6" of head clearance. In addition to the standard size, Kee Safety offers three alternate configurations to provide flexibility whether you require extra width, depth, or a combination of both, all while providing the same 6' 6" head clearance. All four configurations can be built from either aluminum Kee Lite or galvanized steel. Kee Klamp components with optional toe-board mounted on all sides for added safety. Custom sizes and configurations are available upon request, contact us for further information. FOB Shipping Point.



Product	Finish	Wt.	Price
No.	HSGPGTYD1 SERIES -1 PALLET	(Ibs.)	Ea.
HSGPGTYD1GV	Galvanized	331	\$2,019.12
HSGPGTYD1AL	Aluminum	163	2,418.92
	HSGPGTYD2 SERIES -1 PALLET WIDE	x 2 PALLET DEEP	
HSGPGTYD2GV	Galvanized	390	2,358.44
HSGPGTYD2AL	Aluminum	193	2,903.00
	HSGPGTYD3 SERIES -2 PALLET WIDE	x 1 PALLET DEEP	
HSGPGTYD3GV	Galvanized	355	2,102.64
HSGPGTYD3AL	Aluminum	176	2,540.44
	HSGPGTYD4 SERIES -2 PALLET WIDE	x 2 PALLET DEEP	
HSGPGTYD4GV	Galvanized	419	2,382.92
HSGPGTYD4AL	Aluminum	208	2,916.08

Universal Kee Gate

- Independently tested to OSHA and ANSI standards.
- Tested to over 50,000 swings.
- Easily cut on-site to fit all openings between 15"-44".
- Comes fully assembled.
- Hot dipped galvanized or yellow powder coated.

The Kee Gate self-closing safety gate is designed specifically to provide permanent hazard protection for internal and external

applications. The gate is spring loaded to automatically close behind the user, thus providing a safe environment and avoiding the possibility for human error. Kee Gate is compliant with the requirements of OSHA, Ontario Building Code, The National Building Code of Canada, as well as British and European standards. FOB Shipping Point.

Product	Description	Wt.	Price
No.		(Ibs.)	Ea.
HSGNA500GV	Galvanized	24	\$215.00
HSGNA500PC	Yellow Powder Coated	24	215.00

Kwik Kit® Safety Railings

- Create a sturdy railing system with no welding or threading.
- Gain the added visible advantage of safety yellow rails.

These railing kits are quick to assemble using only a standard hex tool to tighten the large, easy to use set screws. Pre-packed kits provide 6' post spacing for straight sections, corner sections or extension sections. Rails may be cut where shorter sections are required. Kits may be secured using bolts or chemical anchors attached to the base fittings. Strong and safe, Kwik Kit meets or exceeds OSHA & BOCA Standards. FOB Shipping Point.



Price

\$10.49

14.52 17.45

H10-6 H10-7

H10-8

SAFETY GATES



Save"ty Yellow Products

Adjustable Self-closing Swing Gates

• 3³/₄" adjustability.

Both standard and Full Height gates require post for strike plate and open 180°. Standard Height gate is 221/4" high and Full Height gate is 42" high with top, mid rails and 5" toeboard. Powder coated safety yellow. FOB Shipping Point.

ADJUSTABLE SELF-CLOSING SWING GATES STANDARD HEIGHT						
Product No.	Size	Wt. (Ibs.)	Price Eq.			
HSYP-PS-15 HSYP-PS-18 HSYP-PS-21 HSYP-PS-24 HSYP-PS-27 HSYP-PS-30 HSYP-PS-30 HSYP-PS-36 HSYP-PS-40 HSYP-PS-48	13%" - 17%" 16% - 20%" 19% - 23%" 22% - 26%" 25% - 29%" 31% - 35%" 34% - 35%" 38% - 42%" 42% - 46%"	19 20 21 22 23 24 24 26 29 30 31	\$331.05 331.05 331.05 341.80 341.80 341.80 341.80 384.65 384.65			
	FULL HEIGHT					
HSYP-PS-18F HSYP-PS-21F HSYP-PS-24F HSYP-PS-27F* HSYP-PS-30F* HSYP-PS-33F* HSYP-PS-36F*	16¾" - 20½" 19¾" - 23½" 25¾" - 26½" 25¾" - 29½" 31¾" - 35½" 34¾" - 35½"	24 26 28 30 32 34 36	712.00 723.00 736.00 748.00 760.00 772.00 785.00			

*UPS oversize charges apply.

Double Self-closing Swing Gates

• 61/2" adjustability.

Double gate has built in stop, opens 180°. For 16" to 521/2" openings. Powder coated safety yellow. FOB Shipping Point.



Double

Product No.	DOUBLE SELF-CLOSING SWING GATES Wt. Price Size (lbs.) Ea.				
HSYP-PS-9D	16" - 22½"	38	\$565.00		
HSYP-PS-12D	22" - 28½"	40	575.00		
HSYP-PS-15D	28" - 34½"	42	585.00		
HSYP-PS-18D	34" - 40½"	44	595.00		
HSYP-PS-21D	40" - 46½"	45	605.00		
HSYP-PS-24D	46" - 52½"	47	615.00		

Rotating Dock Gates

• Rotate mounted over a 42" bollard (not included).

For interior or exterior dock applications. Sizes from 5' to 10', powder coated safety yellow. Add optional bollard with eyelet at the opposite end for security. FOB Shipping Point.



Rotating Dock Gate

Size	Wt.	Price
	(lbs.)	
		Ea. \$745.00
-		795.00
		845.00
,		895.00
9'		945.00
10'		995.00
½" x 42"	78	199.00
	5' 6' 7' 8' 9'	5' 138 6' 146 7' 155 8' 163 9' 172 10' 180 ½" x 42" 78

*Mounting Bollard for Rotating Gate. Mounting hardware available, but NOT included.





Dock Lift Gates

• Creates awareness and fall protection. 42" tall, steel upright with lightweight aluminum arm. Air actuated cylinder holds gate open during deliveries or shipments. Powder coated safety yellow. Mounting hardware available, but NOT included. FOB Shipping Point.



Full Height



Dock Lift Gate

	DOCK LIFT GA	TES	
Product		Wt.	Price
No.	Size	(lbs.)	Ea.
HSYP-DG-08	8'	44	\$1044.00
HSYP-DG-10	10'	49	1144.00

Dock Stop

• Prevent fork trucks from driving off the dock. Two rotating gates mounted

Dock Stop

on 30" tall bollards (included) that meet in the center; 108" - 152" between

base plates. Rated for 4,000 lb. impact at 4 MPH. Select Locking Bar size, one required. Mounting hardware available, but NOT included. FOB Shipping Point.

Product No.	Size DOCK STOP	Wt. (Ibs.)	Price Ea.
HDOCKSTOP8-12*	For 8', 9', 10', 11', or 12' dock door	480	\$2,245.00
	LOCKING BAR		
HLOCKINGBAR8	For 8', or 9' Dock Door	-	89.00
HLOCKINGBAR10	For 10', or 11' Dock Door	-	109.00
HLOCKINGBAR12	For 12' Dock Door	-	129.00
*Requires Locking Bar	to lock the two gates together.		

Pallet Gates

• Self-closing gate closes up against pallet loaded on to the mezzanine.

Keeps employees away from mezzanine edge while unloading/loading pallet. When not in use the pallet gate acts as a safety rail. Includes black ABS teardrop impact bumpers. Finished surfaces powder coated safety yellow. FOB Shipping Point.



PALLET GATES		
	Wt.	Price
Size	(lbs.)	Ea.
60" wide	200	\$2,125.00
72" wide	220	2,225.00
96" wide	250	2,893.33
	Size 60" wide 72" wide	Size (lbs.) 60" wide 200 72" wide 220

GUARD RAILS & HAND RAILS



Yellow Products



Highway Stand Guard Rail Highway Stand Guard Rail

• Rails are 10 gauge, high-tensile steel.

Drop-in, lift-out design, with sleeves welded to posts, no costly brackets as an afterthought. Offset End posts and Tee posts now in stock. Posts have 10" x 10" base plates and powder coated steel caps. Mounting hardware available, but NOT included. FOB Shipping Point.

available, but 110	available, but two r included. r OD Shipping r onte.					
Product No.	HIGHWAY STAN	D GUARD RAIL Wt. (lbs.)		Price Ea.		
HRRIB-2 HRRIB-3 HRRIB-4 HRRIB-5 HRRIB-5 HRRIB-7 HRRIB-9 HRRIB-9 HRRIB-10	2' 3' 5' 6' 7' 8' 9' 10'	16 22 27 33 39 44 49 56 60		\$77.00 87.00 107.00 111.00 121.00 131.00 141.00 151.00 161.00		
Product No.	Post Description	Post Height	Wt. (lbs.)	Price Ea.		
H4RPE-18 H4RPIN-18 H4RPC-18 H4RPE-42-DBL H4RPIN-42-DBL H4RPC-42-DBL H4RPE-42-DBL-OFI H4RPE-42-DBL	End Inline Corner End Inline Corner FSET Offset End Tee	18" 18" 18" 42" 42" 42" 42"	29 29 29 49 49 49 49 49	\$109.00 109.00 109.00 149.00 149.00 149.00 149.00 179.00		

Wall Mounted Bumper Rail

• Much stronger than any plastic guarding.

14 gauge steel bumper rails mount directly to wall. Mount at any height to protect your walls from impact while storing product. Mounting holes at 16" centers. Two rib folds for added durability. FOB Shipping Point.



WALL MOUNTED BUMPER RAIL					
Product No.	Description	Length	Wt. (lbs.)	Price Ea.	
HWALL-4	4' OAL	4'	10	\$69.00	
HWALL-6	6' OAL	6'	15	79.00	
HWALL-8	8' OAL	8'	20	89.00	
HWALL-10	10' OAL	10'	25	99.00	

Closeup of Drop-in, Lift-out Rails

Lite Duty Guard Rail

Lite Duty Guard Rail

Drop-in, lift-out design in 14 gauge, high tensile steel creates awareness and protects for lite duty impacts such as electric pallet trucks, powered stackers, self-dumping hoppers and pallet jacks. Mounting hardware available, but NOT included. FOB Shipping Point.

TOB Shipping Folint.				
Product No.	LITE DUT Length		Vt. bs.)	Price Ea.
H2LITE H3LITE H4LITE H5LITE H5LITE H7LITE H8LITE H9LITE H10LITE	2' 3' 4' 5' 6' 7' 8' 9' 10'		10 11 14 16 18 21 23 23 26 28	\$63.00 73.00 81.00 97.00 105.00 113.00 121.00 129.00
Product No.	Post Description	Post Height	Wt. (lbs.)	Price Ea.
H4-LITE-END-18 H4-LITE-INLINE-18 H4-LITE-CORNER-18 H4-LITE-END-42 H4-LITE-INLINE-42 H4-LITE-CORNER-42	End Inline Corner End Inline Corner	18" 18" 18" 42" 42" 42"	21 21 35 35 35	\$99.00 99.00 99.00 134.00 134.00 134.00



Modular Hand Railing

Steel hand rail stocked in 4', 6' and 8' sections and priced per foot for easy ordering. Mounting hardware available, but NOT included. FOB Shipping Point. MODULAR HAND RAILING

Product No. H2RAIL HKICK Kickplate, 7 Price Ea. 39.00

Descri	ption	Price Per Ft.
Descri Top and	Mid Rail	\$39.00
′ga., 4 x 2 x 4	4", Wt. 14 (lbs).	

All Welded Hand Rail

• Fast, easy installation, just place and anchor down.

2" O.D. round tube with 6" x 6" x ¼" base plates. Coped midrail, not crushed. 4', 6', and 8' sections are in stock ready to ship. Powder coated steel for long lasting durability. Mounting hardware available, but NOT included. FOB Shipping Point.

ALL WEIDED HAND PAIL

Product No.	Length	Wt. (lbs.)	Price Ea.
HAND-4-WELDED	4'	31	\$169.00
HAND-6-WELDED	6'	38	189.00
HAND-8-WELDED	8'	53	239.00



BOLLARDS

"Save"ty Yellov

Yellow Products

Traditional V-Face Post Protectors

• Available in standard clearance 4.25" or seismic clearance 5.5" or 8.25".

Stocked models are %" thick and 12", 18" or 24" tall. The 12" and 24" tall are also stocked in ¼" thick steel. Powder coated safety yellow. Mounting hardware available but NOT included. FOB Shipping Point.

11 0					
Product	TRADITIC	NAL V-FACE POS	T PROTECTORS	Wt.	Price
No.	Clearance	Thickness	Height	(lbs.)	Ea.
HPP12V	4 ¹ / ₄ "	3/16"	12"	8	22.44
HPP18V	4 ¹ /4"	3/16"	18"	10	29.57
HPP24V	4 ¹ /4"	3/16"	24"	13	34.95
HPP12V-5.5	5½"	3/16"	12"	8	25.95
HPP18V-5.5	5½"	3/16"	18"	12	32.40
HPP24V-5.5	5½"	3/16"	24"	15	39.60
HPP12V-8.25*	8¼"	3/6"	12"	10	37.00
HPP18V-8.25*	8¼"	3/16"	18"	14	38.00
HPP24V-8.25*	8¼"	3/16"	24"	17	44.50
HPP12V-1/4	41/4"	1/4"	12"	10	27.50
HPP24V-1/4	4 ¹ / ₄ "	1/4"	24"	18	38.00
*** *					



Poly Post Protector

Easy snap on installation, stackable, fits 1½" x 3" and 3" x 3" pallet racking, including Mecalux rack, installed dimensions are 6"D. x 5½"W. x 8"H. FOB Shipping Point.

POLY POST PROTECTOR						
Product	Wt.	Price				
No.	(lbs.)	Ea.				
HPP-8POLY-1.5x3	Poly for 1½ x 3" post	8"	2	\$8.50		
HPP-8POLY-3x3	Poly for 3 x 3" post	8"	2	8.50		

Side Mounted Post Protectors

• Protects rack frame at every beam level.

• "V" shape on front to deflect forks.

Mounts easily to side of rack frame. Bolts through frame. Solid 7 gauge construction. 3¹/₄" inside dimension. New closed top model (**HPP-24BO-NB**) for food industry is 24" tall. Standard model is 12" or 24" tall. Powder coated safety yellow. Mounting hardware available but NOT included. FOB Shipping Point.

Product No.	SIDE MOUNTED POST PROTECTOR Wt. Price Clearance Thickness Height (lbs.) Ea.						
HPP-12V-SM	31//"	3/16"	12"	5	\$14.50		
HPP-24V-SM	3¼"	3/16"	24"	10	23.00		
HPP-24BO-N	B* 3¼"	3/16"	24"	7	35.00		
*Closed top m	ode						


Bollards

- **Economy Models**
- 41/2" and 51/2" O.D.
- Schedule 20 upright.

• 8" x 8" x ¼" thick base plate. Safety yellow for visibility. Mounting hardware available but NOT included. FOB Shipping Point.



Poly Post




Standard Models

- 6½" O.D.
- Schedule 40 upright.
- 9" x 9" x ½" thick base plate.

Safety yellow for visibility. Mounting hardware available but NOT included. FOB Shipping Point.

	BOLLARDS	5		
Product No.	Description	Height	Wt. (lbs.)	Price Ea.
HBL14244.5125Y	4½" O.D. with Plastic Cap	24"	17	\$69.00
HBL14364.5125Y	4½" O.D. with Plastic Cap	36"	23	79.00
HBL14424.5125Y	4½" O.D. with Plastic Cap	42"	25	96.00
HBL14245.5125Y	5½" O.D. with Plastic Cap	24"	19	77.00
HBL14365.5125Y	5½" O.D. with Plastic Cap	36"	26	95.00
HBL14425.5125Y	5½" O.D. with Plastic Cap	42"	29	105.00
HBL12246.5040Y	6½" O.D. with Welded Top	24"	50	120.00
HBL12366.5040Y	6½" O.D. with Welded Top	36"	69	149.00
HBL12426.5040Y	6½" O.D. with Welded Top	42"	78	169.00






V-Face

Outrigger Post Protectors

• Available in ¼" or ¾" steel.

Anchors to floor with one anchor. Thick mounting plate behind nose for easy installation. Powder coated safety yellow. Mounting hardware available but NOT included. FOB Shipping Point.

	·			
Product	Wt.	Price		
No.	Description	Height	(lbs.)	Ea.
HPP-4-OR-14	V-face, 3¼" Clear, ¼" Steel V-face, 3¼" Clear, ¾" Steel	4"		\$16.85
HPP-4-OR-38	V-face, 31/4" Clear, %" Steel	4"	5	20.50



Outrigger

Hidden Anchor Floor Style Post Protectors

• Wraps tight around frame.

Energy absorbing design anchors securely in front and behind frame. "V" shape on front to deflect forks, 12" tall by 9" deep, inside dimensions are 5" x 5%". Bracket hardware included. Powder coated safety yellow. Mounting hardware available but NOT included. FOB Shipping Point.

HPP-12HA, Wt. 11.3 (lbs.) Price Ea. \$45.00







RACK & COLUMN PROTECTORS



End of Aisle Rack Guards

• Floor angle is 5" x 3" x ¼" thick.

Curved end is 12" tall with 8" I.D. to protect the end of aisle rack. Available in right, left, or double ends. Also available with 6" x 4" x ½" thick angle. Mounting hardware available, but NOT included. FOB Shipping Point.

11 0			
Product No.	END OF AISLE RACK Description	GUARDS Wt. (lbs.)	Price Ea.
HRG-42DC-1/4 HRG-42LC-1/4	42" Double Ends 42" Left Side	52 38	\$159.00 109.00
HRG-42RC-1/4 HRG-48DC-1/4 HRG-48LC-1/4	42" Right Side 48" Double Ends 48" Left Side	38 56 42	109.00 169.00 125.00
HRG-48RC-1/4	18" Right Side	42	125.00

Low Profile Rack Guards

• **Perfect guards for end of aisles and rows.** 4½" outside diameter (sch 40 pipe) with welded ends. ½" thick mounting feet. Mounting hardware available, but NOT included. FOB Shipping Point.

Product No.	LOW PROFILE RA Size L x H	CK GUARDS Wt. (lbs.)	Price Ea.
HRGR-36	36 x 5"	39	\$134.00
HRGR-42	42 x 5"	44	139.00
HRGR-48	48 x 5"	49	149.00

Pallet Stop

• Limits placement of pallets to prevent damage to building. Steel pipe, 18" Long, 4½" outside diameter, with open ends. Plastic caps are available to close ends, as shown in photo. Two ½" thick mounting feet to install at back of bay, preventing damage to wall of building. Mounting hardware available, but NOT included. FOB Shipping Point.

HP-STOP-18, Pallet Stop Wt. 15 (lbs.) Price Ea. \$44.95 HP-STOP-18C, Pallet Stop w/caps, Wt. 15 (lbs.) Price Ea. \$52.29









"Save"ty Yellow goes Blue!

Blue Light


Increase warehouse safety by adding a Blue Light to increase visibility and awareness of fork trucks. Mounted to the fork truck (front or rear) with hardware and 12" wire lead provided. 5 bright LED lights create 400 Lumens of bright blue light in the path of the fork truck. FOB Shipping Point. HBLUE Measures 4" x 4" x 3½", Wt. 2 (lbs.) Price Ea. \$110.00

Building Column Protectors

EAGLE MFG Yellow Plastic Column Protector with Velcro Straps. Two plastic halves that meet in the center to form a barrier around a building column. Short size also available in Red (-**ER**). Standard sizes ship via truck. Slim size can ship UPS. FOB Shipping Point.

			TEATADA						
	BUILDING COLUMN PROTECTORS STANDARD SIZE								
B 1 .		DAKD SIZE		147.	.				
Product	Column		Dims.	Wt.	Price				
No.	Size	Color	НхD	(lbs.)	Ea.				
HSYP-C-6-EY	6" Square	Yellow	42 x 24"	40	\$185.64				
HSYP-C-8-EY	8" Square	Yellow	42 x 24"	40	185.64				
HSYP-C-9-EY	9" Round	Yellow	42 x 24"	40	185.64				
HSYP-C-10-EY	10" Square	Yellow	42 x 24"	40	185.64				
HSYP-C-12-EY	12" Square	Yellow	42 x 24"	40	185.64				
	SHORT SIZE								
HSYP-SHORT-6-EY		Yellow	24 x 24"	28	150.00				
	6" Square								
HSYP-SHORT-6-ER	6" Square	Red	24 x 24"	28	150.00				
HSYP-SHORT-8-EY	8" Square	Yellow	24 x 24"	28	150.00				
HSYP-SHORT-8-ER	8" Square	Red	24 x 24"	28	150.00				
HSYP-SHORT-10-EY	10" Square	Yellow	24 x 24"	28	150.00				
HSYP-SHORT-10-ER	10" Square	Red	24 x 24"	28	150.00				
HSYP-SHORT-12-EY	12" Square	Yellow	24 x 24"	28	150.00				
HSYP-SHORT-12-ER	12" Square	Red	24 x 24"	28	150.00				
		M SIZE							
HSYP-BS-6-EY	4 to 6"	Yellow	42 x 13"	16	132.00				







Short

Standard

437

WARNING LIGHTS







HLook Out 2

Features

- NEW! Bosch sensors.
- · Alerts pedestrians when forklifts are crossing
- Significant loss prevention benefits
- · Injuries and fatalities, as a result of forklift collisions, can be eliminated
- Unit mounts up and out of the way
- Nothing attached to your forklifts
- Mounting hardware included
- No expensive microwave sensors
- No reflectors required

Product

No.

HLook Out 2 HLook Out 3 HLook Out 3 HLook Out 3 Rack HLook Out 4 HO/H Door Monitor 3 HO/H Door Monitor 4

HLook Out 1

H-Audible

H-Burst Prod No

HDock [

HDock [

Ships UPS. FOB Shipping Point



HLook Out 3 Rack Front



HLook Out 3 Rack Rear

Specs

- · Low voltage wiring eliminates the need for conduit by using a 24V transformer installed overhead
- · Power supply UL Listed in USA and Canada
- Super bright LED lights with 100,000 hours life
- · Sensors are factory pre-set to monitor from inches to 40 feet away
- · Sensors rotate side to side and up and down for the best possible detection



Collision Awareness products are designed to detect both pedestrian and forklift traffic and alert all parties to the danger that exists just around the corner.

40% of all forklift fatalities are caused by an individual being struck or run over by a forklift. Many of these accidents and fatalities can be avoided by warning pedestrians and operators of approaching danger.

The LOOK OUT Sensor Alert Warning System allows for quick and easy recognition of possible hazardous situations. Why take chances when you can avoid accidents and protect your most valuable assets?

Options

- NEW! Floor Burst, additional fast pulsating light to illuminate the floor of an intersection (for ceiling mount units only)
- Additional remote sensors available
- Look Out 1 for outdoor applications with "brilliant" light option
- Low profile models
- · Sound option for loud environments or outdoors

H-LookOut 3 or 4 with Floor Burst

(fast pulsating light) Option

- Cooler applications
- Universal transformer option for hardwire applications from 110V or 227V AC

Price Size (lbs.) Ea. 5 x 5 x 14" 5 x 5 x 24" \$545.00** 6 12 28 12 28 15 15 669.00** 849.00** 18 x 18 x 13" 14 x 12 x 5 689.00** 989.00** 18 x 18 x 13" 759.00** 13 x 13 x 15" 13 x 13 x 15" 869.00** N/A N/A N/A 89.00 165.00

	Add pulsating light t			N/A	N/A	165.00
duct o.	Application	DOCK DOOR MONITORS Mounting	No. of Sensors	Size	Wt. (lbs.)	Price Ea.
Door Monitor EXT Door Monitor	Monitor one trailer Monitor one trailer	Wall mounted with 24" swivel arm Wall mounted with 24" swivel arm			10 10	\$595.00** 499.00**

** ADD your Power Cord:

POWER CORDS FOR WARNING LIGHTS & DOCK DOOR MONITORS								
Product No.	Lenath	Wt. (oz.)	Price Ea.	Product No.	Lenath	Wt. (oz.)	Price Ea.	
H6-110Vac H15-110Vac	6'	6.6 9.7	\$39.00 44.00	H50-110Vac H75-110Vac	50' 75'	20.3	\$55.00	
H25-110Vac	25'	12.8	48.00	H100-110Vac	100'	37.3	69.00	

Dock Door Monitors

Application

End of rack aisles

End of rack aisles


3-way intersections 3-way intersections

4-way intersections

Monifor high speed and strip doors Monitor high speed and strip doors

Add loud audible alarm to any model

Dock Door Monitors have a wall mounted arm with a swivel feature that allows the exterior sensor to monitor activity in a trailer. As the fork truck backs out, the bright flashing strobe warns co-workers. This model is available with an interior sensor for interior docks. Plugs in directly to a 110Vac outlet. FOB Shipping Point.



WARNING LIGHTS - Power Cords Sold Separately Mounting

On rack

On rack Hangs from ceiling

On rack

On wall On wall

OPTIONS FOR WARNING LIGHTS

Hangs from ceiling

Choose from 39 models IN STOCK! The most popular models are listed below.


COLUMN PROTECTORS & TRAFFIC BARRIERS



Standard Column Protectors

• Inexpensive insurance policy against structural damage.

Protect your building's column and support beams with the DPI column protector, an inexpensive insurance policy against structural damage. Each column protector's superior combination of flexibility and rugged structural design provides the ultimate in protection. No tools required for assembly with our nylon fasteners, eliminating the need for velcro straps that fail over time. DPI column protectors not only provide protection but they also provide high visibility. FOB Shipping Point.



Large Column Protectors

• For larger beams.

DPI's large column protectors fit 14", 16", and 18" beams found in large buildings with large columns. Rugged structural design provides the ultimate in protection. DPI's column protectors not only provide protection but they also provide high visibility. FOB Shipping Point.



LARGE COLUMN PROTECTORS											
Product Column Outside Dim. Wt. Price No. Size W x H (lbs.) Eq.											
No.	Size	(lbs.)	Ea.								
HCP-14	14"	30" x 38½"	64	\$373.00							
HCP-16	16"	30" x 38½"	64	373.00							
HCP-18	18"	30" x 38½"	64	373.00							

Slim Column Protectors

• Protect your beams and uprights.

The slim column protectors are not only great for small beams but are great for protecting uprights on mezzanines, bollards, and overhead crane supports. Fits 3", 4", 5", and 6" beams. Mount one half of the protector to walls to cover and protect water lines and electrical conduits from damage. The combination of flexibility and rugged structural design provides the ultimate in protection. DPI column protectors not only provide protection but they also provide high visibility. FOB Shipping Point.

SLIM COLUMN PROTECTORS									
Product No.	Column Size	Outside Dim. W x H	Wt. (lbs.)	Price Ea.					
HCP-3S	3"	12½" x 42"	18	\$134.00					
HCP-4S HCP-5S	4" 5"	12½" x 42" 12½" x 42"	18 18	134.00 134.00					
HCP-6S	6"	12½" x 42"	18	134.00					

Short Column Protectors

• Protect your beams.

The short column protectors guard beams from the ground up to 24" high, where the most frequent damage is often done. The short column protectors also allow easy access to beam-mounted fire extinguishers while offering maximum protection. The combination of flexibility and rugged structural design provides the ultimate in protection. DPI column protectors not only provide protection but they also provide high visibility. FOB Shipping Point.



SHORT COLUMN PROTECTORS										
Product	Column	Outside Dim.	Wt.	Price						
No.	Size	W x H	(lbs.)	Ea.						
HCP-6ST	6"	23½" × 24"	28	\$135.00						
HCP-8ST	8"	23½" × 24"	28	135.00						
HCP-10ST	10"	23½" × 24"	28	135.00						
HCP-12ST	12"	23½" × 24"	28	135.00						

Traffic Barriers

• Keep traffic where you want it.

These Traffic Barriers are perfect for use in parking lots, construction sites, festivals, municipalities, airports and more. The traffic barriers are highly visible and can be easily filled with water or sand. Each comes with a 6" fill cap and a 2" bottom drain as well as reflective strips to offer the ultimate in traffic control. FOB Shipping Point.



TRAFFIC BARRIERS									
Product	Size	Wt.	Price						
No.	L x W x H	(lbs.)	Ea.						
HTB-5	62" x 16" x 24"	35 55	\$148.75						
HTB-6	70" x 18" x 34"	55	261.00						

DOCK GATES



EXPERTS IN DOCK & PLANT SAFETY

LOADING DOCK DEFENDER GATES:

- Made in the USA
- Effortless open/close
- Toughest gate on the market
- 42" in height

Ultimate Defender Gate

- Exceeds OSHA standards
- Lockable for security
- Easy installation
- 6ft., 8ft., 9ft., 10ft., 12ft. Custom Sizes available.





Stops a 13,000 lb. forklift at 4 mph!



Bottom rail available at additional cost.

ULTIMATE DEFENDER GATE											
Product		Wt.	Price								
No.	Length	(lbs.)	Ea.								
HDGULT-6	6	500	\$4,750.00								
HDGULT-8	8'	500	5,250.00								
HDGULT-9	9'	500	5,375.00								
HDGULT-10	10'	500	5,590.00								
HDGULT-12	12'	500	5,850.00								
FOB Shippin	g Point.										

BEST SELLERS!

Defender Gate



5,000 lb. test capacity

• Top and bottom rail standard.

		DEFENI	DER GATE	
Produ	rt		Wt.	Price
No.		Length	(lbs.)	Ea.
HDGST	D-6	6'	500	\$3,850.00
HDGST	D-8	8'	500	3,975.00
HDGST	D-9	٩̈́	500	4,450.00
HDGST	D-10	10'	500	4,750.00
HDGXL		12'	500	5,495.00
HDGXL	-14	14'	500	5,980.00
HDGXL	-16	16'	500	6,775.00
FOR CL		D		

FOB Shipping Point.

DOCK GATES & NETTING



Standard Safety Gate



2,000 lb. test capacity

STANDARD SAFETY GATE Product Wt. Price No. Length (lbs.) Ea.										
HSTDSG-6 HSTDSG-8	6 ¹ 8'	500 500	\$2,450.00 2,850.00							
HSTDSG-9	9'	500	3,250.00							
HSTDSG-10	10'	500	3,550.00							
HSTDSG-12	12'	500	3,795.00							
FOB Shippin	a Point									

LOADING DOCK SAFETY NETS:


Wall Mounted

- Allows door operation
 - Easy to install
- Reduces product loss & falls
- Encourages safe practices
 - Low cost of ownership

Wall Mounted

- Post Mounted
- Stops or slows forklifts
- Protects door tracks
- Prevents product loss & falls
- Encourages safe practices
 - Low cost of ownership

Post Mounted



WALL MOUNTED											
Product No.	Size H x W	Wt. (lbs.)	Price Ea.	Product No.	Size H x W	Wt. (lbs.)	Price Ea.				
HOHPW46-B	4 x 6'	25	\$798.00	HOHPW420-B	4 x 20'	39	\$1,700.00				
HOHPW48-B	4 x 8'	27	838.00	HOHPW422-B	4 x 22'	41	1,826.00				
HOHPW49-B	4 x 9'	28	864.00	HOHPW424-B	4 x 24'	43	1,952.00				
HOHPW410-B	4 x 10'	29	943.00	HOHPW426-B	4 x 26'	45	2,078.00				
HOHPW412-B	4 x 12'	31	1,088.00	HOHPW428-B	4 x 28'	47	2,204.00				
HOHPW414-B	4 x 14'	33	1,273.00	HOHPW430-B	4 x 30'	49	2,330.00				
HOHPW416-B	4 x 16'	35	1,418.00	HOHPW432-B	4 x 32'	51	2,456.00				
HOHPW418-B	4 x 18'	37	1,574.00								
FOB Shipping Po	oint.										




				POST MO	OUNTED			
	Product No.	Size H x W	Wt. (lbs.)	Price Ea.	Product No.	Size H x W	Wt. (lbs.)	Price Ea.
0	HOHPW46-P	4 x 6'	148	\$2,035.00	HOHPW420-P	4 x 20'	162	\$2,677.00
0	HOHPW48-P	4 x 8'	150	2,145.00	HOHPW422-P	4 x 22'	164	2,782.00
0	HOHPW49-P	4 x 9'	151	2,172.00	HOHPW424-P	4 x 24'	166	2,887.00
0	HOHPW410-P	4 x 10'	152	2,194.00	HOHPW426-P	4 x 26'	168	2,992.00
0	HOHPW412-P	4 x 12'	154	2,365.00	HOHPW428-P	4 x 28'	170	3,097.00
0	HOHPW414-P	4 x 14'	156	2,475.00	HOHPW430-P	4 x 30'	172	3,307.00
0	HOHPW416-P	4 x 16'	158	2,572.00	HOHPW432-P	4 x 32'	174	3,354.00
	HOHPW418-P	4 x 18'	160	2,585.00				-
_	FOB Shipping Po	oint.						

EXPERTS IN LOADING DOCK SAFETY


SAFETY NETTING NEW PRODUCT

XUS NETTING

Existing Bollard Safety Net Package



Retrofit design uses your already existing and installed bollards.



Tell us your existing bollard diameter.



3 screws, 1 eye bolt per ring. Use for single net attachment.



2 screws, 2 eye bolts per ring. Use for double net attachment.



SAFETY TING



SIMPLE ORDERING:

1. Measure the diameter of your existing bollard and select ring size.



Bollard to Bollard

Size #5 Rings 3½" to 4½" diameter

Size #6 Rings 4⁵/₄" to 5¹/₂" diameter

Size #7 Rings 5[%]" to 6[%]" diameter Size #8 Rings 6³/₄" to 7⁵/₈" diameter

Size #9 Rings 7³/₄" to 8⁵/₈" diameter

Size #10 Rings 8³/₄" to 9⁵/₈" diameter

2. Measure your opening.

This product can be used in any area of your facility, not just the loading dock!

3. Use the chart below to find and select net size.

Safety Net Package

To use this	Size #5 Rings 3½" to 4½" diameter To use this size, your diameter must fall within this range.			To use this	Size #6 Rings 4%" to 5½" diameter To use this size, your diameter must fall within this range.				Size #7 Rings 5%" to 6%" diameter To use this size, your diameter must fall within this range.			
Net Size	Product No.	Wt. (Ibs.)	Price Ea.	Net Size	Product No.	Wt. (Ibs.)	Price Ea.	Net Size	Product No.	Wt. (Ibs.)	Price Ea.	
$\begin{array}{c} 4 \times 6' \\ 4 \times 8' \\ 4 \times 9' \\ 4 \times 10' \\ 4 \times 12' \\ 4 \times 14' \\ 4 \times 16' \\ 4 \times 20' \\ 4 \times 20' \\ 4 \times 22' \\ 4 \times 22' \\ 4 \times 24' \\ 4 \times 26' \\ 4 \times 28' \\ 4 \times 30' \\ 4 \times 32' \end{array}$	HBRSN-46-5 HBRSN-49-5 HBRSN-410-5 HBRSN-410-5 HBRSN-414-5 HBRSN-416-5 HBRSN-416-5 HBRSN-416-5 HBRSN-420-5 HBRSN-422-5 HBRSN-424-5 HBRSN-424-5 HBRSN-426-5 HBRSN-430-5 HBRSN-430-5 HBRSN-432-5	1.95 1.95 1.95 1.95 1.95 1.95 1.95 1.95	\$1,512.00 1,565.00 1,600.00 1,706.00 2,146.00 2,349.00 2,547.00 2,715.00 2,715.00 2,715.00 3,051.00 3,219.00 3,387.00 3,555.00 3,718.00	$\begin{array}{c} 4 \times 6' \\ 4 \times 8' \\ 4 \times 9' \\ 4 \times 10' \\ 4 \times 12' \\ 4 \times 14' \\ 4 \times 16' \\ 4 \times 20' \\ 4 \times 20' \\ 4 \times 22' \\ 4 \times 24' \\ 4 \times 24' \\ 4 \times 28' \\ 4 \times 30' \\ 4 \times 32' \end{array}$	HBRSN-46-6 HBRSN-48-6 HBRSN-410-6 HBRSN-410-6 HBRSN-412-6 HBRSN-414-6 HBRSN-416-6 HBRSN-416-6 HBRSN-416-6 HBRSN-420-6 HBRSN-422-6 HBRSN-424-6 HBRSN-424-6 HBRSN-428-6 HBRSN-430-6 HBRSN-432-6	3.05 3.05	\$1,568.00 1,621.00 1,656.00 1,762.00 2,202.00 2,395.00 2,603.00 2,771.00 3,107.00 3,275.00 3,443.00 3,611.00 3,778.00	$\begin{array}{c} 4 \times 6' \\ 4 \times 8' \\ 4 \times 9' \\ 4 \times 10' \\ 4 \times 12' \\ 4 \times 14' \\ 4 \times 14' \\ 4 \times 20' \\ 4 \times 20' \\ 4 \times 22' \\ 4 \times 24' \\ 4 \times 26' \\ 4 \times 28' \\ 4 \times 30' \\ 4 \times 32' \end{array}$	HBRSN-46-7 HBRSN-48-7 HBRSN-49-7 HBRSN-410-7 HBRSN-410-7 HBRSN-414-7 HBRSN-416-7 HBRSN-416-7 HBRSN-416-7 HBRSN-420-7 HBRSN-422-7 HBRSN-424-7 HBRSN-422-7 HBRSN-430-7 HBRSN-430-7 HBRSN-432-7	3 30 3 30 3 30 3 30 3 30 3 30 3 30 3 30	\$1,675.00 1,729.00 1,766.00 2,074.00 2,528.00 2,528.00 2,742.00 2,916.00 3,262.00 3,435.00 3,609.00 3,782.00 3,955.00	

Size #8 Rin	in this range.	Size #9 Rings			Size #10 Rings					
6¾" to 7%" dia		7%" to 8%" diameter			8%" to 9%" diameter					
To use this size, your diameter m		To use this size, your diameter must fall within this range.			To use this size, your diameter must fall within this range.					
Net Product	Wt.	Price	Net	Product	Wt.	Price	Net	Product	Wt.	Price
Size No.	(lbs.)	Ea.	Size	No.	(lbs.)	Ea.	Size	No.	(lbs.)	Ea.
$\begin{array}{cccc} 4 \times 6^{\dagger} & HBRSN-46-8 \\ 4 \times 8^{\dagger} & HBRSN-48-8 \\ 4 \times 9^{\dagger} & HBRSN-48-8 \\ 4 \times 10^{\dagger} & HBRSN-410-8 \\ 4 \times 10^{\dagger} & HBRSN-412-8 \\ 4 \times 14^{\dagger} & HBRSN-412-8 \\ 4 \times 14^{\dagger} & HBRSN-414-8 \\ 4 \times 16^{\dagger} & HBRSN-416-8 \\ 4 \times 18^{\dagger} & HBRSN-420-8 \\ 4 \times 22^{\dagger} & HBRSN-422-8 \\ 4 \times 22^{\dagger} & HBRSN-422-8 \\ 4 \times 26^{\dagger} & HBRSN-422-8 \\ 4 \times 26^{\dagger} & HBRSN-426-8 \\ 4 \times 28^{\dagger} & HBRSN-428-8 \\ 4 \times 30^{\dagger} & HBRSN-430-8 \\ \end{array}$	3.75 3.75 3.75 3.75 3.75 3.75 3.75 3.75	\$1,881.00 1,940.00 1,980.00 2,099.00 2,317.00 2,545.00 3,046.00 3,235.00 3,424.00 3,613.00 3,802.00 3,991.00 4,180.00	$\begin{array}{c} 4 \times 6' \\ 4 \times 8' \\ 4 \times 9' \\ 4 \times 10' \\ 4 \times 12' \\ 4 \times 14' \\ 4 \times 16' \\ 4 \times 18' \\ 4 \times 20' \\ 4 \times 22' \\ 4 \times 24' \\ 4 \times 26' \\ 4 \times 28' \\ 4 \times 30' \end{array}$	HBRSN-46-9 HBRSN-48-9 HBRSN-410-9 HBRSN-4110-9 HBRSN-4112-9 HBRSN-412-9 HBRSN-414-9 HBRSN-418-9 HBRSN-420-9 HBRSN-422-9 HBRSN-422-9 HBRSN-422-9 HBRSN-422-9 HBRSN-420-9 HBRSN-420-9 HBRSN-430-9	4.20 4.20 4.20 4.20 4.20 4.20 4.20 4.20	\$1,935.00 1,994.00 2,034.00 2,153.00 2,371.00 2,866.00 3,100.00 3,289.00 3,478.00 3,667.00 3,856.00 4,045.00 4,234.00	$\begin{array}{c} 4 \times 6' \\ 4 \times 8' \\ 4 \times 9' \\ 4 \times 10' \\ 4 \times 12' \\ 4 \times 14' \\ 4 \times 16' \\ 4 \times 20' \\ 4 \times 22' \\ 4 \times 22' \\ 4 \times 24' \\ 4 \times 26' \\ 4 \times 28' \\ 4 \times 30' \end{array}$	HBRSN-46-10 HBRSN-48-10 HBRSN-49-10 HBRSN-410-10 HBRSN-410-10 HBRSN-412-10 HBRSN-416-10 HBRSN-416-10 HBRSN-416-10 HBRSN-420-10 HBRSN-422-10 HBRSN-424-10 HBRSN-424-10 HBRSN-426-10 HBRSN-430-10	7.15 7.15 7.15 7.15 7.15 7.15 7.15 7.15	\$2,085.00 2,144.00 2,184.00 2,303.00 2,521.00 3,016.00 3,250.00 3,439.00 3,628.00 3,817.00 4,006.00 4,195.00 4,384.00



PROTECTION



EXPERTS IN PLANT & FACILITY SAFETY

NET PROTECTION Protect with Nets

- Safety barrier for machinery and hazards
- Boundary distinction for personnel and visitors
- Protection from falls around floor openings and pits

GATE PROTECTION Protect with Gates

- Work area protection from forklifts and specific areas
- Highly visible, heavy duty barrier in hazardous areas



• 5,000 lb. test capacity at 4 mph





Product No.	Size H x W	Wt. (lbs.)	NET PRO Price Ea.	TECTION Product No.	Size H x W	Wt. (lbs.)	Price Ea.
HOHPW46-P HOHPW48-P HOHPW410-P HOHPW412-P HOHPW412-P HOHPW414-P HOHPW416-P HOHPW418-P	4 x 6' 4 x 8' 4 x 9' 4 x 10' 4 x 12' 4 x 14' 4 x 16' 4 x 18'		\$2,035.00 2,145.00 2,172.00 2,194.00 2,365.00 2,475.00 2,572.00 2,585.00	HOHPW420-P HOHPW422-P HOHPW424-P HOHPW426-P HOHPW428-P HOHPW430-P HOHPW432-P	4 × 20' 4 × 22' 4 × 24' 4 × 26' 4 × 28' 4 × 30' 4 × 32'		\$2,677.00 2,782.00 2,887.00 2,992.00 3,097.00 3,307.00 3,354.00



GATE PROTECTION

No.	Size	(lbs.)	Ea.
HDGSTD-6	6'	500	\$3,850.00
HDGSTD-8	8'	500	3,975.00
HDGSTD-9	9'	500	4,450.00
HDGSTD-10	10'	500	4,750.00
HDGXL-12	12'	500	5,495.00
HDGXL-14	14'	500	5,980.00
HDGXL-16	16'	500	6,775.00

FOB Shipping Point

Dundun

FOB Shipping Point.

PROTECT & STORE

JescoGARD[™]

• Acts as both a visual and physical barrier.


• Protects people and property.

Provides secure protection for personnel, docks, conveyors and other equipment. Posts are from 4" x 4" x ¼" tube. Base plate is 10" x 10" x ½" with 4 - 1" holes. All hardware and anchors included. Painted safety yellow. Add the optional Hinge Gate to the 42" high Double Rail System. It features self-closing hinges so the gate can be pushed open and will automatically close when released, and the stop bar with sound buffer will rest against the square post. FOB Shipping Point.

	STANDARD RA	ILS	
Product No.	Rail Length	Wt. (Ibs.)	Price Ea.
H131003 H131013 H131023 H131043	10' on center 8' on center 6' on center 4' on center	99 80 62 42	\$217.00 192.00 155.00 129.00
	LIFT OUT RAIL	S	
H131006 H131016 H131026 H131046	10' on center 8' on center 6' on center 4' on center	108 96 77 58	265.00 233.00 201.00 178.00
	SINGLE RAIL PO		
Product No.	Post Height	Wt. (Ibs.)	Price Ea.
H131103	18"	39	149.00
	DOUBLE RAIL PC	OSTS	
H131123	42"	64	198.00
	HINGE GATE		
H131130	44"W	160	594.00

Lift out Rai





JescoGard™ Machinery & Rack Guards

• The ideal solution to protect expensive machinery and racking.

• All joints are continuously welded for maximum strength.

Constructed of 5" x 5" x $_{16}$ " (7 ga.) tube with 10" x 10" x $_{18}$ " base plates. Painted Safety Yellow. Anchors not included. FOB Shipping Point.

Product No.	MACHINERY & RA Rail Size	CK GUARDS Wt. (lbs.)	Price Ea.
H131751	36 × 10"	78	\$279.00
H131753	48 × 10"	90	299.00
H131761	36 × 24"	105	330.00
H131763	48 × 24"	116	352.00
H131771	36 × 42"	140	369.00
H131773	48 × 42"	151	417.00



JescoGard[™] Extra Heavy Duty Welded Rail System

- Designed to meet the most severe guarding needs.
- All joints are continuously welded for maximum strength.

Constructed of 4" square, $\frac{3}{6}$ ", (7 ga.) tubing with $\frac{3}{8}$ " x 10" x 10" base plates. Painted Safety Yellow. FOB Shipping Point. Anchors not included.

	EXTRA HEAVY D	UTY WELDED RAIL SYS	TEM	
Product	Description	Rail	Wt.	Price
No.		Size	(Ibs.)	Ea.
H131601	Single straight rail	4' x 15"	86	\$238.00
H131603		6' x 15"	129	259.00
H131605	Single straight rail Single straight rail	8' x 15"	172	286.00
H131611	Double straight rail	4' x 24"	139	380.00
H131613	Double straight rail	6' x 24"	209	433.00
H131615	Double straight rail	8' x 24"	278	491.00
H131621	Triple straight rail	4' x 44"	192	528.00
H131623	Triple straight rail	6' x 44"	288	611.00
H131625	Triple straight rail	8' x 44"	384	696.00
H131631	Single corner	42 x 42 x 15"	135	454.00
H131633	Double corner	42 x 42 x 24"	220	584.00
H131635	Triple corner	42 x 42 x 44"	305	806.00



PROTECTIVE AFETY GUARDS

Warehouse Safety Guard Rail System

- Provides superior protection against fork truck accidents.
- Impact tested with 10,000 lb. load at 4 mph.
- All assembly bolts and floor anchors are included.

Heavy duty steel and high visibility powder coat construction. Post are 4 way mounting. Available in two rail or single rail configuration. Lift out rails with the option bolt on sleeve (LOA). FOB Shipping Point.



	INDIVIDUAL GUARD	RAILS	
Product	Description	Wt.	Price
No.		(Ibs.)	Ea.
HHGR-2	2'L Individual Guard Rail	16	\$63.00
HHGR-3	3'L Individual Guard Rail	24	84.00
HHGR-4	4'L Individual Guard Rail	33	101.00
HHGR-5	5'L Individual Guard Rail	43	120.00
HHGR-6	6'L Individual Guard Rail	53	126.00
HHGR-7	7'L Individual Guard Rail	62	150.00
HHGR-8	8'L Individual Guard Rail	70	154.00
HHGR-9 HHGR-10	9'L Individual Guard Rail 10'L Individual Guard Rail	70 76 84	168.00 168.00 181.00

Areas to Protect:

- Shipping and Receiving areas
- Mezzanines
- Machinery

• Pedestrian walkways

• In plant offices

COLUMNS & LIFT-OUT ADAPTERS

Product	Description	Wt.	Price
No.		(Ibs.)	Ea.
HCS-1	18"H Single Rail Column 5" x 5" w/10" Base	37	\$94.00
HCS-2	42"H Single Rail Column 5" x 5" w/10" Base	58	150.00
HLOA	Lift-Out Adapters (Pair)	10	59.00

Note: All assembly bolts and floor anchors are included.

Floor Mounted Barrier Systems

- Provides protection against warehouse traffic accidents.
- Heavy duty construction with gussets.

Heavy duty steel and high visibility powder coat construction. 12" of floor level protection in various lengths of 3' to 10' long. All assembly bolts and floor anchors are included. Adaptors allow you to turn corners. FOB Shipping Point.



Product No.	FLOOR MOUNTED BARRIER SYSTEM Size No. Wt. Price Description H x L Gussets (lbs.) Ea.					
HCG-3	3'L. Floor Mounted Barrier	12 × 36"	3	44	\$108.00	
HCG-4	4'L. Floor Mounted Barrier	12 × 48"	3	56	134.00	
HCG-5	5'L. Floor Mounted Barrier	12 × 60"	3	67	160.00	
HCG-6	6'L. Floor Mounted Barrier	12 x 72"	5	82	197.00	
HCG-7	7'L. Floor Mounted Barrier	12 x 84"	5	93	225.00	
HCG-8	8'L. Floor Mounted Barrier	12 x 96"	5	105	249.00	
HCG-9	9'L. Floor Mounted Barrier	12 x 108"	5	115	273.00	
HCG-10	10'L. Floor Mounted Barrier	12 x 120"	5	128	304.00	



Areas For Use:

- Pallet back stops around walls (floorlevel guard)
- Pedestrian walkways
- Conveyor lines
- Machinery
- In plant offices



PROTECTIVE SAFETY GUARDS

Warehouse Rack Upright Guards

- Protect warehouse rack upright legs from damage.
- Various sizes to fit all footplate types.
- Various heights of protection.
- Heavy duty steel and high visibility powder coat construction.
- Universal upright guard fits overtop of seismic plates.

Post Protectors bolt to floor. Shield uprights from expensive damage. FOB Shipping Point.

Product No.	WAREHOUSE RACK UPRIGHT GUARDS Wt. Price Description (lbs.) Ea.		
HP12	12"H Post Protector, 4½" Opening	12	\$22.00
HP12-3R	12"H Universal Guard, 4½" Opening	12	24.00
HP18	18"H Post Protector, 4½" Opening	18	27.00
HP24	24"H Post Protector, 4½" Opening	24	34.00

Note: Floor anchor wedge bolts not included -- 4 required per post, ½" diameter HWA-0.5 x 4.25 Floor Anchor Wedge Bolts. Wt. 1 (lb.) Price Set of 4 \$12.00

End of Aisle Rack Guards

- Protect warehouse rack upright legs from damage.
- Various sizes to fit different rack depths 42" or 48".
- 12" tall guard protects most vulnerable rack leg.

Constructed of heavy-duty steel with high visibility powder coat finish. Available in heavy duty, medium duty, or space saving. FOB Shipping Point.





Space saving end of row guard fits around rack uprights





HP12-3R Universal Upright Guard fits over seismic footplates



END OF AISLE RACK GUARDS					
Product		Wt.	Price		
No.	Description	(lbs.)	Ea.		
HRP-42LH-HD	42"L Left Hand	64	\$137.00		
HRP-42RH-HD	42"L Right Hand	64	137.00		
HRP-42EX-HD	42"L Extender	46	101.00		
HRP-48LH-HD	48"L Left Hand	70	150.00		
HRP-48RH-HD	48"L Right Hand	70	150.00		
HRP-48EX-HD	48"L Extender	52	115.00		
HRP-62EX-HD	62"L Extender	65	136.00		
HRP-42-HD (DOUBLE)	42" Double-Ended	80	182.00		
HRP-48-HD (DOUBLE)	48" Double-Ended	87	196.00		
HRP-42LH-MD	42" Left Hand ¼" Thick	38	104.00		
HRP-42RH-MD	42" Right Hand ¼" Thick	38	104.00		
HRP-42-MD	42" Wide Double Guard ¼"	43	143.00		
HRP-48LH-MD	48" Left Hand ¼" Thick	42	111.00		
HRP-48RH-MD	48" Right Hand ¼" Thick	42	111.00		
HRP-48-MD	48" Wide Double Guard ¼"	48	150.00		
SPACE S	AVING GUARDS - SAVES UP TO 3"				
HIRP-42LH-HD	42" Left Hand Space Saving	61	127.00		
HIRP-42RH-HD	42" Right Hand Space Saving	61	127.00		
HIRP-48LH-HD	48" Left Hand Space Saving	66	139.00		
HIRP-48RH-HD	48" Right Hand Space Saving	66	139.00		
HIRP-42-HD	42" Wide Double Space Saving	87	156.00		
		92	168.00		
HIRP-42-HD HIRP-48-HD	48" Wide Double Space Saving	8/ 92	156.00		

Anchoring wedge bolts not included.

Overhead Door Track Guards

Constructed of heavy duty formed steel. 48" tall guards.

Protect overhead door roll tracks from damage. High visibility yellow powder coated finish. FOB Shipping Point.

OV	ERHEAD DOOR TRACK	GUARD	s
Product	Description	Wt.	Price
No.		(Ibs.)	Ea.
htg-48lh	48" Tall Left Side	49	\$110.00
htg-48rh	48" Tall Right Side	49	110.00



Safety Bollards

• Steel surface mount bollards. Protect doorways, dock doors and entrances. High visibility yellow powder coated finish. FOB Shipping Point.



	SAFETY BOLLARDS		
Product	Description	Wt.	Price
No.		(Ibs.)	Ea.
HBO-4-42-MD	4" Diameter 42" tall bollard	38	\$82.00
HBO-6-42-MD	6" Diameter 42" tall bollard	48	119.00

WIRE PARTITIONS


High Security WIRE PARTITION SYSTEM

- Designed for security, storage and enclosures
- Ideal for quality control, tool rooms, shipping offices, etc.
- Made of extra heavy duty all welded steel construction
- Easy and quick to assemble

Where maximum security is required, here's the system to do the job. Rugged 2x1x10 ga. woven rectangular mesh keeps unauthorized personnel out. Tough steel angle frame is 1¼" x 1¼". Panel design is modular with posts between each panel -- reduces installation time. Provide a sketch and we'll do the rest. For complete assembly, hardware and floor anchors are included. Standard 3" sweep height. Wire partition comes preengineered for easy installation -- no special tools required. When relocation is required disassembly and assembly is made easy. Allows for full visibility without air, light or heat restrictions. Posts come pre-drilled and ready to install. Padlock lug is standard. (Cylinder lock optional.) Painted Dark Gray. FOB Shipping Point.



x 4




Slide Doors

Slide doors are mounted outside of enclosure and close right. Track set comes complete with guides and stops.


SINGLE SLIDE DOORS - NO TRANSOM -FULL HEIGHT 8' HIGH					
Product	Width	Wt.	Price		
No.		(lbs.)	Ea.**		
H391101	3'	80	\$374.00		
H391151	4'	99	424.00		
H391161	5'	113	479.00		
H391171	6'	135	517.00		
H391201	8'	172	606.00		
H391251	10'	201	677.00		
	10'	HIGH			
H391271	3'	97	475.00		
H391281	4'	121	537.00		
H391301	5'	138	603.00		
H391351	6'	164	649.00		
H391391	8'	204	758.00		
H391401	10'	247	848.00		

Service Window Panels

Slide up windows are factory installed. Opening is 24"W x 20"H. Can be secured open or closed. Shelf is shipped K.D. H390602 4 x 8' Panel, Wt. 95 (lbs.) Price Ea. \$570.00 H390603 4 x 10' Panel Wt. 105 (lbs.)



**Crating charges will be added -Price Ea. \$584.00 please consult dealer.



- 2) Locate doors and or service windows.
- 3) Ceiling
- 4) Padlock lugs standard or optional cylinder locks.
- 5) Paint Finish? Standard is Dark Gray

Hinae Doors

Standard doors are hinged left swing out, but can be reversed to hinged right - swing in. Standard height is 7'. Transoms are used with 8' or 10' doors.

HINGE	DOORS		
Product No.	Width	Wt. (lbs.)	Price Ea.**
H391611	3'	80	\$327.00
H391641	4'	94	361.00
3	' TRANS	SOM	
H391631	3'	90	350.00
H391661	4'	107	384.00

Dutch Doors

All doors are 7'H and 3'W, hinge left swing out. 8' and 10' doors with transom. Service shelf is 8"W. Shipped K.D.

DUTCH DOORS 1' TRANSOM									
Product Wt. Pric No. Width (lbs.) Ea.*									
H391711	3'	87	\$499.00						
3' TRANSOM									
H391731	3'	96	522.00						

Installation Components

A) Adj. Corner H392101 Wt. 3 (lbs.) Price Eq.** \$56.00

B) Cylinder Lock H301406 For Slide Doors. Wt. 3 (lbs.) Price Eq. **\$82.00** H301402 For Hinge Doors. Wt. 3 (lbs.) Price Ea. \$82.00

C) 3 Way Or Corner Post H392061 8'H. Wt. 20 (lbs.) Price Ea.** \$99.00 H392081 10'H. Wt. 24 (lbs.) Price Ea.** \$104.00

D) Tube Post

H392011 8'H. Wt. 20 (lbs.) Price Ea.** \$73.00 H392031 10'H. Wt. 24 (lbs.) Price Ea.** \$82.00


E) Door Post

H392161 8'5" Slide Door Post Wt. 20 (lbs.) Price Ea.** \$134.00 H392181 10'5" Slide Door Post Wt. 24 (lbs.) Price Ea.** \$143.00 H392292 8'5" Hinge Door Post Wt. 19 (lbs.) Price Ea.** \$135.00 H392294 10'5" Hinge Door Post Wt. 23 (lbs.) Price Ea.** \$143.00









WIRE MESH ECURITY UNITS




• Helps keep objects from falling from loaded pallet racks by using rack guard panels.

• Constructed from 1.25" angle frame and 2 x 1 x 10 ga. rectangular mesh. These PalletGard[™] units are easy to install – just bolt clips to pallet rack upright and fasten to panel. Standard panels cover widths of 8', 9' or 10' heights of 4' and 5'. Interconnecting hardware is included. Clips are extra. 1 package of 4 clips required per panel. Clips are designed to fit most standard pallet racks with holes. Spaced on 2" centers. Durable Gray finish. FOB Shipping Point.

Product No.	Width	Height	Wt. (lbs.)	Price* Ea.
H390167 H390166 H390165 H390001 H390011 H390021 H390101 H390111 H390121	3½' 3½' 10' 9' 8' 10' 8'	3' 4' 5' 5' 5' 4' 4'	14 21 26 75 70 65 65 60 55	\$69.00 82.00 93.00 176.00 167.00 169.00 154.00 143.00
Product		CLIPS	Wt.	Price
No.	Lengi	th	(lbs.)	Set/4
H393200 H393210 H393220 H393230	1½" 4" 6" 8"		2 3 4 5	\$22.00 31.00 37.00 38.00

H393230 8" *Crating charges will be add - call for more



EASY to install.

Wire Mesh Enclosures

Complete enclosure kit

• Easy to assemble

Protect your valuables with these easy to assemble, modular wire mesh enclosures. Sturdy 2" x 1" x 10 ga. wire mesh construction is ideal for machine guarding, tool rooms and isolation areas. Cages are equipped with a 3'w x 7'h single hinge door, padlock lugs and all interconnecting hardware, ceilings not included. Available in a variety of sizes to meet any needs, these units also allow for maximum flexibility when relocating or expanding. Grey paint finish. FOB Shipping Point.

WIRE MESH ENCLOSURES 2 Sided										
Product No.	Size L x W x H	Wt. (lbs.)	Price* Ea.							
H394510 H394520 H394530 H394540 H394550 H394550 H394560	10 × 10 × 8' 10 × 20 × 8' 20 × 20 × 8' 10 × 10 × 10' 10 × 20 × 10' 20 × 20 × 10'	450 600 503 712 917	\$1,169.00 1,574.00 1,980.00 1,298.00 1,763.00 2,228.00							
	3 Side	d								
H394570 H394580 H394590 H394610 H394620 H394630	10 x 10 x 8' 10 x 20 x 8' 20 x 20 x 8' 10 x 10 x 10' 10 x 20 x 10' 20 x 20 x 10'	525 730 995 635 823 1203	1,603.00 2,013.00 2,834.00 1,786.00 2,251.00 3,180.00							
	4 Side	d								
H394640 H394650 H394660 H394670 H394680 H394690	$\begin{array}{c} 10 \times 10 \times 8' \\ 10 \times 20 \times 8' \\ 20 \times 20 \times 8' \\ 10 \times 10 \times 10' \\ 10 \times 20 \times 10' \\ 20 \times 20 \times 10' \\ 20 \times 20 \times 10' \end{array}$	770 1050 1350 843 1218 1620	2,125.00 2,972.00 3,804.00 2,383.00 3,307.00 4,237.00							

Steel surcharge may apply

Bulk Storage Lockers

• Designed to grow with your needs.

• Hardware and floor anchors are included

Order one starter unit per run, then attach add-on units as needed. Units are padlockable with steel frames which attach easily to existing walls. Single or double tier units are 90" high. All transoms are 12" high. Choice of 3" or 4' widths. Tops and backs are optional. Enamel dark gray finish. Zinc plated hardware.

			Single Tie	r		
	Starter	Unit		Add-on Unit		
Door W′x D′	Product No.	Wt. (Ibs.)	Price* Ea.	Product No.	Wt. (lbs.)	Price* Ea.
3 × 3 3 × 4 3 × 5 4 × 3 4 × 4 4 × 5	H380305 H380310 H380315 H380320 H380325 H380330	147 164 181 153 170 187	\$398.00 443.00 489.00 425.00 469.00 516.00	H380365 H380370 H380375 H380380 H380385 H380385 H380390	108 116 125 114 122 131	\$294.00 316.00 339.00 322.00 344.00 367.00
			Double Tie	er		
3 × 3 3 × 4 3 × 5 4 × 3 4 × 4 4 × 5	H380335 H380340 H380345 H380350 H380355 H380360	170 195 220 189 208 242	471.00 526.00 587.00 504.00 566.00 625.00	H380395 H380400 H380405 H380410 H380415 H380420	131 147 154 158 164 187	367.00 403.00 438.00 404.00 440.00 478.00

*Crating charges will be added – call for more information.

*Crating charges will be added – call for more information.

BARRIERS & ORKCELLS

Barriers

• Engineered to save up to 75% of set-up time.

• Woven wire mesh panels are securely welded into a strong angle frame with a dark gray paint finish.

Provides a safe and secure barrier in the work area. All posts are painted safety yellow. Cells can be installed by your in-house personnel - no hired contracting needed. Comes complete with all hardware and floor anchors needed for installation. Each panel and post is packaged then crated for extra protection. Zinc plated hardware. FOB Shipping Point.

Technical Data:

Mesh Opening: 2" x 1" mesh, 10 ga. wire. Angle Frame: 1¼" x 1¼" x ¼" Post: 2" x 2" x 14 ga. Door 48"W. x 60"H.

		2 SIDE	D	3 5	SIDED		4 SIDED		
Size L' x W' x H"	Product No.	Wt. (lbs.)	Price Ea.*	Product No.	Wt. (lbs.)	Price Ea.*	Product No.	Wt. (Ibs.)	Price Ea.*
8 x 8 x 68	H332010	203	\$845.00	H332110	298	\$1,085.00	H332210	363	\$1,336.00
16 x 8 x 68	H332015	299	1,085.00	H332115	378	1,325.00	H332215	508	1,758.00
24 x 8 x 68	H332020	353	1,325.00	H332120	443	1,570.00	H332220	698	2,360.00
32 x 8 x 68	H332025	443	1,570.00	H332125	523	1,813.00	H332225	568	2,417.00
16 x 16 x 68	H332030	363	1,325.00	H332130	523	1,813.00	H332230	668	2,243.00
24 x 16 x 68	H332035	443	1,570.00	H332135	603	2,056.00	H332235	828	2,728.00
32 x 16 x 68	H332040	523	1,813.00	H332140	684	2,298.00	H332240	988	3,216.00
24 x 24 x 68	H332045	523	1,813.00	H332145	763	2,540.00	H332245	988	3,216.00
32 x 24 x 68	H332050	603	2,056.00	H332150	813	2,785.00	H332250	1148	3,699.00

*Crating charges will be added - call for more information.



Wire Mesh Guarding System

• Helps protect work areas to assure greater safety on the job.

• A practical and affordable physical barrier.

Strong, durable 2 x 1 x 10 gauge woven wire panels can be quickly installed. 8" sweep height. All hardware and floor anchors are included. Send a hand sketch of your layout, we'll do the rest. Panels are painted Dark Gray with Yellow posts. FOB Shipping Point.

		PANELS							
Product No.	Size W x H	Wt. (Ibs.)	Price Ea.*						
H390001 H390011	10 × 5' 9 × 5'	75 70	\$190.00 176.00						
H390021 H390031	8 × 5' 7 × 5'	65 55	167.00 150.00						
H390041 H390051 H390061	6 x 5' 5 x 5' 4 x 5'	50 40 35	132.00 117.00 99.00						
H390071 H390081	3 x 5' 2 x 5'	25 20 18	86.00 75.00 63.00						
H390091	1 x 5'	LINE POST	03.00						
H392911	68"H.	14	72.00						
	CORN	ER 3-4 WAY POST							
H392961	68"H.	14	91.00						
DOOR WITH POSTS									
H393111	4' x 5'	73	430.00						
*Crating charges wi	ill be added – call for more ir	formation.							

*Crating charges will be added – call for more information.











Door Stop

Steel surcharge may apply



Heavy Duty Parts Basket

• All durable baskets feature hemmed channel edge.

Ideal for storing inventory, carrying and cleaning of small parts. Complete with square handle and 2 mesh sizes -- .25" and .50". Open mesh construction permits quick and easy drainage. Stackable up to 5 high at 75 lbs. per basket. FOB Shipping Point.

Product No.	Finish	Size L x W x H	Mesh Opg.	Handle	Wt. (lbs.)	Price Ea.
H630210	Zinc	16 x 10 x 4.25"	0.25"	Square	8	\$123.75
H630220	Zinc	16 x 10x 4.5"	0.5"	Square	8	112.50
H630230	Zinc	21 x 13.25 x 6"	0.25"	Square	12	121.25
H630240	Zinc	21 x 13.25 x 6"	0.5"	Square	11	110.00
H630250	Zinc	24 x 13.25 x 6"	0.5"	Square	13	130.00

SECURITY EQUIPMENT

Steel Folding Security Gates

- Security gates prevent intrusion by unauthorized personnel.
- Makes it difficult to remove bulky goods from building.
- Made in USA.

Sturdy and dependable security gates are built to LAST! Suggests to potential intruders that system includes other protective devices. Eliminates the cost of guard duty at open doors during working hours. Made of durable [#] cold rolled steel channel and riveted back to back with solid steel rivets for maximum strength. Gates over 4' wide roll easily on ball bearing caster on leading edge of gate. Features include security locking bar on single gates and padlock attachment on double gates. Installs easily with all brackets furnished. Black enamel finish. Special sizes are available -- Please call for pricing. FOB Shipping Point.

Product No.	In Use Width	SINGI Collapsed Height	E FOLDING In Use Height	GATE Collapsed Width	Wt. (Ibs.)	Price Ea.
HSG201*	4½ - 5½'	5½'	5'	11"	40	\$232.31
HSG202*	4½ - 5½'	6'	5½'	10"	45	252.31
HSG203*	4½ - 5½'	6½'	6'	9"	47	272.31
HSG204*	4½ -5½'	7'	6½'	9"	50	293.85
HSG205*	4½ - 5½'	7½'	7'	9"	50	315.38
HSG206	4½ - 5½'	8'	7½'	11"	69	335.38
HSG207*	5½ - 6½'	5½'	5'	12"	50	272.31
HSG208*	5½ - 6½'	6'	5½'	12"	55	298.46
HSG209*	5½ - 6½'	6½'	6'	12"	57	323.08
HSG210*	5½ - 6½'	7'	6½'	10"	62	346.15
HSG211*	5½ - 6½'	7½'	7'	10"	62	372.31
HSG212	5½ - 6½'	8'	7½'	12"	77	395.38
HSG213*	6½ - 7½'	5½'	5'	12"	70	312.31
HSG214*	6½ - 7½'	6'	5½'	12"	75	343.08
HSG215*	6½ - 7½'	6½'	6'	12"	62	372.31
HSG216	6½ - 7½'	7'	6½'	12"	63	400.00
HSG217	6½ - 7½'	7½'	7'	12"	70	429.23
HSG218	6½ - 7½'	8'	7½'	12"	83	456.92

*UPS-able. All single Gates will lock on the left side unless requested otherwise.

Wholesale Gate Company

Door Gate

- For entry doors.
- Pivots out of the way when not in use.
- Made in USA.

Fits all sizes – widths from 24" to 48"W. and heights from 61" to 83". Easily mounts in the recess of the door frame or the outside wall adjacent to the door frame. Can be mounted to lock on left or right. FOB Shipping Point.

Product	Width	Collapsed	In Use	Wt.	Price
No.		Height	Height**	(lbs.)	Ea.
HD61*	24-48"	61"	-1"/Ft.	32	\$132.31
HD63*	24-48"	63"	-1"/Ft.	35	133.85
HD66*	24-48"	66"	-1"/Ft.	38	135.38
HD68*	24-48"	68"	-1"/Ft.	39	136.92
HD71*	24-48"	71"	-1"/Ft.	40	138.46
HD73*	24-48"	73½"	-1"/Ft.	42	141.54
HD76*	24-48"	76"	-1"/Ft.	44	146.15
HD79*	24-48"	79"	-1"/Ft.	46	146.15
HD81*	24-48"	81"	-1"/Ft.	48	147.69
HD83*	24-48"	83"	-1"/Ft.	50	152.31

*Ships UPS **Doors gates will drop 1" per foot upon expansion.




		DOU	BLE FOLDING			
Product No.	Width	Collapsed Height	In Use Height	Collapsed Width	Wt. (Ibs.)	Price Ea.
HDG251* HDG252* HDG253* HDG254 HDG255	6-8' 6-8' 6-8' 6-8' 6-8'	6½' 7' 7½' 8' 8½'	6' 6½' 7' 7½' 8	8" 7" 7" 9"	70 78 82 104 108	\$378.46 406.15 435.38 464.62 493.85
HDG256* HDG257* HDG258* HDG259 HDG260	8-10' 8-10' 8-10' 8-10' 8-10'	6½' 7' 7½' 8' 8½'	6' 6½' 7' 7½' 8	9" 9" 8" 9"	86 85 95 119 132	472.31 507.69 543.08 580.00 613.85
HDG261* HDG262* HDG263* HDG264 HDG265	10-12' 10-12' 10-12' 10-12' 10-12' 10-12'	6½' 7' 7½' 8' 8½'	6' 6½' 7' 7½' 8	9" 9" 11" 10"	89 103 100 133 127	567.69 626.15 652.31 695.38 738.46
HDG266* HDG267* HDG268 HDG269 HDG270	12-14' 12-14' 12-14' 12-14' 12-14' 12-14'	6½' 7' 7½' 8' 8½'	6' 6½' 7' 7½' 8	11" 10" 10" 12" 12"	123 114 118 143 162	660.00 709.23 760.00 810.77 860.00
HDG271 HDG272 HDG273 HDG274 HDG275	14-16' 14-16' 14-16' 14-16' 14-16'	6½' 7' 7½' 8' 8½'	6' 6½' 7' 7½' 8	12" 11" 11" 13" 13"	133 138 142 152 180	752.31 810.77 869.23 924.62 986.15

UPS-able.

Portable Gates

• Ideal for hallways, cafeterias and construction areas.

Movable security gates lock to walls with simple padlock hasp arrangement included. 6½ high when folded, fits through standard door openings. Stores out of sight when not in use. FOB Shipping Point.



PORTABLE GATES									
Product	In Use	Collapsed	In Use	Collapsed	Wt.	Price			
No.	Width	Height	Height	Width	(lbs.)	Ea.			
HPG665*	5 - 6'	6½'	6'	10"	80	\$595.38			
HPG1265*	10 - 12'	6½'	6'	20"	1 <i>5</i> 0	1,032.31			
*LIPS-able									


WIRE PARTITIONS & SECURITY CAGES

Welded Wire Partitions & Security Cages

- Use to partition off areas.
- Create security cages.

• Easy to install.

E-Series welded wire partitions provide an ideal way to partition off areas or create security cages without hampering visibility or heat and air circulation. Easy to install and simple to order. They have fewer parts than other style partitions. The welded mesh will not unravel, making cutouts for pipes, etc. much simpler. The entire unit may be relocated or individual components may be replaced or reused. E-Series are our lowest cost wire partitions. FOB Shipping Point.



Pre-Engineered Wire Cages

- Ideal for secured storage.
- Multiple installation choices.

Pre-engineered units come with all the necessary parts and hardware included. They are ideal for secured storage or work areas. They can be installed in a corner (2 sided), against a wall (3 sided) or free standing (4 sided). They have a 4' wide x 7' high reversible hinged door complete with a keyed mortise lock. Easy to order since no drawings are required. Shipped knocked down. FOB Shipping Point.

	PRE-ENGINEERED WIRE CAGES										
	2 SIDED						4 SIDED				
	WxL	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price	
		No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	
	8 x 8'	HPE288	481	\$781.84	HPE388	577 \$	\$1,000.00	HPE488	682	\$1,239.59	
8	3 x 12'	HPE2812	523	858.76	HPE3812	619	1,076.92	HPE4812	778	1,457.76	
1	2 x 12'	HPE21212	577	1,000.00	HPE31212	727	1,359.39	HPE41212	886	1,740.22	
1	2 x 16'	HPE21216	631	1,141.23	HPE31216	781	1,500.63	HPE41216	982	1,894.07	
1	6 x 16'	HPE21616	673	1,218.16	HPE31616	865	1,654.47	HPE41616	1129	2,112.22	













Padlock Hasp

	E-SERIES COMPONENTS		
Product No.	Description	Wt. (lbs.)	Price Ea.
HEP48	4' x 8' Panel–may be field cut for smaller sizes	27	\$69.93
HELP8	8' Line Post–used to support and connect panels to panels and panels to doors	27	58.46
HECP8 HECD8	8' Corner Post 8' Corner Door Post-used when the door is	27 13	56.76 22.93
HECRS8	on a corner or the door track ends at a corner bolted to existing corner post 8' Rigid Stiffener Post-adds rigidity to panels between line posts.	15	27.51
HEWT8	Recommended for panels 6 ⁺ and longer. Wall Tie Angle-connects panels to existing walls	9	19.49
HEHD308 HEHD408	3'W x 8'H Hinged Door 4'W x 8'H Hinged Door	98 110	228.13 238.45
HESD308 HESD408	3'W x 8'H Slide Door 4'W x 8'H Slide Door	98 110	285.45 296.92
HESD508 HESD608	5'W x 8'H Slide Door 6'W x 8'H Slide Door (shipped in 2 pcs.)	132 171	359.96 536.51 628.23
HESD808 HESD1008	8'W x 8'H Slide Door (shipped in 2 pcs.) 10'W x 8'H Slide Door (shipped in 2 pcs.) pors are furnished with a padlock hasp only. Fo	219 258	1,042.07

Note: All doors are furnished with a padlock hasp only. For optional keyed mortise lock add **\$58.46**.

Add a \$184.55 crating charge to all orders.



Standard Diamond ESH PARTITIONS



WIRE PARTITION

- A fast and economical way to create security areas.
- Rugged steel wire partitions provide long-lasting security, thanks to years of manufacturing experience.

Here's a way to section off hazard areas, construct tool rooms, maintenance rooms, stock rooms, electrical equipment rooms... all at low cost and fast installation. Partitions are coated with a Gray enamel, providing a long-lasting smooth high-gloss finish. Quality and dependability you can't find in any other partitions. FOB Shipping Point. Panels include...

Floor Shoes...High grade iron casting with set screw, plus two slotted holes for floor attachment. Anchors are included.

Top Capping Channels... Are 1½" x ½" x ½" hot rolled channel. Two fasteners are provided with each channel.

Standard Size Panels...are available in 1', 2', 3', 4', and 5' widths; 7', 8', 9' and 10' heights. Most jobs can be planned around these even foot dimensions. Stock Hinged Doors... are made in 3' and 4' widths and are 7' high with transom above. No transom on 7' high partition. Unless requested otherwise, doors are supplied hinged left, swing out (viewed from outside partition enclosure). Sliding Single Doors...are available in 3', 4', 5', 6' widths and are 7' clear with transom above.

Full Height Single Slide Doors ... are made to provide overhead height up to the height of the partitioning (8', 9' or 10') and 5', 6', 8' and 10' wide. All necessary bolts, nuts, clips and floor lags included.

. . .

					OVEN WII			LEASE SEE					
			7' Higl			8' High			9' Hig			0' Higł	
	Width	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.
	1' 2' 3' 4'	HFP71 HFP72 HFP73 HFP74	23 32 40 49	\$101.91 112.07 132.34 151.75	HFP81 HFP82 HFP83 HFP84	35 45 55	\$103.10 124.68 141.16 161.02	HFP91 HFP92 HFP93 HFP94	28 45 49 59	\$122.60 144.40 147.98 181.52	HFP101 HFP102 HFP103 HFP104	31 44 58 71	\$148.55 158.75 176.90 191.84
	5'	HSP75	58	154.09	HSP85	64	163.39	HSP95	71	185.61	HSP105	82	201.38
C C								- 7' OPENING					
	3'	HCHS307	72	273.47	HCHS308	76	329.40	HCHS309	83	352.22	HCHS310	88	359.79
Slide Doors	4'	HCHS407	83	324.35	HCHS408	91	387.74	HCHS409	96	413.29	HCHS410	101	421.05
					C	C) SLIDE	DOORS -	7' OPENING					
	3'	HCSNT307	85	417.83	HCST308	91	457.76	HCST309	97	476.53	HCST310	101	359.79
	4'	HCSNT407	101	424.22	HCST408	111	465.44	HCST409	116		HCST410	122	510.01
	5' 6'	HCSNT507 HCSNT607	112 125	446.60 524.79	HCST508 HCST608	128 143	503.41 598.99	HCST509 HCST609	132 148		HCST510 HCST610	138 153	556.28 657.63
Add \$184.55	Ŭ	1100111007	120	024.77				LE SLIDE DOC		00-1.10	11001010	100	007.00
Crating charge.	5'				HCSS508	207	771.85	HCSS509	223	835.57	HCSS510	242	904.62
Steel Surcharge	6'				HCSS608	230	857.82	HCSS609	237		HCSS610		1,038.58
May Apply.	8'				HCSS808		1,068.57	HCSS809		1,151.52	HCSS810		1,247.18
	10'				HCSS1008		1,194.69	HCSS1009		1,200.85	HCSS1010	363	1,414.41

-

Note: All doors complete with padlock luas only. For Mortise Lock add Model No. HML. Price Ea. \$96.89

Accessories

Full Height Single Doors

Swing Doors



Stiffener Post

Required for panel runs of 15' or more.

Product No.	Height	Wt. (lbs.)	Price Ea.
HCRS-7	7'	22	\$65.26
HCRS-8	8'	25	72.40
HCRS-9	9'	28	82.19
HCRS-10	10'	31	91.02

STORAGE LOCKERS

- Storage lockers are suitable for commercial, industrial, or residential use.
- Open mesh construction permits security without hampering visibility, lighting or circulation.

Sprinkler operations are not inhibited. Doors are shipped pre-hung with hinges securely welded in place. Pre-engineered panels are easily assembled using simple hand tools. Welded padlock hasps on doors. Basic hardware is included. Call for pricing. FOB Shipping Point.



Wall Fasteners Securely fastens panel to wall. Set of 4.

Product	Wall	Price
No.	Type	Ea.
HCWF-7M	Masonry	\$9.03
HCWF-7W	Wood	6.5
HCWF-7S	Steel	6.5

Slide-N-Catch Service Window

Slides up to open. Locks closed. 21"H opening with stationary shelfs. Price does not include panel.

Product No.	Width	Height	Price Ea.
H507S24	5'	7'	\$342.87

Spano-Panel

Adjusts from 2½" to 12" widths between panels or panel and wall.

Product No.	Height	Wt. (Ibs.)	Price Ea.
HISP-07S	7'	18	\$79.80
HISP-08S	8'	21	85.29
HISP-09S	9'	21	95.87
HISP-10S	10'	21	100.83



Corner Posts

One post required for every 90° corner.

Product	Height	Wt.	Price
No.		(lbs.)	Ea.
HCRA-7	7'	7	\$35.81
HCRA-8	8'	8	38.16
HCRA-9	9'	8	41.43
HCRA-10	10'	9	43.13

Single Tier Ideal for storing large, heavier items. Full height pre-hung	Door Size	SINGLE : Product No.		RAGE LOC R Price Ea.	CKERS DOUB Product No.	LE STA Wt. (lbs.)	RTER Price Ea.
hinged doors have a heavy duty steel angle frame. Double Tier Useful where space is limited.	3 × 3' 3 × 4' 3 × 5' 4 × 3' 4 × 4' 4 × 5'	HSS3375 HSS3475 HSS3575 HSS4375 HSS4475 HSS4575	162 183 202 174 195 214	472.34 524.46 628.66	HDS3375 HDS3475 HDS3575 HDS4375 HDS4475 HDS4575	190 218 247 209 239 269	\$554.69 620.31 729.52 613.56 680.81 790.06
Reinforced center shelf	SINGLE ADD-ON			DOUBLE ADD-ON			
divides the units and can only be removed by completely disassembling the entire unit.	3 × 3' 3 × 4' 3 × 5' 4 × 3' 4 × 4' 4 × 5'	HSA3375 HSA3475 HSA3575 HSA4375 HSA4475 HSA4575	114 125 135 127 137 147	347.95 396.69 388.28 438.72	HDA3375 HDA3475 HDA3575 HDA4375 HDA4475 HDA4575	138 155 172 157 176 185	435.35 475.70 531.16 494.19 534.52 595.04



Double Tier

Wire Mesh ARTITION



Woven Wire Mesh Partitions

FordLogan sets the industry standard for woven wire partitions with superior 10-gauge wire woven into a 11/2" triple-crimped diamond wire mesh securely clinched to frames. Made in the USA for over 70 years and meets the national woven wire mesh specification where other diamond woven wire mesh products do not. Have peace of mind that FordLogan TRULY meets the design specification. FOB Shipping Point.

48 Hour QUICK SHIP for Standard gray stock material in 7', 8' & 10' heights available.

FordLogan Features

Panels...10-ga. 11/2" triple crimped diamond woven wire securely clinched to frames with 3.7" sweep. Stock panels available in 1', 2', 3', 4', and 5' widths, 7', 8', and 10' nominal heights. Includes formed base shoe with two holes to accommodate ¼" floor anchors (contact us for options and pricing).

Panel Options... Sweep guards available for high security options. Consider sheet metal flex panels to bridge odd spans.

Capping Channels...Made of 11/2" x 1/2" roll-formed channel, and sent in 8' increments. Our proprietary design fits on top of our panels and bolts through horizontal frame of panel to enclose wires and provide easier installation and more rigidity than u-bolts styles. Capping channel will be sent when required for your doors and panels at no additional charge. Flexible Doors...7' hinge doors, 7' and 8' slide doors are reversible to open left or right, inside or outside of cage. Doors come standard with padlock setup, but also designed to accommodate mortise style cylinder lock. Optional panic bar exit devices and closers are available for hinge doors. Optional electric strike, magnetic lock kit, and hydraulic closers are now available for slide doors.

Rigid Slide Gates ... FordLogan slide gates are designed to hang using prepunched line posts at both sides of the door opening and at the end of the track for easy and rigid installation. No more "guess which kit" installs your gate.

Color(s)...Standard in SpaceGuard Gray powder coat or optional black. Other colors available for additional upcharge & lead time.

Hinge Door Lock

Mortise style lock with unique keyed cylinder on outside and recessed thumb turn on inside. Latch is reversible to accommodate door swing

	0	
Product	HINGE DOOR LOCK Wt.	Price
No.	(lbs.)	Ea.
HH2	2	\$72.00

Slide Door Lock

Mortise style lock with self-closing hook style latch. Consult us for additional cylinder and opening mechanism options.

SLIDE DOOR LOCK

Wt. (lbs.)

Sli

Hinge Door Lock

Accessories

Product

No.

HS2

Wall clamps (4 per kit) allow stabilization at existing walls (wall anchors not included). Four-way kits provide connection hardware for 4-way intersections between panels. No post or base shoe required.

ACCESSODIES

Price

Ea.

\$72.00

Product	Description	Wt.	Price
No.		(lbs.)	Ea.
hwck	Wall Kit	1	\$10.00
Hfwck	4-Way Kit	3	30.00

Sheet Metal "FLEX" Panels

Adjustable from 3" to 14", includes (2) formed sheet metal panels with slotted holes for adjustment and (2) corner posts for stabilization and floor connection.

	SHEET METAL "F		
Product	Height	Wt.	Price
No.		(lbs.)	Ea.
HFLEX7	7'	40	\$100.00
HFLEX8	8'	43	110.00
HFLEX10	10'	53	125.00



	FORDLOGAN BRAND WOVEN WIRE PARTITIONS 7' High Panels 8' High Panels 10' High Panels												
Width	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.				
1' 2' 3' 4' 5'	HP17 HP27 HP37 HP47 HP57	16 23 30 37 44	\$82.00 96.00 113.00 128.00 144.00	HP18 HP28 HP38 HP48 HP58	17 26 33 41 49	\$85.00 103.00 120.00 137.00 149.00	HP10 HP20 HP30 HP40 HP50	22 33 42 54 63	\$115.00 127.00 150.00 170.00 193.00				
			SWING G	ATES - 7' H	IGH OPE	NING							
3' 4'	HH377 HH477	55 63	279.00 313.00	H378 H478	59 70	329.00 374.00	H370 H470	68 78	348.00 397.00				
			SLIDE G	GATES - 7' F	IIGH OPE	NING							
3' 4' 5'	HS377 HS477 HS577	140 150 169	443.00 462.00 549.00	HS378 HS478 HS578	149 166 175	499.00 524.00 595.00	HS370 HS470 HS570	176 191 217	518.00 545.00 625.00				
			SLIDE	GATES - FL	JLL HEIGH	IT OPENING	;						
5' 6' 8' 10'	HS577 HS677	169 169 -	549.00 838.00	HS588 HS688 HS888 HS088	180 236 277 289	695.00 905.00 985.00	HS500 HS600 HS800 HS000	214 273 307 337	850.00 1,020.00 1,215.00 1,295.00				

Corner Posts

Required at 90-degree intersections. Adds 11/4" growth to overall system dimension

	CORNER	POSTS	
Product	Height	Wt.	Price
No.		(lbs.)	Ea.
HCP7	7'	8	\$31.00
HCP8	8'	9	34.00
HCP10	10'	11	39.00



Recommended every 10' to 15' to add rigidity. Adds ¼" growth to overall systems dimension.

	LINE STIFFE	VER POSTS	
Product	Height	Wt.	Price
No.		(lbs.)	Ea.
HLP7	7'	20	\$45.00
HLP8	8'	22	50.00
HLP10	10'	27	58.00

Three Way Posts

Used when 3 walls intersect. 11/4" U-shaped and punched on all three sides to secure and interconnect multiple enclosures.

	THREE WA	Y POSTS	
Product	Height	Wt.	Price
No.		(Ibs.)	Ea.
HTWP7	7'	13	\$63.00
HTWP8	8'	14	68.00
HTWP10	10'	16	75.00



Corner Post



Line Stiffener Post





All prices are FOB Shipping Point. Please be advised that crating charges will be added to your material price to protect your order in transit - please call for details. Steel surcharges may apply.

SECURITY CAGES

Woven Wire Mesh Security Cages


FordLogan gets the job by providing modular, economical secure storage for your facility. Our system is engineered to use a fraction of hardware components required in competitive systems. FOB Shipping Point.

AFFORDABLE...EFFECTIVE...SPECIFIED...USED EVERYWHERE


- DRIVER AND MAINTENANCE CAGES
- TOOL CRIBS AND ANTI-PILFERAGE SUPPLY STORAGE
- SCHOOL AND GYM EQUIPMENT STORAGE
- BIKE AND TENANT STORAGE
- ELEVATOR AND STAIRWAY PARTITIONS
- WALK-IN COOLER AND LIQUOR ENCLOSURES FOR FOOD & BEVERAGE INDUSTRY
- DATA CENTER, COLOCATION SERVER CAGES

Available in our 48 Hour QUICK SHIP program in SpaceGuard Gray powder coat, try these pre-configured options to help plan your storage requirements.





FORDLOGAN BRAND WOVEN WIRE PARTITIONS 8' HIGH PRE-ENGINEERED CAGE WITH 3' x 7' HINGE DOOR & LOCK 3-SIDED CAGE 2-SIDED CAGE **4-SIDED CAGE** Wt. (lbs.) Wt. (lbs.) Product Product Price Price Product Wt. Price L x W No. No. No. (lbs.) Ea. Ea. Ea. 481 8 x 8' HFL02-080808 390 \$927.00 HFL03-080808 \$1,204.00 HFL04-080808 \$1,494.00 579 HFL03-101008 1,283.00 10 x 10' HFL02-101008 430 984.00 537 HFL04-101008 651 1,594.00 10 x 15' HFL02-101508 479 1,118.00 HFL03-101508 635 1,551.00 HFL04-101508 884 1,905.00 HFL03-120808 HFL04-120808 796 12 x 8' HFL02-120808 431 1.050.00 522 1.48100 1.936.00 12 x 12' HFL02-121208 472 1,173.00 HFL03-121208 604 1,574.00 HFL04-121208 880 2,034.00 679 991 15 x 15' HFL02-151508 523 1,248.00 HFL03-151508 1,681.00 HFL04-151508 2,169.00 15 x 20' HFL02-152008 572 1,382.00 HFL03-152008 912 1,991.00 HFL04-152008 1089 2,437.00 HFL02-201008 1,252.00 HFL03-201008 1,551.00 HFL04-201008 20 x 10' 528 635 982 2,173.00 HFL02-202008 1,516.00 HFL03-202008 2,125.00 HFL04-202008 2,705.00 20 x 20' 621 961 1173



FORDLOGAN BRAND WOVEN WIRE PARTITIONS 10' HIGH PRE-ENGINEERED CAGE WITH 4' × 7' SLIDE DOOR & LOCK

	2-SIDED C	CAGE		3-SIDED		4-SIDED			
L x W	Product No.	Wt. (Ibs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (Ibs.)	Price Ea.
10 x 10'	HFL02-101010	602	\$1,317.00	HFL03-101010	739	\$1,700.00	HFL04-101010	885	\$2,099.00
10 x 15'	HFL02-101510	692	1,543.00	HFL03-101510	919	2,151.00	HFL04-101510	1216	2,598.00
15 x 15'	HFL02-151510	755	1,717.00	HFL03-151510	982	2,325.00	HFL04-151510	1369	2,997.00
15 x 20'	HFL02-152010	818	1,890.00	HFL03-152010	1259	2,719.00	HFL04-152010	1495	3,345.00
20 x 10'	HFL02-201010	728	1,665.00	HFL03-201010	865	2,047.00	HFL04-201010	1315	2,893.00
20 x 20'	HFL02-202010	881	2,064.00	HFL03-202010	1322	2,893.00	HFL04-202010	1621	3,692.00
25 x 25'	HFL02-252510	1212	2,563.00	HFL03-252510	1592	3,571.00	HFL04-252510	2119	4,662.00
30 x 20'	HFL02-302010	1185	2,511.00	HFL03-302010	1475	3,188.00	HFL04-302010	2092	4,557.00
30 x 30'	HFL02-303010	1338	2,910.00	HFL03-303010	1781	4,092.00	HFL04-303010	2371	5,356.00

Pre-configured cages include standard mortise cylinder lock on door, floor anchors, touch-up paint, and necessary packaging. All prices are FOB Shipping Point and backed by our 1 year warranty against manufacturers defects.





STORAGE LOCKERS



Mesh Storage Lockers

• Applications...Military, Apartments, Condos, Locker Rooms, Office, Employee Lockers, Garage Storage, Maintenance/Parts Storage, General Storage.

BeastWire Mesh Lockers are heavy-duty, industrial grade, at an affordable price, Don't settle for chicken wire and 2 x 4s and the fire Marshall at your door.

BeastWire Mesh Lockers provide strong, rugged and secure product storage while giving optimal circulation for air, light, and water for fire suppression where solid lockers do not. Standard 6', 7', 8' tall locker heights give you options, and utilize core BeastWire panel design for flexible panel orientation and to easily build onto units. FOB Shipping Point. BeastWire Mesh Locker features:

- 10-gauge welded wire mesh, optimal when field cut-outs are required around ducts, pipes or other obstructions.
- Standard single (full height) & double tier (stacked) configurations.
- Doors are pre-hung in an outer frame for quick assembly and easy shipment.
- Only one bolt size required for all door, side, back, and ceiling connections.
- Durable powder coat finish.



			I	BeastWire MESH	STORAGE LOCKER	RS - SINGLE T	IER STARTER UN	ITS			
TH		6' H	IIGH		7' H			8' H	IGH		
	W x D	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	
	3 × 3' 3 × 4' 3 × 5' 4 × 3' 4 × 4'	HSLS336 HSLS346 HSLS356 HSLS436 HSLS446 HSLS446	119 131 143 127 139 151	\$359.00 382.00 402.00 370.00 393.00 414.00	HSLS337 HSLS347 HSLS357 HSLS437 HSLS447 HSLS447	133 146 159 142 155 167	\$392.00 415.00 433.00 403.00 426.00	HSLS338 HSLS348 HSLS358 HSLS438 HSLS448 HSLS458	151 165 183 162 176 194	\$444.00 481.00 505.00 459.00 496.00 520.00	
	4 x 5'	BeastWire MESH STORAGE LOCKERS - SINGLE TIER ADDER UNITS 6' HIGH 7' HIGH 8' HIGH									
	W x D	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	
	3 × 3' 3 × 4' 3 × 5' 4 × 3' 4 × 4'	HSLA336 HSLA346 HSLA356 HSLA436 HSLA446	86 92 98 94 100	\$256.00 268.00 278.00 268.00 279.00	HSLA337 HSLA347 HSLA357 HSLA437 HSLA447	96 103 109 105 111	\$279.00 290.00 299.00 290.00 302.00	HSLA338 HSLA348 HSLA358 HSLA438 HSLA448	110 117 126 121 128	\$324.00 342.00 354.00 339.00 357.00	
Single Tier Starter Unit	4 x 5'	HSLA456	106	290.00	HSLA457	117	311.00	HSLA458	137	369.00	
		BeastWire MESH STORAGE LOCKERS - DOUBLE TIER STARTER UNITS 6' HIGH 7' HIGH 8' HIGH									
	WxD	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	

	WxD	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (Ibs.)	Price Ea.	Product No.
	3 × 3' 3 × 4' 3 × 5' 4 × 3' 4 × 4' 4 × 5'	HDLS336 HDLS346 HDLS356 HDLS436 HDLS446 HDLS456	153 171 189 169 189 208	\$446.00 474.00 498.00 477.00 505.00 531.00	HDLS337 HDLS347 HDLS357 HDLS437 HDLS447 HDLS457	166 185 204 183 203 223	\$484.00 511.00 534.00 508.00 536.00 559.00	HDLS338 HDLS348 HDLS358 HDLS438 HDLS448 HDLS458
	W x D	6' H Product No.		BeastWire MESH : Price Ea.	STORAGE LOCKEI 7' H Product No.		TIER ADDER UN Price Ea.	ITS 8' H Product No.
le Tier Starter Unit	3 × 3' 3 × 4' 3 × 5' 4 × 3' 4 × 4' 4 × 5'	HDLA336 HDLA346 HDLA356 HDLA436 HDLA446 HDLA456	120 132 144 136 150 163	\$350.00 367.00 382.00 381.00 399.00 415.00	HDLA337 HDLA347 HDLA357 HDLA437 HDLA447 HDLA447	129 142 154 146 160 173	\$378.00 395.00 409.00 402.00 419.00 434.00	HDLA338 HDLA348 HDLA358 HDLA438 HDLA448 HDLA448

Adder units only include one side panel. All other materials -- door, other side panel, wire mesh shelf (on double tier units) -- are included.

Lockers come standard with full height, full width door except for 8' single tier lockers which have 7' high door. Doors are furnished with bolt on padlock hasps.

Locker Options:

Double

• 20-gauge galvanized sheet metal backs required between back-to-back units.

• 10-gauge wire mesh ceiling panels with slotted perimeter angle for attachment, panels may be shared over multiple units. Call for pricing.

• 6-gauge wire mesh divider shelves with bolt on connections (one shelf included per double tier configuration). Call for pricing.

	6' HIGH LOCKER BACKS 7' HIGH 8' HIGH										
	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price		
	No.	(Ibs.)	Ea.	No.	(Ibs.)	Ea.	No.	(lbs.)	Ea.		
3' Wide	HLBACK36	35	\$98.00	HLBACK37	42	\$102.00	HLBACK38	47	\$107.00		
4' Wide	HLBACK46	44	111.00	HLBACK47	52	115.00	HLBACK48	59	119.00		

All Rack Guarding and Storage Products are backed by BeastWire's unrivaled 10-year limited manufacturer's warranty. All material will be finished in our standard BeastBlack powder coat, unless otherwise specified at time of order. Please note that colors other than BeastBlack and SpaceGuard Gray may be subject to increased pricing and lead times. All prices are FOB Shipping Point. Please be advised that crating charges will be added to your material price to protect your order in transit – please call for details. Steel surcharges may apply.

\$508.00 548.00

> 532.00 573.00

Price Ea.

\$395.00 418.00 435.00

140 153 168

157 171

188

IGH Wt. (lbs.)

456

PALLET RACK GUARDING



Pallet Rack Guarding

BeastWire Mesh rack guarding systems are the smart solution for your warehouse. Don't be misled to believe netting or other lower grade products are designed for safety. BeastWire is designed to stop loads from falling or shifting off your storage rack system. With a name like "Beast", it's only fitting that our material is built to last with a fully framed welded construction. FOB Shipping Point.

Whether you are securing loads to prevent accidents or valuable inventory to prevent theft, BeastWire Mesh rack guarding systems are the smart solution to endure the abusive warehouse environment.

- \bullet Standard 10-gauge (and optional, heavy-duty 6-gauge) 2" x 2" resistance welded wire mesh.
- \bullet Mesh is welded into $1 \mbox{\sc 4}''$ x $\mbox{\sc 8}''$ thick angle frame for maximum rigidity and security.
- Panels are punched with slotted holes at 12" centers allowing for multiple connection points and flexible panel orientation.

Backed by BeastWire's unrivaled 10-year limited manufacturer's warranty. All material will be finished in our standard BeastBlack powder coat, unless otherwise specified at time of order. Please note that colors other than BeastBlack and SpaceGuard Gray may be subject to increased pricing and lead times.



Standard Finish Color is BeastBlack or Gray. Other colors available.

	BeastWire MESH RACK GUARDING 5' HIGH PANELS 4' HIGH PANELS 3' HIGH PANELS										
Width	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price		
	No.	(Ibs.)	Ea.	No.	(Ibs.)	Ea.	No.	(Ibs.)	Ea.		
4'	HXP54	30	\$108.00	HXP44	26	\$84.00	HXP34	22	\$66.00		
6'	HXP56	42	121.00	HXP46	36	108.00	HXP36	31	92.00		
8'	HXP58	54	149.00	HXP48	45	135.00	HXP38	38	109.00		
9'	HXP59	56	161.00	HXP49	49	143.00	HXP39	41	116.00		
10'	HXP50	61	169.00	HXP40	53	156.00	HXP30	45	132.00		

BeastWire Grrripper Bracket

Introducing the BeastWire Grrripper Bracket (Patent Pending) for tear drop rack uprights, the world's first and only drop-in bracket for tear drop rack uprights. FOB Shipping Point.

styles -- call for details.

- Saves hours of installation with no fastener required to attach to upright.
- Ensures brackets work in closed, tube upright styles.
- Will not disengage from rack upon impact when drop pin is correctly installed.Bolt-on brackets are available, for flush and side mounted panels, or other upright

GRRRIPPER DROP-IN BRACKETS										
Product No.	Offset	Wt. (lbs.)	Price Ea.							
HRBO6R HRB12R	4", 5", and 6" 8", 10", and 12"	1.5 2	\$10.00 11.00							
BOLT-ON BRACKETS										
HRB00	Flush and side mount	139	5.00							

Bi-Parting Hinge Doors

• Easy to install, doors connect directly to uprights.

• Flexible Design, door height can be positioned independent of upright type or hole pattern.

	BeastWire MESH RACK DOORS											
	10'	WIDE BAYS		8' WIDE BAYS			6' WIDE BAYS					
	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price			
Height	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.			
8'	HRD08	164	\$500.00	HRD88	139	\$485.00	HRD68	114	\$470.00			
10'	HRDOO	197	535.00	HRD80	167	520.00	HRD60	137	505.00			

	PINTLE BRACKETS (UPPER	/LOWER)	
Product	Туре	Wt.	Price
No.		(Ibs.)	Ea.
HPB1	Single pintle	8	\$68.00
HPB2	Double pintle	9	98.00



Connection Accessories

Our upright extension kit includes (2) 8' sections of slotted angle and connection hardware for instances when half or more of the top panel(s) extend above the top of the uprights. BeastWire also offers a splice kit containing (2) punched channels that bridge panel intersections for bays greater than 10' wide that require two panels to span. FOB Shipping Point.

Rack Safety Panels and Connections are available for Quick Ship. All prices are FOB Factory. Please be advised that crating charges will be added to your material price to protect your order in transit -please call for details. Steel surcharges may apply.

Product	CONNECTION ACCESSORIES	Wt.	Price
No.	Description	(lbs.)	Ea.
HRPEK HRSPLICE	Angle kit to extend above uprights Pair of splice channels (bays >10')	10 5	\$56.00 43.00



All prices are FOB Shipping Point. Please be advised that crating charges will be added to your material price to protect your order in transit – please call for details. Steel surcharges may apply.

WAREHOUSE ARTITIONS


Wire Partitioning Systems

- Protecting people, property, and processes.
- Storage and security enclosures, rack backing & machine guarding.
- Quick and easy assembly.
- All steel welded mesh and steel frames.

Troax® is the world leader in steel wire mesh partitions used for storage and security cages, tool cribs, machine guarding, rack back fall protection, and walls. Our modular partition systems are well-planned and carefully developed to meet your needs. The versatile doors are lockable allowing the correct amount of access. Choose from swing doors or sliding doors with a range of locking options. All that is needed is a description or sketch of the layout for us to complete the design and quote. Hardware is included for easy assembly - no special tools are required. Padlock hasp is standard, cylinder lock and electric strike are optional. Light gray powder coating is standard. FOB Shipping Point.

Mesh Panels

Product No.	MESH PANELS Panel Size W x H	S Wt. (Ibs.)	Price Ea.
H35020031	8 x 31½"	4.4	\$35.00
H35030031	12 x 31½"	5.6	35.00
H35070031	27½ x 31½"	8.9	42.00
H35080031	31½ x 31½"	10.0	45.00
H35100031	39½ x 31½"	11.1	50.00
H35120031	47 x 31½"	12.2	55.00
H35150031	59 x 31½"	13.3	60.00
H35020001	8 × 87"	6.9	45.00
H35030001	12 × 87"	8.2	45.00
H35070001	27½ × 87"	12.9	55.00
H35080001	31½ × 87"	14.4	60.00
H35100001	39½ × 87"	16.2	65.00
H35120001	47 × 87"	18.9	70.00
H35150001	59 × 87"	21.1	80.00



Built to suit your requirements with our system solutions.

Crating surcharge may apply



Posts

Product

No.

H29601521

H2651000

Order one post for each wall, corner or door location.





Pallet Rack Backing Fall Protection

Height

87" 118"




Pallet Rack Backing Fall Protection Call for custom quote.

Doors

Doors are universal left/right and in/out. Swing doors are supplied with factory-mounted hinges and slide doors are mounted outside of the enclosure with a track set that includes the guides and stops. Both style doors come with a standard padlock hasp. Cylinder lock and electric strike are optional.

Wall Length





Padlock Hasp. (Padlock not included)

458

	Single-Sliding Door							
Product No.	SWING DOOR Door W x H	RS Wt. (Ibs.)	Price Ea.					
H95050001 H95050002	3'3" × 7'3" 4'0" × 7'3"	35.5 36.9	\$150.00 170.00					
	SLIDE DOOR	S						
H95050005 H95050006 H95050007 H95050008	3'0" × 7'3" 3'7" × 7'3" 6'2" × 7'3" 7'6" × 7'3"	49.1 50.3 90.3 92.8	330.00 350.00 450.00 540.00					

Accessories

Corner Bracket Kit can be easily adjusted up to 180°. H26700049, Wt. 0.2 (lbs.) Price Ea. \$6.00 Cylinder Lock Set includes strike plate & handle assembly. H99990000, Wt. 0.7 (lbs.) Price Ea. \$218.00



IDINGS & OFFICES



Perfect for any Commercial, Institutional or Industrial Facility

All pre-packaged systems include the following:

- 8 ft. High Panels, Raceways, Framing Channels, Fasteners, Hardware and Easy Step Installation Instructions.
- Energy Efficient T-8, 2 x 4 Fluorescent Inlay Lighting (Bulbs Not Included).
- UL Classified Raceways, UL Listed Outlets and Switches (Modular Wiring) Optional-Snaps Together in Minutes).
- Anti-Corroding Tempered Aluminum Frame System.
- Pre-Hung Hollowcore 3068 Door with Grade 2 Locking Knob.
- Commercial Grade 2 x 4 Grid Ceiling System with Fissured Tiles.
- 20-gauge Ribbed Steel Roof System.
- Single Phase Breaker Box (Breakers Included).
- Complete Bill of Materials and Floor Plan.
- Update to Designer Colors free! Choose from SunKissed, Copper, or Ultra Violet - please specify. Standard colors are Off-White, Gray, or Vermont Gray - please specify.
- No Patching or Painting. Easy to Clean.
- FOB Shipping Point.
- •Rapid Assembly •Flexibility •100% Reusable •Tax Savings •Minimal Down Time Economical 2 Inch Wall System Available, Call for Pricing.





Full Height Glass Walls shown. Ask dealer for details.

	INTEGRA 400 BUILDING SYSTEMS											
	6 . I			4 WALL SYSTEM			3 WALL SYSTEM			2 WALL SYSTEM		
WxL	Std.	110v	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price	
8' High	Lights	Outlet	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	
8' x 8 [°]	1	3	H408084	1,419	\$3,115.47	H408083	1,288	\$2,724.60	H408082	1,157	\$2,183.85	
8' x 10'	1	3	H408104	1,592	3,737.96	H408103	1,420	2,864.26	H408102	1,289	2,473.34	
8' x 12'	2	3	H408124	1,554	4,079.71	H408123	1,338	3,334.65	H408122	1,194	2,793.90	
10' x 10'	2	3	H410104	1,884	4,061.56	H410103	1,734	3,427.66	H410102	1,584	2,733.82	
10' x 12'	2	3	H410124	2,057	4,399.70	H412103	1,837	3,676.56	H412102	1,727	2,952.73	
12' x 12'	2	3	H412124	2,252	5,094.87	H412123	2,050	4,251.81	H412122	1,848	3,408.77	
12' x 16'	3	5	H412164	2,687	5,510.09	H412163	2,414	4,664.49	H412162	2,212	3,941.35	
12' x 20'	4	5	H412204	3,123	7,124.32	H412203	2,779	5,676.67	H412202	2,577	4,833.63	
16' x 16'	4	5	H416164	3,138	7,226.69	H416163	2,865	6,081.34	H416162	2,592	4,936.01	
16' x 20'	6	6	H416204	3,664	8,442.71	H416203	3,320	6,995.06	H416202	3,047	5,849.72	
20' x 20'	6	6	H420204	4,280	9,565.99	H420203	3,936	8,118.35	H420202	3,592	6,670.71	
20' x 30'	8	8	H420304	4,690	12,635.89	H420303	4,163	10,400.58	H420302	3,819	8,952.93	
20' x 40'	12	10	H420404	7,382	15,770.47	H420403	6,683	12,811.34	H420402	6,339	11,363.71	







UL Classified S

ICC Approved

LEED Certified Staff **Multiple Manufacturing**

Facilities

Gre Environment Friendly

INDUSTRIAL FANS

Industrial Floor Fan

- Fan head tilts 360° for pinpoint air delivery.
- Rugged and longwearing all metal construction.

Motor is dependable 3-speed, 1 phase, 115V ball bearing totally enclosed permanently lubricated. Rotary switch. Aluminum blade has a steel hub. Safety guards are double locking chrome plated. Cord is SJT type 3 conductor, 10'L. Rolls on 5" hard rubber wheels. Meets OSHA standards. ETL C/US listed. FOB Shipping Point.

Product No.	Fan Dia.	Fan Type	High	CFM Medium	Low	AMPS High	Wt. (lbs.)	Price Ea.
HF-12-TE	12"	Floor Fan	2750	2200	1600	1.1	13	\$102.09
HF-18-TE	18"	Floor Fan	5750	4700	3200	2.2	20	128.28
HF-18H-TE	18"	Hiah Stand	5750	4700	3200	2.2	27	186.04

2Utility Fan

- Fan head rotates 360° in both the horizontal and vertical direction to deliver air flow to any spot in the room.
- Rugged and longwearing all
- metal construction.

Motor is dependable 3-speed, 1 phase, 115V ball bearing totally enclosed permanently lubricated. Pull chain switch. Aluminum blade. Safety guards double locking chrome plated. Cord is SJT type 3 conductor, 10'L. Mounts with one bolt or lag screw to walls, ceilings, work benches, machines or any surface. Meets OSHA standards. ETL C/US listed. FOB Shipping Point.

Product No.	Fan Dia.	High	CFM Medium	Low	AMPS High	Wt. (Ibs.)	Price Ea.
HU-12-TE	12"	2750	2200	1600	1.1	13	\$106.79
HU-18-TE	18"	5750	4700	3200	2.2	20	131.64



Shutter Mounted Fan

- Eliminates need for external framing and shutter.
- Ideally suited for thin wall buildings. Installs on inside wall.

Motor is 115V, 1 phase totally enclosed permanently lubricated, UL listed. 12" size is 1/2 H.P., 3 speed sleeve bearing shaded pole. 18" size is 1/8 H.P., 3 speed sleeve bearing permanent split capacitor. 24" & 30" size is ¼ H.P., 2 speed ball bearing permanent split capacitor. Pull chain switch. Aluminum blade. Steel spiral wire guard. Iunction box provided for direct wiring. Meets OSHA standards. ETL C/US listed. FOB Shipping Point.

Product	Fan	Wt.	Price
No.	Dia.	(lbs.)	Ea.
HCE-12-DS	12"	16	\$244.48
HCE-18-DS	18"	25	351.94
HCE-24-DS	24"	47	464.10
HCE-30-DS	30"	54	580.97



Fan

Product	Fan	Fan	CF	M	AMPS	Wt.	Price
No.	Dia.	Type	High	Low	High	(Ibs.)	Ea.
HACU-24-P	24"	Pedestal	6800	5000	2.5	75	\$312.31
HACU-24-W	24"	Wall Mount	6800	5000	2.5	45	259.93
HACU-30-P	30"	Pedestal	7900	6000	2.7	78	321.05
HACU-30-W	30"	Wall Mount	7900	6000	2.7	48	269.33

Wall

Mount Fan

Pedestal

Oscillating
Oscillaring
Air Circulator

- Oscillates in a 90° arc or can be locked in a fixed position.
- Delivers volumes of moving air.

Motor is dependable 3-speed, ¹/₄HP, 1 phase, 115V ball bearing totally enclosed permanently lubricated permanent split capacitor.

Pull chain switch. Durable blade features steel hub and spider with aluminum paddles. Fan head tilts 15° up and down for convenient adjustability. Column height adjusts 41/2' to 7'. Pedestal base is 26" dia. Meets OSHA standards. ETL C/US listed. FOB Shipping Point.

Pedestal Fan

Product No.	Fan Dia.	Fan Type	CF. High	M Low	AMPS High	Wt. (Ibs.)	Price Ea.
HACU-24-PO	24"	Pedestal	6800	5000	2.5	79	\$473.51
HACU-24-WO	24"	Wall Mount	6800	5000	2.5	49	396.27
HACU-30-PO	30"	Pedestal	7900	6000	2.7	82	482.91
HACU-30-WO	30"	Wall Mount	7900	6000	2.7	52	405.67

Industrial Air Circulator

- Keeps air moving to reduce fumes and mildew.
- Built for longlasting performance.

Wall Moun

Fan

Motor is dependable 3-speed, ¹/₄HP, 1 phase, 115V ball bearing totally enclosed permanently lubricated permanent split capacitor. Pull chain switch. Durable blade features steel hub and spider with aluminum paddles. Fan head tilts 15° up and down for convenient adjustability. Column height adjusts 4 1/2' to 7'. Pedestal base is 26" dia. Meets OSHA standards. ETL C/US listed. FOB Shipping Point.

COOLING FANS & OCK LIGHTS

Belt Drive Portable Blower

• Available in standard or swivel models.

• Safety guards are spiral wire front and rear.

Swivel model rotates 360° in 12.5° increments and locks in place with a steel locking pin. Corrosion and dent proof high density polyethylene housing, with textured-black finish. Motor is dependable 1-speed, 1 phase, 115V ball bearing open drip proof permanently lubricated permanent split capacitor. Rocker switch. Steel blade. Cord is SJT type 3 conductor, 15'L. Rolls easily on 10" hard rubber wheels. Meets OSHA standards. ETL C/US listed. FOB Shipping Point.

Product No.	Fan Dia.	Fan Type	CFM High	RPM	AMPS High	Wt. (lbs.)	Price Ea.
HPB-36-B	36"	Standard Blower	14500	500	8	120	\$781.79
HPB-42-B	42"	Standard Blower	18200	430	11	135	893.28
HPB-48-B	48"	Standard Blower	22700	390	15	155	1,002.09
HPBS-36-B	36"	Swivel Blower	14500	500	8	145	920.82
HPBS-42-B	42"	Swivel Blower	18200	430	11	160	1,059.18
HPBS-48-B	48"	Swivel Blower	22700	390	15	180	1,193.51

Modular Loading Dock Lights and Arms

- Sheds plenty of light inside trailers and dock areas.
- Modular design -- order basic light and your choice of arms.

Dependable Modular Dock Lights keeps work areas safe and highly visible. Lights and dock arms sold separately. Order basic light in choice of Incandescent or Quartz Halogen. Then select standard arms or heavy duty arms. Optional fan available. Mounting arms are 11/2" square, 14 ga. tubing. 3" x 5" x 3/6" steel mounting plate attaches with 4%' bolts. Includes 5'L. 3 conductor cord. Complete with on/off switch. Yellow powder coat finish. FOB Shipping Point.

Lights

Incandescent Light Head...features 18 ga., aluminum light head with porcelain socket and spring shock mounting cushions. Accepts 150 or 300 watt, R-40 and PAR 38 medium screw "spot" lamps (not included).

Quartz Halogen Light Head...500W weatherproof die cast aluminum light head with impact resistant lens and chrome plated steel guard. FOB Shipping Point.

Arms

Standard Arms...40" and 60" arms with the outer arm adjustable 300° in the horizontal plane and 210° in the vertical plane. Includes one electrical outlet to accommodate either light head.

Heavy Duty Arms...dual strut 40" and 60"L. arms and single strut 24"L. includes 2 electrical outlets to accommodate either light head and optional fan. FOB Shipping Point.

DOCK LIGHTS								
Product	Description	Wt.	Price					
No.		(Ibs.)	Ea.					
hdkl-inc	Incandescent Dock Light	5	\$55.07					
hdkl-qh	Quartz Halogen Dock Light	6	82.61					
	DOCK ARMS							
H24-LDA	24"L Standard Dock Arm	6	67.84					
HDKL40VA-ARM	40"L Standard Dock Arm	9	86.64					
HDKL60VA-ARM	60"L Standard Dock Arm	12	109.48					
H24-LDA	24"L Heavy Duty Dock Arm	6	67.84					
H40-LDA	40"L Heavy Duty Dock Arm	18	116.87					
H60-LDA	60"L Heavy Duty Dock Arm	24	131.64					

Optional Modular Fan

Measure 18"H. velocity circulator with 3 speed, ½ HP, 115V, 1 phase permanently lubricated totally enclosed, PSC motor. Chrome plated metal guards. ETL C/US listed. FOB Shipping Point.

OPTIONAL FAN								
Product No.	CFM High	Med	Low	Amps High	Wt. (lbs.)	Price Ea.		
HLDF-18-TE	5750	4700	3200	2.2	20	\$134.33		



Blower

- permits use in dirty or dusty environments.
- front and rear.

Motor is rugged 2 speed, ¼ H.P., 1 phase, 115 volt, ball bearing, permanently permanent split capacitor.

Rotary switch. Aluminum blade. Corrosion and dent proof high density polyethylene housing, with gray finish. Meets OSHA standards. ETL C/US listed. FOB Shipping Point.

Product No.	Fan Dia.	CFM High	Low	AMPS	Wt. (Ibs.)	Price Ea.
HMB-24-DF	24"	6800	5000	2.2	52	\$454.03
HMB-30-DF	30"	7900	6000	2.5	58	501.72

Direct Drive Portable Blower

- Easily move this floor fan where it's needed.
- Corrosion and dent proof high density polyethylene housing, with textured-black finish.

Motor is dependable 1-speed, 1 phase, 115V ball bearing open drip proof permanently lubricated permanent split capacitor. Rocker switch. Aluminum blade. Safety guards are spiral wire front and rear. Cord is SJT type 3 conductor, 15'L. Rolls easily on 8" hard rubber wheels. Meets OSHA standards. ETL C/US listed. FOB Shipping Point.

Product No.	Fan (Dia. N		High	Low	AMPS High		
HPB-36-D	36"	1/3	12500	9000	5.6	82	\$525.90
HPB-42-D	42″	1/2	16200	—	7.9	102	739.48

Floor Mini-

Swivel

- Totally enclosed motor
- Guards are spiral wire -

lubricated, totally enclosed,





Std. Arm Incandescent

Standard

Std. Arm Quartz



Heavy Duty Arm

HEATING & COOLING

N

Fan Forced Portable Unit Heater

- Delivers heat where you want it.
- Swivel base can be used as wall, floor or ceiling mount.

Features finned steel tubular heating element. Operates on 240V or 208V. Internal manual reset thermal cut-out. 6'L. cord with molded plug. Included temperature control thermostat with 35°F to 85°F range. UL C/US listed. FOB Shipping Point.

Product						Heat		Price
No. W	atts B	TU'S	Volts	Phase	Amps	Rise	(lbs.)	Ea.
HHF685TC 48	300 1	6384 24	10/208	1	20	58°F	20	\$290.82
HHF686TC 56	500 1	9107 24	10/209	1	23.4	67°F	20	325.75

Radiant &



• Affordable and long-service heater.

Features safety tip over cut-off switch. Includes control thermostat. 3 heat settings --600 watts radiant, 900 watts fan forced, 1500 watts radiant and fan forced. Temperature control thermostat. Manual reset type limit control. 6"L. 3 conductor cord. 120 volts, 5120 BTU's. ETL C/US lited. FOB Shipping Point. H198 TMC Wt. 9 (lbs.) Price Ea. \$109.48



• Heats solid objects, not the air.

• Place over workstations or cold spots for instant spot heating. Features gold anodized aluminum reflector and end caps. 60° symmetrical

heat pattern. 6'L., 3-wire (14/3) cordset with molded plug. Includes 2' mounting chain and 4 S-hooks included. ETL listed. FOB Shipping Point.

							INO.
Product		Q	UARTZ		Wt.		HEVAP36-1 HEVAP36-3
No.	Watts	Volts	Phase	BTU's	(lbs.)		HEVAP48-2
HOCH-46-120VCE	1500	120	1	5120	9	\$250.52	
HOCH-57-240VCE	3000	240	1	10240	11	294.18	HEVAP16-3

FEATURES rugged all metal construction.

HEVAP36-1

Back

Price

Eq.

(lbs.)

LxWxH

56" Industrial Ceiling Fan

• For cooling during summer, heat distribution during the winter. • Saves significant heat/cooling costs.

Features rugged all metal construction. 19,000CFM/320 RPM/draws 1.0 amps. 18 pole, 115V, 1 phase capacitor type, impedance protected motor with sealed ball bearings. Mounts to 3/" dia. steel J-hook. Durable aluminum paddles. 18"down rod standard, 24" or 36" down rods available. 18" lead wires. White epoxy finish. UL listed. Safety cable included. FOB Shipping Point. HCHR-56 Wt. 19 (lbs.) Price Ea. \$124.93

HEVAP36-1

Front

Solid State Controls

HKBWC-13K 1-2 Fans. Price Ea. \$32.91 HKBWC-15 3-5 Fans. Price Ea. \$113.51

Portable Evaporative Coolers

• 36" and 48" non hazardous location models feature ¾" garden hose connections for longer operating times.

• 15°F-25°F of evaporative cooling, plus 6°F-8°F of wind chill cooling.

36" Single or Three Speed (HEVAP36-1 or HEVAP36-3) provides cooling up to 2500 sq. ft. and has a 32 gallon reservoir capacity. 36' unit is thin enough to fit through a standard door. 48" Two Speed (HEVAP48-2) provides cooling up to 4000 sq. ft. and has a 40 gallon reservoir. HEVAP48-2 has heavy duty polyolefin casters. Units have a new 3 blade fan blade for quieter operation. 120v operation. 16" Unit (HEVAP16-3) provides cooling up to 900 sq. ft. and has a 42 gallon internal water reservoir that allows the unit to operate approximately 8 hours without being connected to an external water source. Has easy rolling poly on poly casters. Water level sight tube located on front of unit to indicate water level in tank. All units feature durable polyethylene leakproof housing, and one piece construction. Lowers temperatures 15-25°F depending on climate conditions. Manufactured in USA. Shipped completely assembled, ready to use. ETL C/US listed. FOB Shipping Point.

EVAPORATIVE COOLING TEMPERATURE DROPS								
Air	Relativ	ve Humidity	50%					
Temp	10%	30%						
80°	-22°	-16°	-10°					
90°	-25°	-18°	-12°					
100°	-29°	-21°	-14°					
110°	-32°	-23°	-15°					

Product

Motor

HP

Unit

Amps

HEVAP16-3 Front

Sa. Ft.

	HEVAP16-3 Back	
PORTABLE EVAPORATIVE CO		Wł

Tank (aal.)

235 \$2,936.42											
245 3,211.79											
405 4,551.04											
16" PORTABLE WORKSTATION EVAPORATIVE COOLERS											
45 \$1,802.69											
143 31,002.07											
4(

36" & 48

High Med

CFM

AIR CURTAINS




Save Energy • Improve Comfort • Increase Safety

- Berner Air Curtains are a sustainable solution that lowers energy costs by eliminating untempered outside air from entering through open doors. A sanitary solution that deters flying insects from entering through open doors. A safer solution than plastic vinyl strip curtains by using an invisible air barrier to protect the opening.
- Made in the USA.
- All Berner Air Curtains are shipped factory assembled for quicker installation and are factory wired and tested for quality prior to shipment.
- UL listed for interior or exterior mounting.
- Freight included to the first destination continental U.S.A.





HIDC12 SERIES OVER DOCK DOOR UNIT



**Unit size does not include depth of motor control panel / motor control panel mounted left hand end standard

HEAVY DUTY INDUSTRIAL AIR CURTAINS FOR ALL TYPES OF RECEIVING DOORS - 12' TO 14' MAXIMUM MOUNTING HEIGHTS

	AVAILABLE VOLTAGES: 208/240/480/3												
	PRICE INCLUDES FACTORY MOUNTED/WIRED CONTROL PANEL WHEN REQUIRED - LH END PLATE												
Max Door Size	Motor	No. of	Toto	A Motor	Amps	Max.CFM	Overall Dim.	Wt.	208/3 Voltage	240/3 Voltage	208/3 or 240/3	480/3 Voltage	480/3
WxH	HP	Motors	208/3			@ Nozzle	WxDxH	(lbs.)	Product No.	Product No.	Price Ea.	Product No.	Price Ea.
8 x 12'	1	2	13.0	13.0	6.4	14063	102 x 18 x 15"	208	HIDC14-2096AX	HIDC14-2096AY	\$3,073.00	HIDC14-2096AZ	\$3.062.00
8 x 14'	1	3	19.5	19.5	9.6	15441	102 x 18 x 15"	263	HIDC14-3096AX	HIDC14-3096AY	3,608.00		
9 x 14'	1	3	19.5	19.5	9.6	17281	111 x 18 x 15"	306	HIDC14-3108AX	HIDC14-3108AY	3,759.00	HIDC14-3108AZ	3,748.00
10 x 14'	1	3	19.5	19.5	9.6	16632	120 x 18 x 15"	313	HIDC14-3120AX	HIDC14-3120AY	3,929.00	HIDC14-3120AZ	3,919.00
12 x 12'	1	3	19.5	19.5	9.6	21095	147 x 18 x 15"	348	HIDC14-3144AX	HIDC14-3144AY	4,354.00	HIDC14-3144AZ	4,343.00
12 x 14'	1	4	26.0	26.0	12.8	23042	147 x 18 x 15"	403	HIDC14-4144AX	HIDC14-4144AY	5,209.00	HIDC14-4144AZ	5,051.00

All HIDC14 available in single lengths up to 16' ... call for pricing.

**Unit size does not include depth of motor control panel / motor control panel mounted left hand end standard.

	RECOMMENDED ACCESSORIES		
Product No.	Description	Wt. (lbs.)	Price Ea.
H9503SD020-P	Plunger Style Door Limit Switch for Automatic On/Off Control, NEMA 1 Rated (All Air Curtains Series)	2	\$39.00
H9503SD020-R	Roller Style Door Limit Switch for Automatic On/Off Control, NEMA 1 Rated (All HIDC12 & HIDC14 Series Only)	2	63.00
H9508IEC040ND	40 amp Rotary Style Non-Fused Disconnect, Factory Mounted in Motor Control Panel (All HIDC12 & HIDC14 Series Only)		191.00
H95083032C	30 amp Non-Fused Togale Disconnect, Remote Wall Mounted (All HSLC07 Series Only)	2	73.00
H66VS-000WMB-020-P	Pair of Wall'Mount Brackets, 0-20" Projection Clearance from Wall (All HIDC12 & HIDC14'Series Only)	25	222.00
	Places call for door sizes not listed, bosted models and system applications		

Please call for door sizes not listed, heated models and custom applications.

463

INDUSTRIAL FANS



Industrial Floor Fans

• 1 year warranty.

• Metal handle for portability.

Stay cool and well ventilated with Shop-Air[®] Industrial Floor Fans. Durable stainless steel or galvanized steel housings built to last a long time. Choose from belt drive or direct drive, ranging from 24" up to 48" diameters. Non-skid front legs keep your fan in position while operating. Heavy duty wheels for mobility. Non-corroding aluminum fan blades for longer life. 3 and 4 blade designs provide even airflow and low noise levels. 10', 3 prong heavy duty power cords. cUL us listed. FOB Shipping Point.

		INF	USTRIAL	FLOOR F					
Product No.	Body Width/Finish	Electric Rating	Fan Dia.	HP ECT DRIVE	Max CFM High	Max CFM Low	No. Blades	Wt. (lbs.)	Price Ea.
H1180000 H1183000 H1180100 H1183100 H1180200 H1183200	13" Stainless 13" Galvanized 13" Stainless 13" Galvanized 13" Stainless 13" Galvanized	120V-60Hz 5 Amps 120V-60Hz 5 Amps 120V-60Hz 6 Amps 120V-60Hz 6 Amps 120V-60Hz 6 Amps 120V-60Hz 6 Amps	24" 24" 30" 30" 36" 36"	1/3 1/3 1/2 1/2 1/2 1/2 1/2	6500 6500 9600 9600 11000 11000	5000 5000 7500 7500 10000 10000	4 4 4 3 3	50 51 64 64 79 81	\$174.60 154.76 242.86 219.04 287.30 253.97
		•	B	ELT DRIVE					
H1181000 H1184000 H1181100 H1184100 H1184100 H1181200 H1184200	17" Stainless 17" Galvanized 17" Stainless 17" Galvanized 17" Stainless 17" Galvanized	120V-60Hz 5 Amps 120V-60Hz 5 Amps 120V-60Hz 8 Amps 120V-60Hz 8 Amps 120V-60Hz 8.5 Amps 120V-60Hz 8.5 Amps	36" 36" 42" 42" 48" 48"	1/2 1/2 3/4 3/4 3/4 3/4	12200 12200 16500 16500 22000 22000	11000 11000 14500 14500 20000 20000	4 4 4 4 4	89 90 114 116 128 130	338.10 295.24 377.77 326.99 465.09 401.59



HI IB4200



Slim Line Drum Fans

• 1 year warranty.

Direct drive Slim Line Drum Fans feature rear wheels and handles for mobility and 9½" wide galvanized steel drums for durability. 3 Aluminum blades with a 10', 3-prong heavy duty power cord. cUL us listed. FOB Shipping Point.

	SLIM LINE DRUM FANS									
Product	Electric	Fan		Max CFM	Max CFM	Wt.	Price			
No.	Rating	Dia.	HP	High	Low	(lbs.)	Ea.			
H1185000	120V-60Hz 2.2 Amps	24"	1/5	4300	3800	30	\$126.99			
H1185100	120V-60Hz 4.5 Amps	30"	1/3	7500	5000	37	182.54			
H1185200	120V-60Hz 5 Amps	36"	1/3	9000	7000	42	206.34			

Air Mover[®] by Shop-Vac[®]

• 1 year warranty.

• 3 Speed air control.

Great for shop ventilation and cooling, floor and carpet drying, room drying, smoke/odor evacuation, and storm damage. Units are stackable for easy storage. 200-1000 CFM models have 3 operating positions and are lightweight and portable. 1800 CFM model has 2 operating positions and includes a collapsible transport handle and rear wheels. **H1032000** and **H1030400** have built in outlets to connect multiple units. FOB Shipping Point.

	-										
	AIR MOVER® BY SHOP-VAC®										
Product	Airflow/CFM	Electric	Cord	Wt.	Price						
No.		Rating	Length	(Ibs.)	Ea.						
H1030300	200	120V-60Hz 0.4 Amps	6'	6	\$49.60						
H1032000	500	120V-60Hz 1.5 Amps	10'	12	67.70						
H1030400	1000	120V-60Hz 3.5 Amps	10'	24	143.26						
H1030100	1800	120V-60Hz 5 Amps	30'	50	271.31						





H1030100

WET/DRY VACUUMS

shop-vac

H9625010

Price Ea.

\$115.89 141.13 68.93 183.41

206.89

Shop-Vac® Small Portable Series Wet/Dry Vac

• Portable Contractor Series.

Shop-Vac[®] Small Portable Series Wet/Dry Vacuums work great on job site cleanup, workshops, garages, basements - anywhere you need a portable wet dry/vac with power. Features a hand held design with onboard accessory storage. **H5872810** includes 7' x 1/4" diameter Lock-On[®] hose, claw utility nozzle, crevice tool, adaptor and tool holder with 6.0 Peak HP. **H5890210** includes 4' x 1/4" diameter hose, crevice tool, gulper nozzle, wall mounting bracket and tool holder with 2.5 Peak HP. FOB Shipping Point.

		SHOP-VAG	C [®] SMALL PC	RTABLE SERIES WET/DRY V	AC		
Product	Cap.	Amount	Air	Electrical	Cord	Wt.	Price
No.	(gal.)	of Water	Watts	Rating	Length	(Ibs.)	Ea.
H5872810	5	60"	350	120V 60Hz 11.8 Amps	20'	17	\$92.67
H5890210	2.5	56"	220	120V 60Hz 8 Amps	6'	9	49.24

Economy Right Stuff Series Contractor Wet/Dry Vac

• Onboard tool storage.

• Onboard cord storage.

Choose from our traditional Economy Series that features onboard tool and cord storage, blower port drain for H9625210 and H9625010. Economy Heavy Duty Series additionally features a transport handle and 10" rear wheels while the Economy Stainless Steel Series features 8" rear wheels and a stainless steel tank. Lock-on Hose, extension wands, wet/dry floor nozzle, crevice tool, claw utility nozzle, adaptor and tool storage basket (H9650610 dolly tool storage) included. FOB Shipping Point.

Product No.	ECON Description	NOMY RIG Cap. (gal.)	HT STUFF Peak HP	SERIES CON Amount of Water	NTRACTO Air Watts	R WET/DRY VAC Electrical Rating	Cord Length	Wt. (Ibs.)
H9625010	Economy	10	4	59"	310	120V 60Hz 9.6 Amps	18'	25
H9625210	Economy	16	6.25	60"	365	120V 60Hz 11.8 Amps	18'	31
H9650610	Economy	6	3	57"	240	120V 60Hz 8.4 Amps	12'	18
H9625710	Economy Heavy-Duty	18	6.5	60"	390	120V 60Hz 12 Amps	18'	39
H9626510	Economy Stainless Steel	10	6.5	60"	390	120V 60Hz 12 Amps	18'	34

Industrial Single & 2-Stage Series Wet/Dry Vacs

• One year warranty

A) Single Stage Stainless Steel Tank - features $7' \ge 1/4''$ diameter hose, two extension wands, deluxe nozzle with brush and squeegee inserts, crevice tool, gulper nozzle, round brush, $6' \ge 2/4''$ hose with two extension wands and utility nozzle.

B) Single Stage - features 8' x 1¼" diameter hose with curved end, two metal extension wands, dual surface nozzle, 10" wet/dry nozzle, crevice tool, gulper nozzle, round brush and tool storage basket.
C) 2 Stage with plastic tools - features 7' x 1¼" diameter hose, two extension wands, 12" x 1¼"

diameter deluxe nozzle with brush and squeegee inserts, crevice tool, gulper nozzle, round brush, 6' x 2½" hose with two extension wands and utility nozzle.

D) 2 Stage Heavy Duty Metal Drum Vac - features 12' x 1½" diameter crush resistant hose, claw utility nozzle and right angle connector. Replacement Metal Wet/Dry Head available. FOB Shipping Point.



H9604710

H9625710

	INDUSTRIAL SINGLE & 2-STAGE SERIES WET/DRY VAC									4
Product No.	Description	Cap. (gal.)	Peak HP	Amount of Water	Air Watts	Electrical Rating	Cord Length	Wt. (Ibs.)	Price Ea.	
H6000110	A) Single Stage - Stainless Steel	6	4.5	62"	325	120V 60Hz 9 Amps	18'	20	\$157.12	and
H6000210	A) Single Stage - Stainless Steel	10	4.5	62"	325	120V 60Hz 9 Amps	18'	25	186.36	shop
H9252810	B) Single Stage	8	6.5	66"	367	120V 60Hz 9.7 Amps	18'	23	170.89	
H9623910	C) 2-Stage	16	2.5	90"	280	120V 60Hz 9.5 Amps	35'	41	320.91	
H9700510	D) 2-Stage Heavy Duty Metal	55	3	105"	360	120V 60Hz 11 Amps	35'	84	710.16	
H9700610	D) Metal Head for H9700510	-	-	-	-	- '	-	29	414.68	I H9252810

465

Industrial Pump Shop-Vac®

• One year warranty.

The Industrial Pump Shop-Vac[®] was designed to vacuum liquids from one location and pump out the tank in another by simply attaching a garden hose (not included). No more lifting heavy tanks of water. Includes an 8' x 1¼" diameter hose with curved end, two extension wands and 10" x 1.25" diameter wet/dry nozzle. Also included a 6' x 2½" diameter hose with extension wands, wet/dry floor nozzle, elbow grip, crevice tool, utility nozzle, concentrator nozzle, hose holder clip and tool storage basket. FOB Shipping Point.

INDUSTRIAL PUMP SHOP-VAC®										
Product	Description	Cap.	Peak	Amount	Air	Electrical	Cord	Wt.	Price	
No.		(gal.)	HP	of Water	Watts	Rating	Length	(lbs.)	Ea.	
H9604710	Standard	20	6.5	60"	375	120V 60Hz 12 Amps	18'	37	\$216.59	
H9604810	w/Stainless Steel Ultra Pump	14	6.5	60"	375	120V 60Hz 12 Amps	18'	43	298.91	



H5890210

H9626510

И н9700510

H9604810

INDUSTRIAL LED



LAMPS ARE HIGHLY EFFICIENT & LONG-LASTING LOWER YOUR OPERATING COSTS UP TO 90% when replacing Metal Halide and HPS lamps with Mills LED retrofit lamps, and virtually eliminate maintenance and replacement costs.

HIGH BAY G4 HID Retrofit Series LED Lighting

• 100, 120, 150 watts.

- call for information.

The #1 LED lighting solution for replacing 400w and 320w HID lamps in existing bay fixtures. Available in 3 models. FOB Shipping Point.

- 13,000 Lumens, 100w LED HID High Bay Retrofit Lamp, 320w HPS Equal Replacement, ex39 Mogul Base, 120-277v, 5000k or 4000k, Built-in Surge Protection, DLC 4.2 Qualified.
- 16,000 Lumens, 120w LED HID High Bay Retrofit Lamp, 400w HPS Equal Replacement, ex39 Mogul Base, 120-277v, 5000 or 4000k, Built-in Surge Protection, DLC 4.2 Qualified.
- 20,000 Lumens, 150w LED HID High Bay Retrofit Lamp, 600w HPS Equal Replacement, ex39 Mogul Base, 120-277v, 5000k or 4000k, Built-in Surge Protection, DLC 4.2 Qualified.

Duchat	HIGH BAY	g4 hid ret	ROFIT SERIES		IG	14/1	Price		
Product No.	Wattage	ССТ 1300	Voltage 00 LUMENS	Base	Generation	Wt. (lbs.)	Ea.		
HLED-HB-100W-EX39-I-4000K HLED-HB-100W-EX39-I-5000K	100W 100W	4000K 5000K	120-277V 120-277V	EX39 EX39	G4 G4	3.68 3.68	\$176.61 176.61		
16000 LUMENS									
HLED-HB-120W-EX39-I-4000K HLED-HB-120W-EX39-I-5000K	120W 120W	4000K 5000K	120-277V 120-277V	EX39 EX39	G4 G4	3.68 3.68	185.60 185.60		
20000 LUMENS									
HLED-HB-150W-EX39-I-4000K HLED-HB-150W-EX39-I-5000K	150W 150W	4000K 5000K	120-277V 120-277V	EX39 EX39	G4 G4	3.68 3.68	194.58 194.58		
Internal Driver Standard. Remot	e Driver avai	lable call	for informatio	n.					



MEGALUMEN™ G4 HID Retrofit Series LED Lighting

Eliminate HID lamps in your facility with Mills Lighting's MegaLumen™ LED HID Retrofit lamp series. Up to 18,000 delivered lumens. Mills Lighting 4th Generation MegaLumenTM Lamp boasts 150 lumen per watt. Mills Lighting LED-HIDRL Series lamps use Rubycon driver, Samsung chips, IP65 Wet location-rated design, waterproof, dust-proof, mosquito proof. Driver is sealed with thermal paste, working temperature -40F to 140F, active heat dissipation with aircraft grade aluminum. 360 degree beam angle, flame retardant materials, suitable for use in totally enclosed fixtures. UL Listed. DLC 4.2 Qualified. Direct wire lamps, must bypass the ballast. FOB Shipping Point.

MEGALUMEN™ G4 F Product	IID RETROFI	SERIES	LED LIG Wt.	HTING	MEGALUMEN™ G4 HID RETROFIT SERIES LED LIGHTIT Product Wt. P	NG
No.	CCT 22 WATT	Base	(lbs.)	Ea.		Ea.
HLED-22W-E26-I-2700K HLED-22W-E26-I-3000K HLED-22W-E26-I-3500K HLED-22W-E26-I-4000K HLED-22W-E26-I-4500K HLED-22W-E26-I-5000K	2700K 3000K 3500K 4000K 4500K 5000K 5700K	E26 E26 E26 E26 E26 E26 E26 E26	1.12 1.12 1.12 1.12 1.12 1.12 1.12 1.12	\$46.28 46.28 46.28 46.28 46.28 46.28 46.28	HLED-54W-E26-I-2700K 2700K E26 2.66 \$7 HLED-54W-E26-I-3000K 3000K E26 2.66 7 HLED-54W-E26-I-3500K 3500K E26 2.66 7 HLED-54W-E26-I-4000K 4000K E26 2.66 7 HLED-54W-E26-I-4000K 4000K E26 2.66 7 HLED-54W-E26-I-4500K 4500K E26 2.66 7 HLED-54W-E26-I-5000K 5000K E26 2.66 7	(5.85 (5.85) (5.85) (5.85) (5.85) (5.85) (5.85) (5.85)
HED-27W-E26-I-2700K HLED-27W-E26-I-3000K HLED-27W-E26-I-3500K HLED-27W-E26-I-4500K HLED-27W-E26-I-4500K HLED-27W-E26-I-5000K	27 WATT 2700K 3000K 3500K 4000K 4500K 5000K 5700K	E26 E26 E26 E26 E26 E26 E26 E26 E26	1.6 1.6 1.6 1.6 1.6 1.6 1.6	59.14 59.14 59.14 59.14 59.14 59.14 59.14 59.14	HLED-80W-E26-I-3000K 3000K E26 3.3 14 HLED-80W-E26-I-3500K 3500K E26 3.3 14 HLED-80W-E26-I-4000K 4000K E26 3.3 14 HLED-80W-E26-I-4500K 4500K E26 3.3 14 HLED-80W-E26-I-5000K 55000K E26 3.3 14	49.14 49.14 49.14 49.14 49.14 49.14 49.14
HED-36W-E26-I-2700K HLED-36W-E26-I-3000K HLED-36W-E26-I-3500K HLED-36W-E26-I-4500K HLED-36W-E26-I-4500K HLED-36W-E26-I-5000K	36 WATT 2700K 3000K 3500K 4000K 4500K 5000K 5700K	E26 E26 E26 E26 E26 E26 E26 E26 E26	1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	64.28 64.28 64.28 64.28 64.28 64.28 64.28 64.28	HLED-100W-E26-1-3000K 3000K E26 4.07 16 HLED-100W-E26-1-3500K 3500K E26 4.07 16 HLED-100W-E26-1-4000K 4000K E26 4.07 16 HLED-100W-E26-1-4500K 4500K E26 4.07 16 HLED-100W-E26-1-5000K 5000K E26 4.07 16	62.00 62.00 62.00 62.00 62.00 62.00 62.00
HED-45W-E26-I-2700K HLED-45W-E26-I-3000K HLED-45W-E26-I-3500K HLED-45W-E26-I-4500K HLED-45W-E26-I-4500K HLED-45W-E26-I-5000K HLED-45W-E26-I-5700K	45 WATT 2700K 3000K 3500K 4000K 4500K 5000K 5700K	E26 E26 E26 E26 E26 E26 E26	1.87 1.87 1.87 1.87 1.87 1.87 1.87 1.87	72.00 72.00 72.00 72.00 72.00 72.00 72.00 72.00	HLED-120W-E26-I-3000K 3000K E26 4.29 17 HLED-120W-E26-I-3500K 3500K E26 4.29 17 HLED-120W-E26-I-4000K 4000K E26 4.29 17 HLED-120W-E26-I-4500K 4500K E26 4.29 17 HLED-120W-E26-I-4500K 4500K E26 4.29 17 HLED-120W-E26-I-5000K 5000K E26 4.29 17 HLED-120W-E26-I-5700K 5700K E26 4.29 17	74.85 74.85 74.85 74.85 74.85 74.85 74.85 74.85
E26 Base Standard. For E Product No. Internal Drive					E26 Base Standard. For EX39 Base replace -E26 with -EX Product No. Internal Driver Standard. Remote Driver avai	39 in ilable

Mills"

E26 Base Standard. For EX39 Base replace -E26 with -EX39 in Product No. Internal Driver Standard. Remote Driver available - call for information.



COMMERCIAL & INDUSTRIAL WINGING DOORS V-Cam Ruff Tuff Doors exible PVC Clear Vu & Impact **Swinaina Doors**

These flexible PVC doors open with less than 1 lb. of pressure and can't be tied back. The Clear Vu doors are specifically made for walk-in coolers and freezers. Impact doors are perfect for general applications. Impact doors are available in Red (-RED), Blue (-BLU), Green (-GRN), Brown (-BRO), Gray (-GRA) and Black (-BLK), -- please specify. FOB Shipping Point.





Clear Vu Doors

Impact Doors With Kick Panels

Size W x H	CLE DOORS WIT Product No.		OUBLE DOOR CK PANELS Price Ea.	SETS DOORS WITH K Product No.	ICK PANELS Price Ea.
31 x 78"	HSS3178	30	\$549.90	HSS3178-KP	\$749.80
36 x 78"	HSS3678	30	599.90	HSS3678-KP	799.80
48 x 78"	HSS4878	40	649.90	HSS4878-KP	849.80
60 x 84"	HGD6084	61	999.90	HGD6084-KP	1,279.80
72 x 96"	HGD7296	85	1,299.90	HGD7296-KP	1,629.80
84 x 96"	HGD8496	100	1,349.90	HGD8496-KP	1,749.80
96 x 96" 36 x 78"	HGD9696 IMP HSPM3678	125 ACT DOOI 40	1,399.90 RS - DOUBLE D 749.90	HGD9696-KP OOR SETS HSPM3678-KP	1,799.80
48 x 78"	HSPM4878	61	899.90	HSPM4878-KP	1,179.80
60 x 84"	HSPM6084	75	1,199.90	HSPM6084-KP	1,479.80
72 x 96"	HSPM7296	85	1,399.90	HSPM7296-KP	1,729.80
84 x 96"	HSPM8496	100	1,649.90	HSPM8496-KP	2,049.80
96 x 96"	HSPM9696	125	1,949.90	HSPM9696-KP	2,349.80
Kick panels of	are factory instal			When ordering Kic	

25 lbs. per pair.

Tuff Lite Stainless Steel Doors ngle & Double Sets



• Rugged, Stylish and Elegant.

Elegant in design, stainless steel doors give you years of rugged reliability and durability that other doors can't match. Easy to clean, easy to sanitize, scratch resistant and easy to open. Doors are .16 ga. thick, $2\frac{1}{2}$ lbs. per square ft. and have a $\frac{3}{6}$ " thick acrylic window. Made in the USA. FOB Shipping Point.

Shown With Optional Kick Panels

Size W x H	DOORS WII Product No.	HOUT KICK Wt. (lbs.)	PANELS Price Ea.	DOORS WITH KI Product No.	CK PANELS Price Ea.
30-31" x 80-84"	HTLSS30	40	\$849.90	HTLSS30-KP	\$1,049.80
36" x 80-84"	HTLSS36	55	899.90	HTLSS36-KP	1,099.80
		DOUBLE D			.,
48" x 80-84"	HTLSD48	74	1,699.90	HTLSD48-KP	1,949.80
60" x 80-84"	HTLSD60	83	1,749.90	HTLSD60-KP	1,999.80
72" x 80-84"	HTLSD72	110	1,799.90	HTLSD72-KP	2,049.80

25 lbs. per pair.

Single & Double Sets

These 11/2" thick industrial swinging doors are fully gasketed. Excellent for use in freezer and cooler applications. Strong and durable, yet decorative and attractive. Available in Red (-RED), Blue (-BLU), Green (-GRN), Brown (-BRO), Gray (-GRA) and Black (-BLK), -- please specify. FOB Shipping Point.



Shown With Optional Bumpers

i Ob omp	ping rount.						
	SING	WITH BUMPER P	ANELS				
Size	Product	Wt.	Price	Product	Price		
W x H	No.	(lbs.)	Ea.	No.	Ea.		
30 x 84"	HRTVS3084	106	\$1,149.90	HRTVS3084-TDB	\$1,399.80		
36 x 84"	HRTVS3684	127	1,349.90	HRTVS3684-TDB	1,599.80		
48 x 84"	HRTVS4884	170	1,549.90	HRTVS4884-TDB	1,799.80		
	DOUBLE	DOOR SETS		WITH BUMPER PANELS			
48 x 84"	HRTVD4884	184	1,999.90	HRTVD4884-TDB	2,495.80		
60 x 84"	HRTVD6084	230	2,199.90	HRTVD6084-TDB	2,749.80		
72 x 84"	HRTVD7284	276	2,499.90	HRTVD7284-TDB	3,049.80		
72 x 96"	HRTVD7296	315	2,699.90	HRTVD7296-TDB	3,249.80		
84 x 96"	HRTVD8496	367	2,899.90	HRTVD8496-TDB	3,499.80		
96 x 84"	HRTVD9684	367	2,899.90	HRTVD9684-TDB	3,499.80		
96 x 96"	HRTVD9696	420	3,099.90	HRTVD9696-TDB	3,749.80		

Tear Drop Bumpers are factory installed on both sides of door. When ordering Bumpers add 50lbs. per pair.



Ruff Tuff II Doors Single & Double Sets

These 1¹/₈" thick commercial swinging doors are excellent for use in restaurant, grocery store, warehouse, office and commercial applications. The Ruff Tuff doors are both strong and durable vet will enhance any decor. Available in Red (-RED), Blue (-BLU), Green (-GRN), Brown (-BRO), Gray (-GRA) and Black (-BLK), -- please specify. FOB Shipping Point.

With Optional Kick P

Shown With	n Optional Kick Pai	nels			
	RUFF TUFF I	DOORS - S	INGLE & DOU	JBLE SETS	
	SINGL	E DOORS		WITH BUMPER PAN	ELS
Size	Product	Wt.	Price	Product	Price
WxH	No.	(lbs.)	Ea.	No.	Ea.
31 x 84"	HRT2S3184	91	\$709.90	HRT2S3184-TDB	\$1,009.80
31 x 96"	HRT2S3196	104	759.90	HRT2S3196-TDB	1,059.80
36 x 84"	HRT2S3684	106	809.90	HRT2S3684-TDB	1,109.80
36 x 96"	HRT2S3696	121	859.90	HRT2S3696-TDB	1,159.80
48 x 84"	HRT2S4884	141	1,059.90	HRT2S4884-TDB	1,359.80
48 x 96"	HRT2S4896	161	1,159.90	HRT2S4896-TDB	1,459.80
		DOOR SETS		WITH BUMPER PA	
36 x 78"	HRT2D3678	112	1,249.90	HRT2D3678-TDB	1,799.80
36 x 84"	HRT2D3684	121	1,299.90	HRT2D3684-TDB	1,849.80
48 x 84"	HRT2D4884	161	1,399.90	HRT2D4884-TDB	1,949.80
48 x 96"	HRT2D4896	184	1,449.90	HRT2D4896-TDB	2,009.80
60 x 84"	HRT2D6084	202	1,499.90	HRT2D6084-TDB	2,049.80
60 x 96"	HRT2D6096	230	1,549.90	HRT2D6096-TDB	2,099.80
72 x 84"	HRT2D7284	242	1,649.90	HRT2D7284-TDB	2,199.80
72 x 96"	HRT2D7296	276	1,699.90	HRT2D7296-TDB	2,249.80
84 x 84"	HRT2D8484	282	1,899.90	HRT2D8484-TDB	2,449.80
84 x 96"	HRT2D8496	323	1,949.90	HRT2D8496-TDB	2,499.80
96 x 84"	HRT2D9684	323	2,149.90	HRT2D9684-TDB	2,699.80
96 x 96"	HRT2D9696	369	2,199.90	HRT2D9696-TDB	2,749.80

Tear Drop Bumpers are factory installed on both sides of door. When ordering Bumpers add 50lbs. per pair.

Pro Tuff Panel Doors

These solid .375 thick panel doors are designed for medium to light duty applications. Available in Red (-RED), Blue (-BLU), Green (-GRN), Brown (-BRO), Gray (-GRA) and Black (-BLK),

-- please specify. FOB Shipping Point.

PRO TUFF PANEL DOORS SINGLE DOORS								
Size W x H	Product No.	Wt. (lbs.)	Price Ea.					
31 x 84" 36 x 84" 40 x 84"	HPTS3184 HPTS3684 HPTS4084	52 60 67	\$659.90 709.90 809.90					
DOUBLE DOOR SETS								
36 x 78" 36 x 84" 48 x 84"	HPTD3678 HPTD3684	61 65	1,149.90					
48 x 84" 60 x 84" 72 x 84"	HPTD4884 HPTD6084 HPTD7284	87 109 131	1,299.90 1,399.90 1,499.90					
84 x 84"	HPTD8484	152	1,549.90					

are NOT available on Pro Tuff Doors. 467



Pro Tuff Panel Doors

DOCK SEALS, SHELTERS & OVING PADS



Dockleveler Insulation Blanket

Using the Insulation Blanket will improve heating efficiency and will save energy. They will pay for themselves many times over by controlling heat loss. The Insulation Blanket is water and mildew resistant. Aluminum extrusion and anchors are provided. Hangers to attach to the door for storing the blanket are standard. A DVD or Video is available- contact dealer. FOB Shipping Point. HDIB-96 Size 90"W. x 96"L. Wt. 17 (lbs.) Price Ea. \$91.30



In Use Position

Sample Temperature Differential

Outside Temperature 18°. Steel Dockleveler Stored Position



Dock SEAL

• Combines the advantage of low cost and excellent sealing action. Designed for maximum energy savings with long-lasting features.

For use with a 8' H x 8' W doors. 36 oz. nylon reinforced vinyl facing has a higher tear strength than equivalent weight hypalon. Chemically sealed ends prevent moisture infiltration. Full height air escape tunnel. Mounted and bonded on durable wolmanized wood. 2" nylon reinforced vinyl guide stripes. Through the wall installation kits included. Three piece construction; top -- 12"H x 114"W x 10" projection; sides -- 96"H x 10" projection with beveled sides with 9.5" at the wall, and 12" at the face. Dock Seals overall height are 108"H x 120"W. and Door Openings are 8'H x 8'W. All dock seals and shelters on this page are not returnable. FOB Shipping Point.

Product No.	Projection	DOCK Wt. (lbs.)	SEALS (for 8 Price Ea.	8' x 8' high d Product No.	oors) Projection	Wts. (Ibs.)	Price Ea.
HD-150-10	10"	212	\$648.10	HD-150-16		221	\$770.20
HD-150-11 HD-150-12	11" 12"	214 216	668.60 688.10	HD-150-17 HD-150-18	17" 18"	222 249	788.60 810.20
HD-150-12	12	218	707.60	HD-150-18	10	247	826.60
HD-150-14	14"	219	729.10	HD-150-20	20"	252	848.10
HD-150-15	15"	220	748.60				

Quilted Moving Pads

Cushion and protect furniture, machinery and electronic equipment. Each pad measures 72" wide by 80" long. Units are sold a dozen at a time. Model HQPC-7280-UP is water and mildew resistant. FOB Shipping Point.



HQPC-7280-DP





HEAVY DUTY HQPC-7280-VP

QUILTED MOVING PADS								
Product No.	Description	Wt. Per Dozen	Price Per Dozen					
HQPC-7280-DP	General Duty (both sides cotton)	57	\$169.20					
	All Weather (both sides polyester)	63	167.20					
HQPC-7280-VP	Heavy-Duty (one side polyester/other side cotto	n) 82	194.80					

Dock SHELTER

- A shelter with full height and width access to the rear of the trailer.
- Ideal for trucks with varying heights, where the entire truck opening must be accessible for loading.

For use with doors up to 10' W x 10' H. Also reduces oversized doors to match truck opening. Long wear fabric is highly resistant to abrasion and tearing. Fiberglass staves are sewn in the panel. Seal is formed along the sides and top of the truck when the vertical and top panels are pushed inward by the truck. Supporting structure is made of

2 x 4 wolmanized lumber. Shelter

is protected by safety yellow steel guide protectors. The top header piece measures 132"W and contains a drop curtain which measures 36"H. Two vertical pieces measure 126" tall with vertical flaps measuring 21"W. When installed the shelter will close door opening down to 90"W x 90"H opening (between flaps). Additional features include bottom corner draft pads, steel guide protectors and vertical guide strips on vertical flaps. All dock seals and shelters on this page are not returnable. FOB Shipping Point.

HD-750-18 18" projection. Wt. 418 (lbs.) Price Ea. \$1,234.70 HD-750-24 24" projection. Wt. 478 (lbs.) Price Ea. \$1,332.20 HD-750-30 30" projection. Wt. 518 (lbs.) Price Ea. \$1,380.40 HD-750-36 36" projection. Wt. 563 (lbs.) Price Ea. \$1,435.80

HD-5402 54 oz. facing Price Ea. \$79.00 HD-18H 18" header Price Ea. \$145.20 HD-12F 12" flap Price Ea. \$57.50

ORS **Ö**



GATEWAY INDUSTRIAL PRODUCTS, INC.

High Cycle Doors

- Helps meet FDA / AIB requirements.
- Easy installation.

Product

No.

HHC-WM-0808 HHC-WM-0809 HHC-WM-0810

HHC-WM-0909

HHC-WM-0910 HHC-WM-1010 HHC-WM-1012

HHC-WM-1212 HHC-WM-1414

HHC-WM-1616

- Durable and low maintenance.
- Runs up to 20" / second, 100+ cycles/day.
- Sizes up to 25'W x 20'H -- call for information.
- Mount Styles: In Jamb, Face of Wall, Stand-Off, Under Hood.

Size

WxH

8 x 8' 8 x 9'

8 x 10'

9 x 9

9 x 10

10 x 10 10 x 12

12 x 12 $14 \times 14'$

16 x 16'

Options and upgrades available - call for a quote on your specific needs.

Gateway's economical alternative to a high speed door was designed with your needs in mind. The curtain is sewn for greater durability, and is designed to "break away" in event of impact or blow out. The doors are available in vinyl or screen, and can be upgraded to include aluminum hinges. External jackshaft operator comes standard as 120V 1PH 1/2HP with monitored water-tight photo eyes and push station. Upgrades, modifications, and accessories are available. FOB Shipping Point.

HIGH CYCLE WALL MOUNT DOORS

Wt.

(lbs.)

275 285 295

600

	cle Wall Mount Door	



High Cycle Wall Mount Door (Vinyl) with Aluminum Hinge Upgrade

Price Ea. \$7,400.00 7,425.00 7,500.00 7,475.00 7,500.00	Vinyl Colors - 22oz.
7,500.00 7,700.00 8,200.00 8,775.00 9,900.00 10,400.00	Bug Screen Colors

Bug Screen Colors

Standard Colors: Forest Green, Blue, Black, Yellow (there is an upcharge for non standard colors).



Manual Bug Barrier® is spring-loaded, and includes pull strap and handles for easy operation.

	THE ORIGINAL BUG BARRIER®									
	MANUA	AL IN JA	MB	AUTOMATIC (IN-TI	JBE MOTO	OR) IN JAMB				
Size	Product	Wt.	Price	Product	Wt.	Price				
WxH	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.				
8 x 8'	HMRU-HM-0808	115	\$2,600.00	HARU-HM-0808	115	\$3,075.00				
8 x 9'	HMRU-HM-0809	120	2,675.00	HARU-HM-0809	120	3,100.00				
8 x 10'	HMRU-HM-0810	125	2,750.00	HARU-HM-0810	125	3,125.00				
9 x 9'	HMRU-HM-0909	125	2,775.00	HARU-HM-0909	120	3,125.00				
9 x 10'	HMRU-HM-0910	130	2,850.00	HARU-HM-0910	125	3,150.00				
10 x 10'	HMRU-HM-1010	135	2,900.00	HARU-HM-1010	135	3,175.00				
10 x 12'	HMRU-HM-1012	155	3,000.00	HARU-HM-1012	155	3,250.00				
12 x 12'	HMRU-HM-1212	190	3,850.00	HARU-HM-1212	190	4,500.00				
14 x 14'	-	-	-	HARU-HM-1414	200	5,175.00				
16 x 16'	-	-	-	HARU-HM-1616	250	5,625.00				

Options and upgrades available - call for a quote on your specific needs.





The Original Bug Barrier[®]

- Helps meet FDA / AIB requirements.
- Ventilation without infestation.
- Easy installation.
- Durable and low maintenance.
- Built to customer specification.
- Sizes up to 16'W x 16'H -- call for information.
- Operation Styles: Manual, Chain Hoist, Automatic.

• Mount Styles: In Jamb, Face of Wall, Stand-Off, Under Hood.

Promote ventilation and keep out pests with The Original Bug Barrier® The Bug Barrier® curtain is sewn for greater durability, and automatically resets after impact or blow-out. As the Bug Barrier® helps meet AIB and FDA requirements, it is ideal for food processing, packaging, and beverage facilities. Automatic (In-Tube Motor) Doors run up to 12" / second, 25 cycles/day, and come standard with a constant contact rocker switch. Available in screen or vinyl. Stock colors include Green, Blue, Black, and Yellow. Custom sizes, colors, and materials are available. All doors manufactured within +/- 1/8" tolerance. FOB Shipping Point.





Bug Screen Colors

Standard Colors: Forest Green, Blue, Black, Yellow (there is an upcharge for non standard colors).



ROLLS & DOORS





Replacement Strips and Roll Goods

- Available in full roll lots or cut strips.
- Each cut strip has 3/8" holes on 2" centers for standard mounting.
- Specify the lengths and quantity cuts you desire. FOB Shipping Point.



A) Standard Smooth Surface Provides a clear unobstructed view in either direction.

B) Ribbed Surface

Both sides of the strip feature an offset rib to protect against abrasions. Ideal for heavy traffic areas where scratching is a problem.

C) USDA Smooth - Clear PVC

Used for freezer strips to meet temperatures of -30°F to +150°F. Meets federal requirements for incidental contact with dairy, poultry and meat products. Indoor applications recommended only.

D) Anti-Static - Clear PVC

Used for clean room enclosures or high-tech areas where static build-up may be a detriment. Conforms to Federal Test methods ST.101C,4046 (Any liabilities regarding product applications are the sole responsibility of the end user).

E) Orange Safety - Semi Transparent

For edge safety strips to mark openings or enclose hazardous work areas.

F) Smooth Welding

Transparent Bronze and Aztec Orange colored PVC have UV-blocking to protect against UV light emitted during arc welding. Eye protection must still be worn during direct viewing.

		STAN		ooth - Clea			
		JIAN	FULL ROI		KI VC	CUT ST	RIPS
Width	Thickness	Product No.	Length	Wt. (lbs.), Full Roll	Price Per Lin. Ft.	Product No.	Price Per Lin. Ft.
8" 12" 16"	0.080" 0.120" 0.160"	H17-080008 H17-120012 H17-160016	300' 200' 100'	100 150 125	\$1.04 2.34 4.15	H17-080008C H17-120012C H17-160016C	\$1.47 3.22 6.01
			RIBBED -	CLEAR PVC			
8" 12" 16"	0.072" 0.110" 0.145"	H17-080308 H17-120312 H17-160316	150' 150' 100'	60 120 115	1.16 2.50 4.35	H17-080308C H17-120312C H17-160316C	1.65 3.47 6.30
		US	DA SMOO	TH - CLEAR P	VC		
8" 12"	0.080" 0.120"	H17-080908 H17-120912	300' 200'	100 150	1.10 2.53	H17-080908C H17-120912C	1.72 3.73
		U	ISDA RIBBEI	d - Clear P\	/C		
8" 12"	0.080" 0.120"	H17-083908 H17-123912	150' 150'	60 125	1.26 2.79	H17-083908C H17-123912C	1.91 4.07
				C - Clear PV			
8" 12"	0.080" 0.120"	H17-080608 H17-120612	300' 1 <i>5</i> 0'	100 150	1.09 3.50	H17-080608C H17-120612C	1.65 3.85
		ORANG	E SAFETY -	SEMI TRANS	SPARENT		
8" 12"	0.080" 0.120"	H17-080408 H17-120412	300' 200'	100 150	1.26 2.89	H17-080408C H17-120412C	1.91 4.23
		AZTEC ORANG					
8" 12"	0.080" 0.120"	H17-081008 H17-121012	300' 1 <i>5</i> 0'	100 115	1.08 3.87	H17-081008C H17-121012C	1.62 5.40
				ooth weldi			
8" 12"	0.080" 0.120"	H17-080508 H17-120512	300' 200'	100 150	1.17 2.64	H17-080508C H17-120512C	1.78 3.88

Universal Strip Door Hardware

Three mounting options in one piece of hardware! Mount to overhead surface (inside doorway), wall or suspend with threaded rod (not included). Order by linear foot to the same width as your opening. (Up to 8' can ship UPS). Other mounts available, call for quote. All hardware is galvanized and comes with 3 snap caps per foot. FOB Shipping Point.



Strip Doors

• Vinyl strip doors reduce noise, dust, fumes, drafts, conserve energy and increases worker productivity.



-- call for pricing.

Ideal for loading docks, interior plant passages, freezers and personnel doors Ribbed strip reduces scratching from truck, cargo traffic, friction and static. The ribs on both sides create small air pockets for additional insulation and allow the strips to move apart easily as traffic passes through. The door kits below include our easy to install 14 ga. galvanized steel universal mounting hardware with permanent 1/4" studs and snap caps. FOB Shipping Point.

"Snap-On" the snap caps. These hold the strips firmly against the mounting hardware. This tight seal leaves no air gaps between the strips. Snaps on easily - no tools required.

Price

Ea.

\$18.18

27.26


72.61

HOW TO ORDER

Just choose door from list at least as large as your door opening size; oversized strips can be easily trimmed to your exact floor length. Special sizes also available; prices on request. Order No. H016-SPEC.

		8	" WIDE STRIP KIT			
	_		SMOO		RIBBI	
Size	Over-	Wt.	Product	Price	Product	Price
WxH	lap	(lbs.)	No.	Ea.	No.	Ea.
3' x 7'	50%	26	H17-210307G	\$90.94	H17-250307G	\$101.16
3' x 8'	50%	28	H17-210308G	100.44	H17-250308G	111.99
4' x 7'	50%	30	H17-210407G	121.25	H17-250407G	134.88
4' x 8'	50%	32	H17-210408G	133.92	H17-250408G	149.33
5' x 7'	50%	36	H17-210507G	151.56	H17-250507G	168.60
5' x 8'	50%	40	H17-210508G	167.40	H17-250508G	186.66
6' x 7'	50%	43	H17-210607G	181.87	H17-250607G	202.32
6' x 8'	50%	47	H17-210608G	200.88	H17-250608G	223.99
		12	" WIDE STRIP KITS	5 (0.120" 1	THICK)	
8' x 8'	67%	90	H17-310808G	391.69	H17-350808G	419.12
8' x 9'	67%	99	H17-310809G	432.52	H17-350809G	463.38
8' x 10'	67%	108	H17-310810G	473.35	H17-350810G	507.64
10' x 10'	67%	134	H17-311010G	591.69	H17-351010G	634.55
10' x 12'	67%	211	H17-311012G	693.77	H17-351012G	745.19
12' x 10'	67%	160	H17-311210G	710.03	H17-351210G	761.45
12' x 12'	67%	187	H17-311212G	832.52	H17-351212G	894.23
12' x 14'	67%	214	H17-311214G	955.01	H17-351214G	1,027.01
		16	" WIDE STRIP KIT	S (0.160"	THICK)	
12' x 12'	50%	217	H17-411212G	1,013.92	H17-451212G	1,058.81
12' x 14'	50%	249	H17-411214G	1,166.65	H17-451214G	1,219.01
14' x 12'	50%	253	H17-411412G	1,182.91	H17-451412G	1,235.27
14' x 14'	50%	290	H17-411414G	1,361.09	H17-451414G	1,422.18
15' x 12'	50%	269	H17-411512G		H17-451512G	1,323.51
15' x 14'	50%	309	H17-411514G	1,458.31	H17-451514G	1,523.77
AULT		1.1 6 11	1 11			

All kits available with full overlaps -- call for quote



PARTITIONS

Partition Systems/ Standard & Custom

• The Track & Roller Partition System is the ideal solution to industrial space utilization and organization.

Flexible partitions roll easily out of the way when you don't need it, or when you need access to partitioned areas. All partitions are constructed with nickel plated brass grommets every 12" across the top reinforced edge. Vinyls resist fire, water, oil, mildew, most acids and are CA. Fire Marshall (CFM) approved. Tear resistant. All partitions utilize the same hardware components. Rugged straight track and curved corners are made of 16 ga. hot dipped galvanized steel. 1" swivel hooks are fastened to 2 wheel, industrial strength nylon rollers which are designed for smooth, fluid movement. FOB Shipping Point.

HOW TO ORDER:

SELECT TYPE OF SYSTEM: Super-Vision, Weld-Vision, Privacy, Ventilator or Environmental Series Partitions. **MEASURE OFF AREA** to partition or enclose. Can be a straight run, 2, 3 or 4 sided or multi-station partition. DETERMINE THE HEIGHT and order partitions to the exact height required.

(Tolerance 1") Floors are not always even, take measurement from the highest point of the floor).

SELECT THE COLORS DESIRED: Super-Vision and Weld-Vision can be supplied with any color vinyl above and below the see thru section. Privacy Series is supplied in any solid color vinyl (no see thru section).

PLEASE SPECIFY COLOR CHOICES: White, Yellow, Green, Blue, Red, Gray or

Black. Environmental Series is translucent vinyl, Off-White only. HANGING OR MOUNTING METH-

ODS: Kits consist of panel, steel track, chain connector, threaded rod adapter, end stops and 2-wheel nylon roller hooks.



Rugged Universal Mounting Hardware

All hardware has a proven history of longevity and functional durability. Ask for details.

```
MADE IN USA
```



Weld-Vision



- Welding Booths
- Grinding Work Stations
- Cutting and Brazing Areas

Privacy



- Model Rooms and R&D Areas
- In-Plant Offices
- Employee Locker rooms

STRONG VINYL PARTITIONS resist fire, water, oil, mildew and most acids.

Super-Vision



• Wash Bays

Environmental



- Clean Rooms
- Thermal/Energy Retention
- Containment of Dust &
- **Airborne Contaminants**

	PARTITIONS							
	SUPER-VISION	WELD-VISION	ENVIRONMENTAL	PRIVACY				
Height Width	Product Price No. Ea.	Product Price No. Ea.	Product Price No. Ea.	Product Price No. Ea.				
8' 6' straight 8' 8' straight 8' 10' straight 8' 4' curve 10' 6' straight 10' 8' straight 10' 10' straight 10' 4' curve 12' 6' straight 12' 8' straight 12' 10' straight 12' 4' curve	H14071608 \$125.08 H14071808 166.79 H14071808 150.06 H14071610 139.27 H14776408 150.06 H14071610 139.27 H14071810 188.79 H14071610 220.25 H14776410 160.83 H14071612 149.71 H14071812 202.22 H14071012 237.65 H14776412 167.65	H14061608 \$124.57	H14101608 \$141.81 H14101808 185.97 H14101108 212.70 H14716408 152.98 H14101610 160.03 H14101810 209.40 H14101810 209.40 H14101612 178.22 H14716410 163.40 H14101612 232.83 H14101812 275.17 H14716412 174.63	H14021608 \$124.03 H14021808 163.11 H14021108 189.97 H14726408 142.83 H14021610 137.81 H14021610 180.83 H14021610 211.62 H14726410 150.70 H14021612 151.59 H14021812 198.54 H14021012 233.27 H14726412 159.40				



Ventilator™ Kit

Complimentary dock and enclosure product. Constructed of mesh vinyl. Easy to use. Practical as a sunscreen and the VentilatorTM is the environmentally friendly way to keep out pesky bugs. Mounts on traditional Glide-wall hardware. Available in Blue, Black or White. Call for details and pricing.

Custom Systems Available!

Please call dealer for a quote. Our knowledgeable staff can assist in solving specific or unusual in-plant, safety and noise problems. We can recommend the right combination among our standard products, or we'll design custom solutions that fit your particular needs.



ANTI-FATIGUE MATTING

Hog Heaven %" & %" Thick

• Standing on these anti-fatigue mats is just plain Hog Heaven!

An excellent anti-slip, anti-fatigue mat when wet. Slip coefficient of .86 – Certified by the National Floor Safety Institute. Electrically conductive with an electrical rating of 10 to the 4th ohms. Welding safe. 100% Nitrile rubber surface ages gracefully, minimizing cracking, tearing and rippling of the borders. May be pressure washed or hosed off for easy cleaning. Available in 5/8" or 7/8" thickness with Solid Black or Striped Yellow Borders for danger alerts. FOB Shipping Point.

HOG HEAVEN -- 5/8" THICK

		BLAC	ж		YELLOW BORDER
Size	Wt.	Product	Price	Product	Price
W x L	(Ibs.)	No.	Ea.	No.	Ea.
2 x 3'	6.6	H421-23	\$39.12	H423-23YB	\$47.83
3 x 5'	16	H421-35	94.60	H423-35YB	109.74
3 x 12'	37.3	H421-312	231.65	H423-312YB	268.74
4 x 6'	25.6	H421-46	157.28	H423-46YB	175.45
CUSTOM C	UT LENGTHS		Price Per Linear Ft.		Price Per Linear Ft.
33"W.	3.2/Lin. ft.	H421-33C	21.97	H423-33YBC	26.22
46"W.	4.3/Lin. ft.	H421-46C	29.31	H423-46YBC	34.97
58"W.	4.6/Lin. ft.	H421-58C	41.77	H423-58YBC	46.78

60' max. length











HOG HEAVEN -- 7/8" THICK

		BLAG		BLACK, YELLOW STRIPED BORDER		
Size	Wt.	Product	Price	Product	Price	
W x L	(Ibs.)	No.	Ea.	No.	Ea.	
2 x 3'	7.1	H422-23	\$44.35	H424-23YB	\$53.06	
3 x 5'	17.2	H422-35	107.05	H424-35YB	122.18	
3 x 12'	40.3	H422-312	262.40	H424-312YB	299.49	
4 x 6'	27.6	H422-46	178.15	H424-46YB	196.34	
CUSTOM CUT LENGTHS			Price Per Linear Ft.		Price Per Linear Ft.	
33"W.	3.5/Lin. ft.	H422-33C	24.80	H424-33YBC	29.00	
46"W.	4.6/Lin. ft.	H422-46C	33.08	H424-46YBC	38.69	
58"W.	5.3/Lin. ft.	H422-58C	47.12	H424-58YBC	52.78	
60' max lon	ath					

60' max. length

Cushion Max Anti-Fatigue Mats

- May be used in Food Service wet or dry areas.
- Available with drainage holes or solid deck top.

Cushion Max will not allow bacteria growth, extending the durability of this comfortable mat. The embossed diamond surface is slip-resistant. Produced with 5/8" Nitrile/PVC foam with all 4 sides beveled providing safe access coming and going. These mats are extremely comfortable, economically priced and are twice as durable as vinyl foam products. Available in 24", 36", 48" widths up to 45-feet in length. Custom lengths available in one foot increments up to 45-feet in length. Available in Charcoal. FOB Shipping Point.

Tivaliau	ne in Charcoai. I	OD Sinppi	ng i onn.			
Size W x L	CUSHIO Product No.	N MAX WIT Wt. (lbs.)	H HOLES Price Ea.	CUSHIO Product No.	N MAX SOLI Wt. (lbs.)	D DECK Price Ea.
2 x 3' 3 x 5' 3 x 12' 4 x 6'	H413-23 H413-35 H413-312 H413-46	4 8 18 12	\$23.49 58.71 140.89 93.94	H414-23 H414-35 H414-312 H414-46	4 8 18 12	\$23.49 58.71 140.89 93.94
	CUSTOM CUT LENGTHS		Price Per Linear Ft.			Price Per Linear Ft.
2'W. 3'W. 4'W.	H413-2C H413-3C H413-4C	1.1/Lin.Ft. 1.5/Lin.Ft. 2/Lin.Ft.	9.48 13.54 18.62	H414-2C H414-3C H414-4C	1.1/Lin.Ft. 1.5/Lin.Ft. 2/Lin.Ft.	9.48 13.54 18.62

45' max. length

Hog Heaven™ II Linkable Mats

• Outstanding anti-fatigue qualities for dry areas.

• Welding safe.

Solid 20% recycled Nitrile Rubber top surface has excellent chemical and oil resistance and provides longlasting comfort. Rubber surface remains flexible for the life of the product and will not curl or crack. Electrically conductive and certified slip-resistant by the National Floor Safety Institute. Grit Mats feature an added aggressive silicon carbide anti-slip top surface. Available in Black or Yellow striped border. FOB Shipping Point.

		HOG HE	AVEN™ II LINKAE	BLE MATS		
			BLACK B		YELLOW BO	
Size L x W	Description	Wt. (lbs.)	Product No.	Price Ea.	Product No.	Price Ea.
39% x 43¾" 36 x 43¾"	Linkable Mat End Linkable Mat Middle	21 19	H4210ME H4210MM	\$135.75 135.75	H4211ME H4211MM	\$140.8 140.8
	HO	G HEAVEN	™ II LINKABLE MA			
C		14/1	BLACK B		YELLOW B	
Size L x W	Description	Wt. (Ibs.)	Product No.	Price Ea.	Product No.	Price Ea.
39% x 43¾" 36 x 43¾"	Linkable Mat End Linkable Mat Middle	22 20	H4212ME H4212MM	\$156.12 156.12	H4213ME H4213MM	\$162.0 162.0
JU X 4J/4	LITRUDIE MUT MIUUIE	20	114212/1001	130.12	114213/////	102.0



472

FLOOR MATTING

Hog Heaven™ II Modular Tile Comfort

- Outstanding anti-fatigue qualities for dry areas.
- Welding safe.

• ³/["] thick

Solid 20% recycled Nitrile Rubber top surface has excellent chemical and oil resistance. Closed cell Nitrile Rubber cushion provides long lasting comfort. Rubber surface is molded to the cushion backing (not glued) so the surface will not delaminate. Rubber surface remains flexible for the life of the product and will not curl or crack. Electrically conductive and certified slip resistant by the National Floor Safety Institute. Recommended for distribution, manufacturing and retail facilities for picking lines, assembly lines, work stations, check-out stations and more. Includes Anchor Pads. Anchor Pad's adhesive is releasable, so tiles and mats can be repositioned. They are designed to not leave an adhesive residue on the floor. Borders available in Black or Yellow striped. FOB Shipping Point.

HOG HEAVEN™ II MODULAR TILE COMFORT BLACK BORDER Product YELLOW STRIPED BORDER Price Product Size L x W Wt Price Description (lbs.) No. No. Ea. Ea. 18 x 18" Middle Tile 3 H522-01 \$26.69 18 x 21%" H522-04 H522-05 34.12 40.88 Side Tile ٨ H522-02 \$35.23 Corner Tile 43.78 21% x 21%" H522-03 For square or rectangle applications only



Waterhog Hog[®] Lift Truck

- Slip-resistant.
- Perfect for wet environments.
- Indoor-Outdoor use.

These modular mats are easy to install and scalable for any application. The bi-level surface effectively removes moisture and dirt from lift truck wheels to improve lift truck safety. Mats are made from polypropylene and are easy to clean and fast drying. The durable rubber backing and polypropylene carpet top withstands lift truck traffic up to 14,000 lbs. Recommended for all buildings where lift trucks must enter and exit a building to and from the outside. Aggressive double sided adhesive taping system keeps tiles from moving (tape sold separately). FOB Shipping Point.

H253, 4 x 6' tile, Wt. 25 (lbs.) Price Ea. \$132.83

H1049, Double sided tape roll 3" x 108', Wt. 3Hand Wheel Chain (lbs.) Price Ea. \$40.69

Complete Comfort™ II

• Beveled edges for safe floor to mat transition.

• Welding safe and static dissipative.

High density closed cell Nitrile Rubber Cushion has 15% recycled content. Grease and oil proof, chemical resistant. Lifetime anti-microbial treatment to prevent odors and degradation. May be Autoclave sterilized. Certified slip resistant by the National Floor Safety Institute. Recommended for use in wet or dry environments for healthcare, food service and industrial applications. Available in Black. FOB Shipping Point.





Side Tile





Corner Tile

Sure Stride-Tacki Back

- Indoor and slip-resistant.
- Very low profile, reduces tripping hazard.

This high traction mat surface provides for a safe walking surface. Tacki back adhesive system keeps mat flat and in place - even with cart and buggy traffic. Moisture barrier keeps liquids from soaking through. Absorbs up to 10 gallons per roll - 25% more than similar competitive products. Mat is constructed from durable PET fiber and is easy to clean. Quick and easy to install. Cut individual mats as needed from roll (one cutting knife included per roll). Will perform up to 3 months under normal use. Recommended for commercial use on hard floor surfaces to prevent slips, trips and falls caused by wet floors. Certified High Traction by the National Floor Safety Institute. Smoke in color. FOB Shipping Point. H4450, 3' x 100' roll, Wt. 36 (lbs.) Price Ea. \$214.66 H4459, Cutting Board, Wt. 2 (lbs.) Price Ea. \$23.08 H4460, Cutting Knife, Wt. .02 (lbs.) Price Ea. \$4.62





Shown with Cutting Board and Knife



FLOOR MATTING

Happy Feet Anti-Fatigue Matting

• Versatile, comfortable and durable.

Electrically conductive for the ultimate in worker comfort. Welding safe. Grease proof Nitrile rubber top and bottom surface for the best in chemical and heat resistance. **Grip Surface** for wet work stations where maximum traction and/or scraping is crucial. **Texture Surface** for dry to damp areas that must provide lasting comfort in a 24/7 working environment. Certified by the National Floor Safety Institute as Anti-Slip matting. Environmentally friendly. FOB Shipping Point.

0		inany. I o'b ompp	8		
	HA	PPY FEET ANTI-FAT TEXTURED SU		NG	
Size W x L	Wt. (Ibs.)	BLACK, Y STRIPED E Product No.			
2 x 3' 3 x 5'	11 25	H465-23BL H465-35BL	\$53.94 134.83	H466-23YB H466-35YB	\$59.63 149.03
<i>c</i> :	147	GRIP SURF	K	BLACK, Y STRIPED E	BORDER
Size W x L	Wt. (lbs.)	Product No.	Price Ea.	Product No.	Price Ea.
2 x 3' 3 x 5'	11 25	H475-23BL H475-35BL	\$53.94 134.83	H476-23YB H476-35YB	\$59.63 149.03



Comfort Flow HD / Comfort Scrape HD Linkable Mats

• Lightweight and flexible for easy handling.

• Welding safe.

High Density Closed Cell Nitrile Rubber Cushion has 15% recycled content. Mats are grease and oil proof, static dissipative and certified slip resistant by National Floor Safety Institute. Beveled edges make for a safe transition from mat to floor. Lifetime anti-microbial treatment to prevent odors and degradation of the mat. Comfort Flow HD features drainage holes to allow liquids to flow through and Comfort Scrape HD has a non-draining surface.

Recommended for industrial and kitchen applications. Grit Mats have an added aggressive silicon carbide anti-slip top surface. FOB Shipping Point.

		0			COLUMN TWO IS NOT
Product		ORT FLOW HD	Wt.	Price	***
No.	Description	L x W	(lbs.)	Ea.	1000
H4434000001 H4434000002	Linkable Mat Middle Linkable Mat End	36 x 39" 37% x 39"	23 24	\$174.43 174.43	
	COMFORT FL	OW HD WITH GRIT			
H4436000001 H4436000002	Linkable Mat Middle Linkable Mat End	36 x 39" 37% x 39"	25 26	200.60 200.60	
	COMFO	RT SCRAPE HD			
H4435000001 H4435000002	Linkable Mat Middle Linkable Mat End	36 x 39" 37% x 39"	23 24	174.43 174.43	
	COMFORT SC	RAPE HD WITH GRIT			
H4437000001 H4437000002	Linkable Mat Middle Linkable Mat End	36 x 39" 37¼ x 39"	25 26	200.60 200.60	
				474	



Comfort Flow & Scrape Anti-Fatigue Matting

• Made of 100% Nitrile Rubber sponge cushion.

Comfort Scro

Closed cell cushion won't absorb chemicals or water. Grease proof. Welding safe. Certified by the National Floor Safety Institute as Anti-Slip matting. Environmentally friendly. FOB Shipping Point.

Comfort Flow...with drainable holes for areas with heavy spillage.


Comfort Scrape... for areas not experiencing heavy spillage of water or chemicals that need to drain through the matting.

	COMFORT FLOW DRAINABLE			COMFORT SCRAPE NON-DRAINABLE		
Size	Product	Wt	Price	Product	Wt.	Price
W x L	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.
2 x 3'	H420-23	6	\$36.49	H430-23	7	\$36.49
3 x 5'	H420-35	15	82.23	H430-35	17	82.23
3 x 9'	H420-39	30	164.46	H430-39	31	164.46
4 x 6'	H420-46	24	131.49	H430-46	26	131.49



STANDING SOLUTIONS





475

FLOOR MATTING

Waterhog Fashion




Medium **Red/Black** Dark Charcoal Evergreen Bordeaux Medium Navy Brown Brown Gray

WaterHog ECO Elite

• Easy to clean, resists fading and is UV stable.

Permanent rubber reinforced face yarn provides the highest performance for removing soil and water. The face yarn is made from 100% post-consumer recycled PET Polyester fabric from drink bottles. The 30-ounce Tri-denier fiber system is designed for heavy traffic in commercial and industrial entrances. Color Line available in Black Smoke, Indigo, Southern Pine, Gray Ash, Maroon, Chestnut Brown, Khaki and Regal Red please specify. WaterHog ECO Elite features a rubber border. WaterHog ECO Elite Fashion Border features a fabric border. FOB Shipping Point.

	WATERHOG ECO			TERHOG ECO ELI		
Size W x L	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (Ibs.)	Price Ea.
3 x 4'	H2240-34	11	\$65.86	H2241-34	11	\$65.86
3 x 5'	H2240-35	13	82.34	H2241-35	13	82.34
3 x 8½'	H2240-38	20	152.15	H2241-38	20	152.15
3 x 10'	H2240-310	24	164.65	H2241-310	24	164.65
3 x 12¼'	H2240-312	30	228.23	H2241-312	30	228.23
3 x 16'	H2240-316	40	304.31	H2241-316	40	304.31
4 x 6'	H2240-46	19	131.72	H2241-46	19	131.72
4 x 8½'	H2240-48	26	202.88	H2241-48	26	202.88
4 x 10'	H2240-410	31	219.54	H2241-410	31	219.54
4 x 12¼'	H2240-412	38	304.31	H2241-412	38	304.31
4 x 16'	H2240-416	50	405.75	H2241-416	50	405.75
6 x 6'	H2240-66	30	228.23	H2241-66	30	228.23
6 x 8½'	H2240-68	38	319.52	H2241-68	38	319.52
6 x 12¼'	H2240-612	59	464.06	H2241-612	59	464.06



Snow Melt Mat

• Unique reversible design.

A convenient and reliable solution for melting snow and ice from walkways. Unique reversible design permits electrical connection on right or left side of walkway. Waterproof electrical connection system with GFCI switch prevents electrical shock hazard. 6' power cord (120 volts) with GFCI switch as well as a 6' extension cord are both sold separately. 3' x 5' single connector mat can be used individually or up to 4 mats with two connectors can be sequenced together. Durable molded nitrile rubber construction is waterproof, UV resistant, and flexible in freezing temperatures. FOB Shipping Point.

SNOW MELT MAT								
Product	Description	Wt.	Price	Price	Price			
No.		(lbs.)	1-6	7-30	31+			
H886-35	One Connector Mat	32	\$470.54	\$447.00	\$432.89			
H887-35	Two Connector Mat	32	515.60	489.82	474.35			
H888-35	One Connector Mat with Powercord	32	524.65	498.42	482.86			
H889-01000	0 6' Cord w/GFCI	2	54.12	51.42	49.78			
H889-02000		2	48.46	46.05	44.58			



INDOOR AND OUTDOOR NTRANCE MATTING





weather conditions. The unique design has holes to drain water and debris away from the entrance, while the smooth top surface and beveled edges on all four sides make it wheelchair and cart friendly. A raised knobbed underside combined with the weight of the mat helps to eliminate mat movement. Oct-O-Flex[™] is the perfect choice for outside high traffic areas. FOB Shipping Point.




Product	Size	OCT-O-FLEX™	Wt.	Price
No.	W x L	Thickness	(lbs.)	Ea.
H599S0023BL	2 x 3'	1/2"	13	\$39.54
H599S0035BL	3 x 5'	1/2"	33	93.38
H599S0046BL	4 x 6'	1/2"	51	142.15

109 Brush Step®



Brush Step[®] features a lightweight double rib high/low design that performs the scraping function of the mat. The ribbed surface brushes, channels, and conceals dirt and debris and is the perfect choice for light to medium traffic areas. FOB Shipping Point.





Hunter Green

477

Product No.	BF Size W x L	RUSH STEP® Thickness	Wt. (Ibs.)	Price Ea.
H10950023 H10950034 H10950035 H10950036 H10950046 H10950048 H109500310	2 x 3' 3 x 4' 3 x 5' 3 x 6' 4 x 6' 4 x 8' 3 x 10'	%" %" %" %" %"	5 10 11 14 19 23 21	\$14.27 28.55 35.69 42.82 57.10 76.13 71.37
	F	ULL ROLLS		
H109R0036 H109R0048 H109R0072	3 x 60' 4 x 60' 6 x 60'	%" %" %"	139 185 278	428.23 570.98 856.46
CUSTOM CU	T LENGTHS UP TO 60)'	Prie	ce Per Sq. Ft.
H109C0036 H109C0048 H109C0072	3'W. x Length 4'W. x Length 6'W. x Length	%" %" %"	.77/sq. ft. .77/sq. ft. .77/sq. ft.	2.85 2.85 2.85

Master Flex[™] Series



The Master Flex[™] Series are modular rubber mat tiles with an open octagonal construction with large drainage holes and a thickness of one inch. The Master FlexTM system offers all the benefits of a matting tile that is easily installed, rearranged or replaced. The tiles cover sizable areas easily and can be assembled on-site for installation in recessed frames in large entrances. Made from a durable natural rubber compound that is inherently resilient,

anti-slip and withstands the heaviest foot traffic. The mat has excellent adherence and adapts to any surface while the raised studs underneath allow water to easily drain through, keeping the surface clean and dry. The mat tiles are also available with carpet inserts. The safety ramps provide a smart, sleek beveled edge to help minimize the risk of tripping. FOB Shipping Point.

MASTER FLEX™ Product								
Description	Thickness	Wt. (Ibs.)	Price Ea.					
Black 19¼ x 19¼" Mat Black Charcoal Carpet Insert 19¾ x 19¾" Mat	12" 12"	5.3 4.4	\$18.08 23.05					
RAMPS								
MALE FEMALE CORNER MALE/MALE CORNER MALE/FEMALE CORNER FEMALE/MALE CORNER FEMALE/FEMALE		2 2 4 4 4 4	8.05 8.05 12.65 12.65 12.65 12.65					
	Description Black 19% x 19%" Mat Black Charcoal Carpet Insert 19% x 19%" Mat RAMPS MALE FEMALE CORNER MALE/MALE CORNER MALE/MALE CORNER FEMALE/MALE	Description Thickness Black 19% x 19%" Mat %" Black Charcoal Carpet Insert ½" 19% x 19%" Mat RAMPS MALE FEMALE CORNER MALE/MALE CORNER MALE/MALE CORNER FEMALE/MALE CORNER FEMALE/MALE	Description Thickness Wt. (lbs.) Black 19% x 19%" Mat ½" 5.3 Black Charcoal Carpet Insert ½" 4.4 19% x 19%" Mat ½" 4.4 19% x 19%" Mat ½" 4.4 Corner Male 2 2 FEMALE 2 2 CORNER MALE/MALE 4 4 CORNER FEMALE/MALE 4 4					

130 Sabre™



A step above the commodity entrance mat, Sabre™ is designed for use in light-to-medium foot traffic areas. Sabre's™ durable Decalon[®] fibers provide moisture and dirt retention at entrances, lobbies, and passageways, reducing slip hazards and floor care maintenance. A vinyl non-slip backing helps to minimize mat movement. FOB Shipping Point.

Burgundy


Brown Slate Blue




Navy Blue Red/Black

	Green					
	130 \$4	ABRE™				
Product No.	Size W x L	Thickness	Wt. (Ibs.)	Price Ea.		
H130S0023 H130S0034 H130S0035 H130S0036 H130S0046 H130S0048 H130S0048 H130S0310	2 x 3' 3 x 4' 3 x 5' 3 x 6' 4 x 6' 4 x 8' 3 x 10'	56" %6" %6" %6" %6" %6" %6" %6"	5 10 12 14 19 24 23	\$16.65 33.31 41.63 49.96 66.61 88.82 83.27		
	FULL	ROLLS				
H130R0036 H130R0048 H130R0072	3 x 60' 4 x 60' 6 x 60'	5/6" 5/6" 5/6"	142 190 285	499.60 666.14 999.21		
CUST	FOM CUT LENGTHS UP TO 60'		Price	Per Sq. Ft.		
H130C0036 H130C0048 H130C0072	3'W. x Length 4'W. x Length 6'W. x Length	5/6" 5/6" 5/6"	.79/sq. ft. .79/sq. ft. .79/sq. ft.	3.17 3.17 3.17 3.17		

INDOOR/OUTDOOR ENTRANCE MATTING





Solid Grav

ŀ



Smoke












Charcoal

Deluxe Olefin Matting

- Color fast, non-staining olefin fiber is bonded to a solid vinyl base.
- Soaks up over 1 gallon of water per square yard.

Removes dirt and moisture with ease. Looks great too. Vinyl edge on all 4 sides. 3/4 thick. Available in Smoke, Charcoal, Walnut, Beige, Blue, Hunter Green, and Red/Black - please specify. FOB Shipping Point.



nter	Red/Bla
een	

DELUXE OLEFIN							
Product	Size	Wt.	Price				
No.		(lbs.)	Ea.				
HSO-34	3 × 4'	9	\$24.43				
HSO-35	3 × 5'	11	30.54				
HSO-36	3 x 6'	14	36.65				
HSO-310	3 x 10'	23	61.06				
HSO-46	4 x 6'	18	48.85				
HSO-48	4 x 8'	24	65.14				
HSO-410	4 x 10'	30	81.42				
HSO-360	3 x 60'	135	366.38/Roll				
HSO-460	4 x 60'	180	488.52/Roll				
HSO-660	6 x 60'	270	732.78/Roll				
CUSTOM LE	NGTH*	Price Pe	er Square Foot				
	3' x Length	1 lb.	\$2.55				
HSO-4SPC	4' x Length	per	2.55				
HSO-6SPC	6' x length	sq.ft.	2.55				
***	1 101						




Royale Matting

- Heavyweight construction for use in high-traffic areas.
- Crush-resistant carpet surface traps debris and moisture.

Heavyweight recycled rubber backing minimizes movement on carpet and hard floor surfaces. The dual fiber needlepunch carpet dries quickly, resists staining and fading and the specially designed bi-level surface effectively scrapes debris from passing shoes. Double border keeps debris and moisture off the floor. Available in

Onyx, Slate Gray, Walnut, Indigo Blue and Red/Black – please specify.	Product No.	ROYALE M Size	ATTING Wt. (lbs.)	Price Ea.
FOB Shipping Point.	HRM23	2 x 3'	8	\$19.17
	HRM35	3 x 5'	20	47.92
	HRM46	4 x 6'	31	76.69



Chevron Matti

- A unique Chevron pattern is v elegantly to rival the appearan high quality carpeting.
- Durable needle punched poly Hose off or vacuum when dry for eas cleaning. Vinyl backing with vinyl be on 4 sides. 3/8" thick. Available in Slat Charcoal, Brown, or Burgundy - ple FOB Shipping Point.

	Product	CHEVR	Wt.	Price			
ing	No.	Size	(lbs.)	Ea.		AND STREET, ST	Children and
woven	HCV-34 HCV-35	3 × 4' 3 × 5'	9 11	\$39.77 49.71			
nce of	HCV-36	3 x 6' 3 x 10'	14 23	59.65			Charcoal
	HCV-310		23	99.42 🚽		The state of the state	churcour
	HCV-46	4 x 6'	18	79.52	NEW AND A	Brown	
ypropylene.	HCV-48	4 x 8'	24 30	106.03		brown	
	HCV-410	4 x 10'		132.54			
asy	HCV-360	3 x 60'	135	596.45/Roll	COMPANY AND	计行行的工程性	
porders	HCV-460	4 x 60'	180	795.26/Roll	CORE CARD	NUT LENGT	
ite Blue,	HCV-660	6 x 60'		1,192.89/Roll	Contraction of the second of t		The second second second
	CUS	Tom Length*	Price	Per Square Foot	A CONTRACT OF A		CONTRACTOR OF
ease specify.	HCV-3SPC	3' x Length	.75 lb.	\$4.14	The second se	Burgundy	SF 18 34
	HCV-4SPC	4' x Length	per	4.14	The second se	Dongonay	122 21
	HCV-6SPC	6' x Length	per sq. ft.	4.14	Y		NUT WE B
	****	401					CONTRACTOR OF STREET, STRE

*Max. Length 60





Tough Rib Matting

Blue

• Indoor-outdoor mat features high-density fibers and

Cocoa

- dirt-trapping rib design. • Uniquely built for
- demanding heavy traffic, high soil areas.

Extra coarse denier solution dyed polypropylene fibers. Rugged non-staining vinyl backing with vinyl borders on 4 sides. Cleans by vacuuming, sweeping or hosing. %" thick. Available in Pepper, Blue, Cocoa, Solid Gray, Russet Red and Moss Green - please specify. FOB Shipping Point.

No.	Size	(lbs.)	Ea.
HTR-23 HTR-34 HTR-35 HTR-36 HTR-36 HTR-3 HTR-46 HTR-48 HTR-3 HTR-4 HTR-4	2 x 3' 3 x 4' 3 x 5' 3 x 6' 3 x 10' 4 x 6' 4 x 8' 3 x 60' 4 x 60'	6 12 15 18 30 24 32 180 240	\$13.92 27.83 34.80 41.75 69.58 55.66 74.23 417.51/Roll 556.69/Roll
ITR-6	6 x 60'	360	835.03/Roll
CUSTOM LEN	IGTH*	Price F	Per Square Foot
ITR-3SPC	3' x Length	1 lb.	\$2.32
ITR-4SPC	4' x Length	per	2.32
ITR-6SPC	6' x length	sq.ft.	2.32
Adams I are add	(0)		

Russet Red

TOUGH RIB

*Max. Length 60'



Walnut



ANTI-FATIGUE MATTING

Diamond Surface Anti-Fatigue Matting

• Choose from three thicknesses: $\%_6",\ ^{1}\!\%_6"$ and $^{15}\!\!\%_{16}".$

• Anti-fatigue mat.

Rugged diamond surface provides great traction and wear characteristics. This anti-fatigue mat is great for any industrial work area needing comfort. Features beveled edges for added safety. Surface resists common fluids, and is non-flammable. Thick foam technology provides great resilience and enhanced worker comfort while standing. Three year warranty on wear and delamination. Three thicknesses to choose from: %6", 1%6" and 1%6". Available in Black or Black with Yellow safety border. FOB Shipping Point.

%" Thickness


%" DIAMOND SURFACE ANTI-FATIGUE MATTING BLACK YELLOW BORDER							
Size	Product	Wt.	Price	Product	Wt.	Price	
W x L	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	
2 x 3'	HDS9-23B	9	\$33.88	HDS9-23YB	9	\$36.82	
3 x 5'	HDS9-35B	21	84.71	HDS9-35YB	21	92.03	
3 x 10'	HDS9-310B	45	169.42	HDS9-310YB	45	184.08	
			FULL ROLLS				
2 x 75'	HDS9-275B	225	\$847.06	HDS9-275YB	225	\$920.37	
3 x 75'	HDS9-375B	337	1,270.58	HDS9-375YB	337	1,380.54	
4 x 75'	HDS9-475B	450	1,694.12	HDS9-475YB	450	1,840.72	
CUSTOM LENGTHS UP TO 75'			Price Per Sq. Ft.		Price	e Per Sq. Ft.	
2'W. x Length	HDS9-2SPCB	1.5/sq. ft.	\$5.94	HDS9-2SPCYB	1.5/sq. ft.	\$6.45	
3'W. x Length	HDS9-3SPCB	1.5/sq. ft.	5.94	HDS9-3SPCYB	1.5/sq. ft.	6.45	
4'W. x Length	HDS9-4SPCB	1.5/sq. ft.	5.94	HDS9-4SPCYB	1.5/sq. ft.	6.45	


11/16" Thickness

	/10								
	11/16" DIAMOND SURFACE ANTI-FATIGUE MATTING								
			BLACK			YELLOW BORDER	2		
	Size	Product	Wt.	Price	Product	Wt.	Price		
	WxL	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.		
	2 x 3'	HDS11-23B	10	\$41.92	HDS11-23YB	10	\$45.51		
	3 x 5'	HDS11-35B	24	104.80	HDS11-35YB	24	113.75		
	3 x 10'	HDS11-310B	48	209.60	HDS11-310YB	48	227.51		
				FULL ROLLS					
	2 x 75'	HDS11-275B	250	\$1,047,97	HDS11-275YB	250	\$1,137.55		
	3 x 75'	HDS11-375B	380	1.571.94	HDS11-375YB	380	1,706.34		
	4 x 75'	HDS11-475B	500	2,095.92	HDS11-475YB	500	2,275.11		
	CUSTOM LENGTHS UP TO 75'			Price Per Sq. Ft.		Pric	e Per Sq. Ft.		
1	2'W. x Length	HDS11-2SPCB	1.6/sq. ft.	\$7.32	HDS11-2SPCYB	1.6/sg. ft.	\$7.97		
1	3'W. x Length	HDS11-3SPCB	1.6/sq. ft.	7.32	HDS11-3SPCYB	1.6/sq. ft.	7.97		
	4'W. x Length	HDS11-4SPCB	1.6/sq. ft.	7.32	HDS11-4SPCYB	1.6/sq. ft.	7.97		

¹⁵/₁₆" Thickness

1%6" DIAMOND SURFACE ANTI-FATIGUE MATTING								
Size	Product	BLACK Wt.	Price	Product	YELLOW BORDE	к Price		
WxL	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.		
2 x 3'	HDS15-23B	12	\$45.83	HDS15-23YB	12	\$49.95		
3 x 5' 3 x 10'	HDS15-35B HDS15-310B	30 60	114.57 222.98	HDS15-35YB HDS15-310YB	30 60	124.89 249.77		
3 X 10	10313-3100	00	FULL ROLLS	10313-31018	00	247.77		
2 x 75'	HD\$15-275B	300	\$1,145.71	HDS15-275YB	300	\$1,248.86		
3 x 75' 4 x 75'	HDS15-375B	450	1,718.55	HDS15-375YB	450	1,873.31		
	HDS15-475B GTHS UP TO 75'	600	2,291.40 Price Per Sq. Ft.	HDS15-475YB	600 Prid	2,497.74 e Per Sq. Ft.		
2'W. x Length	HDS15-2SPCB	2/sq. ft.	\$8.02	HDS15-2SPCYB	2/sq. ft.	\$8.74		
3'W. x Length	HDS15-3SPCB	2/sq. ft.	8.02	HDS15-3SPCYB	2/sq. ft.	8.74		
4'W. x Length	HDS15-4SPCB	2/sq. tt.	8.02	HDS15-4SPCYB	2/sq. ft.	8.74		






Diamond Surface in Black

Diamond Surface in Black with Yellow Safety Border



%" Thick Diamond Surface



¹¹/₁₆" Thick Diamond Surface



15%" Thick Diamond Surface

Strong Step


• Black Diamond Embossed.

• 1/2" Thickness.

Outlasts traditional one layer foam mats three to one. Dual density foam is a cost effective alternative to other laminated foam mats. Two layers with an extra tough surface layer provides long wearing durability. Limited three year warranty against wear and delamination. FOB Shipping Point.

11 0									
STRONG STEP									
Product No	Size	Wt. (lbs.)	Price Ea.						
HAS-23 HAS-35 HAS-310	2 × 3' 3 × 5' 3 × 10'	6 13 26	\$17.20 43.00 86.02						
		ROLLS							
HAS-260 HAS-360 HAS-460	2 x 60' 3 x 60' 4 x 60'	102 150 204	\$314.94 472.40 629.86						
CUSTOM LENGTHS U	JP TO 60'	Wt./Sq. Ft.	Price/Sq. Ft.						
HAS-2SPC HAS-3SPC HAS-4SPC	2'W. x Length 3'W. x Length 4'W. x Length	1	\$3.15 3.15 3.15 3.15						







MFORT

Comfort King[™] Matting

- ¾" patented Zedlan™ chemical resistance foam, anti-fatigue matting.
- · Provides 3 times the resilience of vinyl foam mats

Designed with ergonomics in mind -- by inducing natural flexing of muscles, these mats reduce the build up of lactic acid that causes fatigue. Greater resilience reduces strain on feet, ankles, legs and lower back. Abrasion and slip resistant -- surface is easy to clean. Fully beveled edges reduce tripping. Anti-static matting (109 ohms per square) features grounding cords. Available in Royal Blue, Black or Steel Gray -- please specify. FOB Shipping Point.

Black

MATTING TECHNOLOGIES **Fully** beveled edges reduce tripping. **Comfort Anti-Static** Comfort King

> Wt. (lbs.)

4.5 11

26

78 136

156

2.3 lbs. lin. Ft. 2.6 lbs. lin. Ft.

4.6 lbs. lin. Ft.

CROWN

Price

Ea.

\$52.52 107.08

232.07

626.13 939.18

1252.25

12.20

18.30 24.40

36.60

Price Per Lin. Ft.

Product No.	COMFOR Size	T KING Wt. (lbs.)	Price Ea.
HCK0023 HCK0035 HCK0312	2 x 3' 3 x 5' 3 x 12'	4.5 11 27	\$33.84 84.60 203.03
	ROL	LS	
HCK83824 HCK83836 HCK83848	2 x 60' 3 x 60' 4 x 60'	78 136 156	626.13 939.18 1,252.25
	CUSTOM I	LENGTHS Price	e Per Lin. Ft.
HCK83824C HCK83836C HCK83848C HCK83872C	2' Custom Cuts 3' Custom Cuts 4' Custom Cuts 6' Custom Cuts	2.3 lbs. lin. Ft. 2.6 lbs. lin. Ft.	12.20 18.30 24.40 36.60

Super-Spon Rolls/Super Foot-Lover	ige™ r Mats

Product

No.

HZC0023 HZC0035

HZC0312

HZC83824 HZC83836

HZC83848

HZC83824C

HZC83836C HZC83848C

HZC83872C

• 100% chemically blown, closed-cell PVC extra thick sponge provides proper leg and back support to prevent tired achy muscles.

COMFORT KING ANTI-STATIC

ROLLS

CUSTOM LENGTHS Pri stom Cuts 1.3 lb. lin. Ft.

Size

2 x 3' 3 x 5'

3 x 12'

2 x 60' 3 x 60'

4 x 60'

3' Custom Cuts 4' Custom Cuts

6' Custom Cuts

Custom Cuts

• Industrial-grade ribbed surface gives excellent traction.

Excellent for workstations, service counters, cashiers and assembly lines. Resistant to many common chemicals. Fully beveled edges reduce tripping. A great combination of economy with softness and comfort. ³/["] thick. Available in Black or Gray -- please specify. FOB Shipping Point.



SUPER SPONGE ROLLS							
Product No.	Size	Wt. (Ibs.)	Price Ea.				
HTS6W024-60 HTS6W036-60 HTS6W048-60 HTS6W072-60	3 x 60' 4 x 60'	184 245 1	\$547.86 821.78 095.72 643.58				
HTS6W024C HTS6W036C HTS6W048C HTS6W072C	CUSTOM LEN 2' Custom Cuts 3' Custom Cuts 4' Custom Cuts 6' Custom Cuts	3.1 lbs./lin. Ft 4.1 lbs./lin. Ft	10.67 16.00 21.34				
S Product No.	UPER FOOT-LO Size	VER MATS Wt. (lbs.)	Price Ea.				
HT6W023 HT6W035	2 x 3' 3 x 5'	8 17	\$30.62 76.53				



Product No. GEI	SAFEWALK LI Size NERAL PURPOS	Wt. (lbs.)	Price Ea.				
HWSCT35-BK	3 x 5'	27	\$73.40				
HWSCT31-BK	3 x 10'	54	180.74				
HWSCT15-BK	3 x 15'	81	291.23				
HWSCT32-BK	3 x 20'	108	388.45				
GREASE PROOF - TERRA COTTA							
HWSCT35-TC	3 x 5'	29	120.81				
HWSCT31-TC	3 x 10'	58	269.79				
HWSCT15-TC	3 x 15'	87	404.60				
HWSCT32-TC	3 x 20'	116	539.34				



Safewalk[™] Liaht Matting

- Heavy duty rubber allows easy drain-through of liquids and debris.
- Raised rib design provides superior traction in wet or dry conditions.

Designed especially for food service use, food processing, packaging, kitchens, bars and cafeterias. Features great drainage, aeration and worker anti-fatigue comfort. Smooth surface for easier clean-up. Grease-proof terra cotta recommended for fry stations, cook lines and greasy industrial stations. 1/2" thick. FOB Shipping Point. 480

Worker's

- Made from %" patented Zedlan[™] to create the ultimate ergonomic mat.
- High performance Zedlan Foam is softer and more resilient than vinyl foam.

Perfect for machine shops, shipping and packing areas, factories, counters and cashiers. Resistant to most common chemicals. Beveled edges on all sides. Available in Black Deck Plate (BK), Gray Deck Plate (GY) or Black w/Yellow Border (YB) -- please specify. 3 year guarantee against delamination. FOB Shipping Point.



Exclusive Fusion Technology

WORKER'S DELIGHT - 1/11 THICK MATS							
Product No.	Size	Wt. (Ibs.)	BLACK OR GRAY Price Eq.	BLACK w/YELLOW BORDER Price Ea.			
HWD1223 HWD1235 HWD1232	2 x 3' 3 x 5' 3 x 12'	10.5 26.5 63	\$69.06 172.64 414.35	\$72.98 182.43 437.83			
		%" THICK	ROLLS				
HWDR1224-75 HWDR1236-75 HWDR1248-75	2 x 75' 3 x 75' 4 x 75'	200 394 525	1,691.92 2,537.87 3,383.82	1,766.73 2,650.08 3,533.45			

ERGONOMIC SPONGE MATTING

Soft Spun Matting

Ideal for "picking lines" with fragile items to prevent loss from breakage. Sponge vinyl matting reduces fatigue, protects floors and controls noise.

Perfect for checkout and service stations. Choose Pebble or Ribbed finish matting. Available in Black, Gray or Black with Yellow border. Custom cut lengths available to 60'. FOB Shipping Point.

	SOFT SPUN-PEBBLE FINISH								
					ACK	GR		YELLOW BO	
	Size	Thickness	Wt. (lbs.)	Product No.	Price Ea.	Product No.	Price Ea.	Product No.	Price Ea.
	2 x 3' 3 x 5'	3%" 38"	4 10	HSSP-23 HSSP-35	\$13.18 32.97	HSSP-23-G HSSP-35-G	\$13.18 32.97	HSSP-23-Y HSSP-35-Y	\$16.05 40.11
	0 \ 0	78	10	11351 05	ROLI		02.77	11351 05 1	40.111
	2 x 60' 3 x 60' 4 x 60'	%" %" %"	78 117 156	HSSP-3824 HSSP-3836 HSSP-3848	242.63 363.95 485.28	HSSP-3824-G HSSP-3836-G HSSP-3848-G	242.63 363.95 485.28	HSSP-3824-Y HSSP-3836-Y HSSP-3848-Y	290.11 435.17 580.22
(CUSTOM C	CUT* Wt	./Sq. Ft.	P	rice/Sq. Ft.	Pric	e/Sq. Ft.	Prie	ce/Sq. Ft.
	2' x lengt 3' x lengt 4' x lengt	n %"	0.72 0.72 0.72	HSSP-2SPC HSSP-3SPC HSSP-4SPC	2.02 2.02 2.02	HSSP-2SPC-G HSSP-3SPC-G HSSP-4SPC-G	2.02 2.02 2.02	HSSP-2SPC-Y HSSP-3SPC-Y HSSP-4SPC-Y	2.42 2.42 2.42
	Ŭ			SOF	T SPUN-RIE	BED FINISH			
				BLACK		GRAY		YELLOW BORDER	
	C ¹		Wt.	Product	Price	Product	Price	Product	D .
	Size	Thickness	(lbs.)	No.	Ea.	No.	Ea.	No.	Price Ea.
	2 x 3' 3 x 5'	Thickness %" %"		No. HSSR-23 HSSR-35					
	2 x 3'	36"	(lbs.) 4	HSSR-23	Ea. \$13.18	No. HSSR-23-G HSSR-35-G	Ea. \$13.18	No. HSSR-23-Y	Ea. \$16.05
	2 x 3'	36"	(lbs.) 4	HSSR-23	Ea. \$13.18 32.97	No. HSSR-23-G HSSR-35-G	Ea. \$13.18	No. HSSR-23-Y	Ea. \$16.05
	2 x 3' 3 x 5' 2 x 60' 3 x 60'	%" %" %" %"	(Ibs.) 4 10 78 117	HSSR-23 HSSR-35 HSSR-3824 HSSR-3836 HSSR-3848	Ea. \$13.18 32.97 ROLL 242.63 363.95	No. HSSR-23-G HSSR-35-G S HSSR-3824-G HSSR-3836-G HSSR-3848-G	Ea. \$13.18 32.97 242.63 363.95 485.28	No. HSSR-23-Y HSSR-35-Y HSSR-3824-Y HSSR-3836-Y HSSR-3848-Y	Ea. \$16.05 40.11 290.11 435.17
	2 x 3' 3 x 5' 2 x 60' 3 x 60' 4 x 60'	%" %" %" CUT* Wt n %" n %"	(lbs.) 4 10 78 117 156	HSSR-23 HSSR-35 HSSR-3824 HSSR-3836 HSSR-3848	Ea. \$13.18 32.97 ROLL 242.63 363.95 485.28	No. HSSR-23-G HSSR-35-G S HSSR-3824-G HSSR-3836-G HSSR-3848-G	Ea. \$13.18 32.97 242.63 363.95	No. HSSR-23-Y HSSR-35-Y HSSR-3824-Y HSSR-3836-Y HSSR-3848-Y	Ea. \$16.05 40.11 290.11 435.17 580.22

*Max. length 60'

Corrugated Matting

- All purpose runner combines durable protection for floors with easy maintenance.
- V-Ribbed surface provides sure-footed traction.
- Great for automotive and machine shop areas.

All-purpose, flexible [%] PVC runner allows for improved safety. 100% PVC compound resists grease, oil and other common chemicals. Available with anti-fatigue [%] PVC surface bonded to a [%] closed-cell foam base for added comfort. No Glue Bond means no delamination, extending the life of your mat. Custom cut lengths on runners to 105'; custom cut lengths on anti-fatigue matting to 75'. FOB Shipping Point.

|--|--|



Wide Rib

Bonded to %" Base

	1/8" CORRUGATED RUNNER						
	(CORRUGATED		W	IDE RIB		
Size	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	
2 x 105' 3 x 105'	HCR-BK24 HCR-BK36	142 208	\$357.88 536.80	HWR-BK24 HWR-BK36	142 208	\$357.88 536.80	
4 x 105'	HCR-BK48	277	715.74	HWR-BK48	277	715.74	
6 x 105'	HCR-BK72	416	1,073.62	HWR-BK72	416	1,073.62	
2' x Length*	HCR-BK24SPC	. <u>7</u> sq. ft.	1.71/sq. ft.	HWR-BK24SPC	. <u>7</u> sq. ft.	1.71/sq. ft.	
3' x Length*	HCR-BK36SPC	.7 sq. tt.	1.71/sq. ft.	HWR-BK36SPC	.7 sq. ft.	1.71/sq. ft.	
4' x Length*	HCR-BK48SPC	.7 sq. ft.	1.71/sq. ft.	HWR-BK48SPC	.7 sq. ft.	1.71/sq. ft.	
6' x Length*	HCR-BK72SPC	.7 sq. ft.	1.71/sq. ft.	HWR-BK72SPC	.7 sq. tt.	1.71/sq. ft.	
	1/2		SEVENTH HEAV	VEN WITH WIDE R			
		BLACK		Y	ELLOW BORDEI	र	
2 x 3'	HCSH23	8	\$34.02	HCSH23-YB	8	\$38.71	
3 x 5'	HCSH35	20	85.00	HCSH35-YB	20	96.74	
3 x 10'	HCSH310	40	170.03	HCSH310-YB	40	193.49	
2' x Length**	HCSHC24	1.3 sq. ft.	5.66/sq. ft.	HCSHC24-YB	1.3 sq. ft.	6.45/sq. ft.	
3' x Length**	HCSHC36	1.3 sq. ft.	5.66/sq. ft.	HCSHC36-YB	1.3 sq. ft.	6.45/sq. ft.	
4' x Length**	HCSHC48	1.3 sq. ft.	5.66/sq. ft.	HCSHC48-YB	1.3 sq. ft.	6.45/sq. ft.	
* L L L L T		1 70					

*Max. length 105' **Max. length 75'







Seventh Heaven Matting

• Designed for standing workstations, checkout areas and reception areas.

• Reduces stress and increases circulation.

Durable marbleized rubber surface is adhered to comfortable, resilient closed-cell sponge base to provide anti-fatigue comfort. Edges are beveled. '/'' thick. When cleaned regularly, durable surface resists common chemicals and solvents. Not recommended for high heels, casters or stool legs. Available in Tan, Brown/Ivory, Blue, Gray and Black/White – please specify. Custom cut lengths available to 60'. FOB Shipping Point.

SEVENTH HEAVEN MATTING										
Product	Size	Wt.	Price							
No.		(lbs.)	Ea.							
HSH-2436	2 x 3'	9	\$47.08							
HSH-3660	3 x 5'	23	117.68							
HSH-36120	3 x 10'	46	235.37							
	ROLLS									
HSH-260	2' × 60'	180	940.31							
HSH-360	3' × 60'	270	1,410.46							
HSH-460	4' × 60'	360	1,880.62							
CUSTOM CUT*		Wt./Sq. Ft.	Price/Sq Ft.							
HSH-24LF	2' x Length	1.5	7.83							
HSH-36LF	3' x Length	1.5	7.83							
HSH-48LF	4' x Length	1.5	7.83							

*Max. length 60'



Marbleized Cushion Matting

- Ideal for service counters and assembly lines.
- Attractive long lasting durable surface resists common chemicals.

A marbleized PVC surface is bonded to a closed cell sponge base for maximum comfort. Easy to clean surface allows for use of common solvents and chemicals without causing damage. Edges are beveled for safety. ½" thick. Not guaranteed against damage from high heels, casters or stool legs. Available in Black/White, Blue and Gray/Black/White – please specify. FOB Shipping Point.

Product No.	MARBLEIZED CUSHIO Size	N MATTING Wt. (lbs.)	Price Ea.
HMCM-2436 HMCM-3660	2 × 3' 3 × 5'	9 23	\$38.45 96.12
	ROLLS		
HMCM-260 HMCM-360 HMCM-460	2 x 60' 3 x 60' 4 x 60'	180 270 360	768.00 1,152.00 1,536.00
CUSTOM CUT*		Wt./Sq. Ft.	Price/Sq Ft.
HMCM-24LF HMCM-36LF HMCM-48LF	2' x Length 3' x Length 4' x Length	1.5 1.5 1.5	6.40 6.40 6.40
*Max length 60'	- 3		

*Max. length 60'

Anti-Fatigue RAINAGE MATS

Kushion Safe & Kushion Safe Deluxe

- Available with GritTuff[™] surface for increased traction and safety.
- Cushion support reduces fatigue and helps prevent accidents.
- Molded beveled edges to increase safety and reduce tripping.

Drainage holes allow liquids and waste to pass through matting. Nibs elevate mat above the

surface to allow easy drainage of fluids away from mat. Ideal for dry, wet, oily and greasy industrial workstations, workcells, bar and kitchen areas or food processing workstations. GritTuff™ mats have a durable, abrasive surface for increased traction in wet or dry areas. GritTuff[™] available in Black only. Custom configurations available -- call dealer for details

Kushion Safe

Lighter weight for easier handling and cleaning. 1/2" thick rubber drainage mat. Available in grease-proof red, grease-resistant black or black GritTuffTM. FOB Shipping Point.

Kushion Safe Deluxe

Thick 7/8" rubber construction eases workers fatigue and increases productivity. Grease-proof red recommended for areas using harsh industrial fluids and greases. Also available in grease-resistant black or black GritTuff™. FOB Shipping Point.



GritTuff™ increases traction, adds durability and is impervious to fluids.



X-Connector is an easy way to join multiple Kushion Safe **Deluxe mats together to** cover larger areas.

	KUSHION SAFE										
	GREASE-RE	SISTAI	NT BLACK	GREAS	E-PRC	OOF RED	GRI	TTUFF	тм		
	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price		
Size	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.		
3 x 5'	H30035	23	\$49.28	H30535	23	\$59.11	H30135	30	\$78.82		
3 x 10'	H300310	45	127.12	H305310	45	150.97	H301310	60	186.89		
3 x 15'	H300315	68	194.97	H305315	68	231.03	H301315	90	277.57		
3 x 20'	H300320	90	260.62	H305320	90	306.69	H301320	120	367.69		

KUSHION SAFE DELUXE										
	GREASE-RE	SISTAI				OF RED	GRI	TTUFF	тм	
	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price	
Size	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	
3 x 5'	H31135	36	\$76.48	H31235	36 \$	126.09	H31335	44	\$89.83	
3 x 10'	H311310	72	180.82	H312310	72	279.48	H313310	87	224.72	
3 x 15'	H311315	108	268.83	H312315	108	423.48	H313315	131	337.03	
H392720	920 X-con	ector	for Kushio	n Safe Delu	xe Blo	ick only				

Wt. .063 (lbs.) Price Ea. \$2.42

Safety Grit Anti-Slip Tape

• Suitable for industrial, food service or recreational applications. • Provides sure footing from water, grease or oils.

Safe traction is assured with this tough adhesive-backed grit surface. Mineral particle surface on adhesive Mylar backing. Carbide grit surface. Available in Black. 1/16" thick. FOB Shipping Point.

Modular Kushion Safe

- Available with GritTuff[™] surface for increased traction and safety.
- Built-in interlocking connectors to securely connect one or more sections to cover large areas.
- Available in solid deck style or with drainage holes.

Ideal for oily, greasy workstations, bar and kitchen areas, food processing work cells and more. 5/8" thick rubber construction helps relieve fatigue and increases productivity. Styles with drainage holes allow liquid and waste to pass through matting. Smaller sections for easy handling and cleaning. Available in Grease-Resistant Black or Grease-Proof Red. Solid Deck and GritTuff™ available in Black only. FOB Shipping Point.



Drainage Holes

Red

with





GritTuff™ with Solid Deck

Easily assembles together for larger work areas.



	MODUL	AR KUSHI	ON SAFE (DRA	INAGE HOLES	5)	
		RESISTAN			SE-PROOI	FRED
	Product	Wt.	Price	Product	Wt.	Price
Size	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.
3 x 3'	H30733	22	\$40.34	H30833	22	\$47.22
	MO	DULAR KU	SHION SAFE (S	OLID DECK)		
	GREASE-	RESISTAN	I BLACK			
3 x 3'	H31533	24	\$50.29	-	-	-
	GRITTUFF™ /	MODULAR	KUSHION SAF	E (DRAINAGE	HOLES)	
		GREAS	E-RESISTANT BI	ACK		
	Product		,	Wt.		Price
Size	No.			lbs.)		Ea.
3 x 3'	H30933	}		22		\$52.22
	GRITTUFF	MODUL	AR KUSHION S	AFE (SOLID D	ECK)	
			-RESISTANT BL			
3 x 3'	H31733			27		\$83.78



Size		Y GRIT ANTI-SLI Product No.	P Price Per Box of 50
5½ x 5½"	7	H3100-5.5X5.5	\$77.43
6 x 24"	15	H3100-6X24	332.51
V	Vt. Per Rol	ROLLS	Price Per Roll
1" x 60'	1.7	H3100-1	\$28.52
2" x 60'	3.4	H3100-2	58.29
3" x 60'	5.1	H3100-3	85.45
4" x 60'	6.8	H3100-4	114.06
6" x 60'	9	H3100-6	170.88
12" x 60'	18	H3100-12	319.78

Standard color is Black

MATTING

Barefoot® Ergonomic Flooring

- Engineered and designed right from the beginning to have the characteristics that produce Anti-Fatigue results.
- So effective, its received more Patents, Awards and Honors than any other ergonomic flooring product in history.

In the laboratory, Barefoot® Ergonomic Flooring has made it through 1 million cycles of use without a loss of performance. On the floor, 50,000 sq. ft. of Barefoot®

still looks new in Toledo, after year of use. The material in Barefoot® is so pure, it is compatible for clean rooms up to and including Class 1,000. With a record like this, it is no wonder that Barefoot® is made with some of the best materials available. FOB Shipping Point.



ars is	Product No.	Application	Surface	Form	Size	Wt. (lbs.)	Price Ea.
	HSBFS23 HSBFS34	Dry Areas Dry Areas	Solid Solid	Module Module	2 × 3' 3 × 4'	8 16	\$56.07 112.13
S	HNBFS23 HNBFS34 HNBFD34	Oily, Wet Areas Oily, Wet Areas Oily, Wet Areas	Solid Solid Drain-Thru	Module Module Module	2 x 3' 3 x 4' 3 x 4' Drain Through	8 16 16	65.33 130.67 138.67
						Price Per I	inear Ft.
	HSBFS2-Length HSBFS3-Length HSBFS4-Length HSBFS6-Length	Dry Areas Dry Areas Dry Areas Dry Areas	Solid Solid Solid Solid	Roll Roll Roll Roll	2'W. x 3' Multiples 3'W. x 2' Multiples 4'W. x 3' Multiples 6'W. x 2' Multiples	1.3 Sq. Ft. 1.3 Sq. Ft. 1.3 Sq. Ft. 1.3 Sq. Ft. 1.3 Sq. Ft.	22.40 33.60 44.80 74.00
	HNBFS2-Length HNBFS3-Length HNBFS4-Length HNBFS6-Length	Oily, Wet Areas Oily, Wet Areas Oily, Wet Areas Oily, Wet Areas	Solid Solid Solid Solid	Roll Roll Roll Roll	2'W. x 3' Multiples 3'W. x 2' Multiples 4'W. x 3' Multiples 6'W. x 2' Multiples	1.3 Sq. Ft. 1.3 Sq. Ft. 1.3 Sq. Ft. 1.3 Sq. Ft. 1.3 Sq. Ft.	25.47 38.20 50.93 84.00
	HNBFD3-Length HNBFD4-Length HNBFD6-Length	Oily, Wet Areas Oily, Wet Areas Oily, Wet Areas	Drain-Thru Drain-Thru Drain-Thru	Roll Roll Roll	3'W. x 4' Multiples 4'W. x 3' Multiples 6'W. x 4' Multiples	1.3 Sq. Ft. 1.3 Sq. Ft. 1.3 Sq. Ft. 1.3 Sq. Ft.	40.60 54.13 89.20
	Rolls maximum 120'L	. Please specify Length.	\$134.00 minim	um order.			

USA Made • Most Patents • Most Awards • Most Effective • 8 Year Warranty

Bubble Mat

- Hollow "Air Dome" back provides dozens of air pockets.
- The ultimate anti-fatigue mat for all-day comfort.

Ideal for work stations, cash registers, service counters, industrial settings and more. Molded safety edges on all sides eliminates potential tripping hazards. Resilient rubber construction does not compress over time. Grease and oil resistant. Made of premium black molded rubber -- raised bubble pattern. ½" thick. FOB Shipping Point.

BUBBLE MAT								
Product No.	Size	Wt. (lbs.)	Price Ea.					
HBM-BK23	2 x 3'	9	\$23.80					
НВМ-ВКЗ4	3 x 4'	23	44.15					

Diamond Plate Matting

• Diamond Plate pattern provides an abrasion and slip resistant wear surface.

• For use in high traffic areas.

Diamond Plate runner is %6" thick PVC diamond surface runner. The ¹%6" Diamond Plate Seventh Heaven has a durable %6" PVC surface bonded to a ½" thick Ergo-FlexTM foam for increased comfort and resiliency. Non-flammable wear surface resists most common fluids and most chemicals. Beveled edges for safety. Available with optional yellow border for added safety. FOB Shipping Point.



3/16" DIAMOND PLATE RUNNER									
		BLACK		YELLOW BORDE	R				
Size	Wt.	Product	Price	Product	Price				
	(Ibs.)	No.	Ea.	No.	Ea.				
3 x 75'	203	HDP-3	\$498.46	HDPY-3	\$650.77				
3' x length*	.9 sq. ft.	HDP-SPC	2.22/sq. ft.	HDPY-SPC	2.89/sq. ft.				
	11,	/16" SUPREME D	IAMOND PLATI	E SEVENTH HEAVEN					
2 x 3'	10	HDPSH23-B	\$39.95	HDPSH23-YB	\$45.92				
3 x 5'	24	HDPSH35-B	99.92	HDPSH35-YB	114.83				
3 x 10'	48	HDPSH310-B	199.83	HDPSH310-YB	229.66				
3' x length*	1.6/sq. ft.	HDPSH36-B	6.66/sq. ft.	HDPSH36-YB	7.65/sq. ft.				

*Max. length 75'

1/4" Switchboard Corrugated

- Durable 1/4" PVC corrugated runner improves safety with increased traction.
- Easy to clean surface.

Designed to protect workers from high voltage equipment. Dielectric strength up to 30,000 volts(VAC). Recommended maximum usage - 17,000 volts(VAC). Color Black. Custom sizes available -check with dealer for pricing. FOB Shipping Point.




o b ompp										
1/4" SWITCHBOARD CORRUGATED MATTING STANDARD SIZES CUSTOM CUT ROLLS										
Size	Product	Wt.	Price	Size	Product	Price Per				
	No.	(Ibs.)	Ea.	(Up to 75' Length)	No.	Sq. Ft.				
2 x 75'	H700275	262	\$863.74	2' Wide	H7002	\$6.91				
3 x 75'	H700375	400	1,048.35	3' Wide	H7003	5.83				
4 x 75'	H700475	525	1,727.48	4' Wide	H7004	6.91				

Finger Scrape

- High quality, heavy-duty rubber mat that provides long-lasting brush off action.
- Gets dirt and moisture off shoes fast.

Thousands of sturdy yet flexible "bristles" are molded into the mat, which collects mud, slush and snow at the base of the mat. The buoyancy and resilience of the bristles make this a high performance anti-fatigue mat. Slip-resistant base helps keep mat in position. Beveled borders help prevent tripping. Easy to clean – turn over, shake out or hose off. Black in color.

FOB Shipping Point.



Detail

FINGER SCRAPE									
Product	Size	Wt.	Price						
No.		(lbs.)	Ea.						
H0438022	24 x 32"	10	\$18.20						
H0438023	32 x 39"	15	24.54						
H0065856	36 x 60"	27	73.57						
H0438024	36 x 72"	33	77.05						

Apache Industrial MATTING

9/16" Diamond Foot™

- Industrial grade anti-fatigue matting.
- Durable PVC surface bonded to a
- closed-cell ergonomic PVC foam base.

Industry favorite diamond pattern provides an abrasion and slip-resistant surface. Surface resists common fluids, most chemicals and is nonflammable. Beveled edges on all mats. Limited 3-Year guarantee against wear and delamination. Custom configurations are available. FOB Shipping Point.

9/16" Overall Thickness DIAMOND FOOT™ BLACK DIAMOND FOOTTM BLACK YELLOW Price Product Wt. Product Size Wt Price No WxL (lbs.) Ea. No. (lbs.) Ea. H39065090023 2 x 3' 9 \$36.22 H390650900323 \$39.21 H39065090035 H390650900335 3 x 5 21 90.55 21 98.03 181.11 905.54/Roll H3906509003310 H390650900310 3 x 10' 45 45 196.06 225 225 H390650900275 980.31/Roll H3906509003275 2 x 75 H390650900375 3 x 75 337 1358.31/Roll H3906509003375 337 1470.46/Roll H390650900475 $4 \times 75^{\circ}$ 450 1811.08/Roll H3906509003475 150 1960.62/Roll CUSTOM LENGTH* Price Per Sq. Ft. Price Per Sq. Ft. H39065090032X 1.5 lb. H3906509002X 2' x length 1.5 lb. 6.34 6.87 6.34 H3906509003X 3' x length H39065090033X 6.87 per per 4' x length sq. ft. 6 34 sq. ft. H3906509004X H39065090034X 6 87

*Max. length 75'



Supreme SlipTech™

- Provides unparalleled comfort compared to other composite mats.
- Aggressive NEW 3/16" "RUBBERIZED" durable top surface is bonded to 1/2" ErgoFlex™ anti-fatigue foam.
- Significant INCREASE in coefficient of friction when compared to the best wear-surfaces in the industry.


Revolutionary surface outlasts other surface materials and provides improved traction and comfort by adding an extra layer of comfort to the mat surface. Wear-surface will resist most common chemicals. Beveled edges on all mats and rolls. 3 year limited warranty against wear and delamination. FOB Shipping Point.

minied warranty against wear and detainmation. I O'D ompping I onte.									
SUPRE	SUPREME SLIPTECH™ BLACK					CK/YELLOW			
Product	Size	Wt.	Price	Product	Wt.	Price			
No.	WxL	(lbs.)	Ea.	No.	(lbs.)	Ea.			
H39136090023	2 x 3'	10	\$49.85	H39136090323	10	\$55.25			
H39136090035	3 x 5'	23	124.62	H39136090335	23	138.12			
H391360900310	3 x 10'	46	249.23	H391360903310	46	276.23			
H391360900260	2 x 60'	183	996.92/Roll	H391360903260	183	1104.92/Roll			
H391360900360	3 x 60'	274	1495.38/Roll	H391360903360	274	1657.38/Roll			
H391360900460	4 x 60'	365	1993.85/Roll	H391360903460	365	2209.85/Roll			
CUSTO	M LENGTH*		Price Per Sq. Ft.		Р	rice Per Sq. Ft.			
H3913609002X	2' x length	1.66 lb.	8.72	H3913609032X	1.66 lb.	9.66			
H3913609003X	3' x length	per	8.72	H3913609033X	per	9.66			
H3913609004X	4' x length	sq. ft.	8.72	H3913609034X	sq. ft.	9.66			

*Max. length 75

apache mills

15/16″ Ultimate Diamond Foot™



• Specially formulated Ergo-Flex[™] enhanced cell foam provides superior resilience and comfort.

Beveled edges reduce tripping. 3 year limited warranty. Custom configurations are available. FOB Shipping Point.

				15/	/16" Overal Thickness
TE DIAMONE	FOOT	™ BLACK I	ULTIMATE DIAMOND F	OOT™	BLACK/YELLOW
Size	Wt.	Price	Product	Wt.	Price
W x L	(lbs.)	Ea.	No.	(lbs.)	Ea.
2 x 3'	12	\$48.85	H3956509003375	12	\$53.34
3 x 5'	30	122.12		30	133.34
3 x 10'	60	244.25		60	266.68
2 x 75'	300	1221.23/Roll		300	1333.38/Roll
3 x 75'	450	1831.85/Roll		450	2000.08/Roll
4 x 75'	600	2442.46/Roll		600	2666.77/Roll
A LENGTH*		Price Per Sq. Ft	t.	F	Price Per Sq. Ft.
2' x length	2.0 lb.	8.54	H39565090032X	2.0 lb.	9.33
3' x length	per	8.54	H39565090033X	per	9.33
4' x length	sq. ft.	8.54	H39565090034X	sq. ft.	9.33
	Size W x L 2 x 3' 3 x 5' 3 x 10' 2 x 75' 3 x 75' 4 x 75' A LENGTH* 2' x length 3' x length	Size Wr. (lbs.) 2 x 3' 12 3 x 5' 30 3 x 10' 60 2 x 75' 300 3 x 75' 450 4 x 75' 600 A LENGTH* 2' x length 2' x length 2.0 lb.	Size Wt. Price W x L (lbs.) Ea. 2 x 3' 12 \$48.85 3 x 5' 30 122.12 3 x 10' 60 244.25 2 x 75' 300 122.12,ARoll 3 x 75' 450 1831.85/Roll 4 x 75' 600 2442.46/Roll A LENGTH* Price Per Sq. Fl 2' x length 2.0 lb. 8.54 3' x length per 8.54	Size Wt. Price Product W x L (lbs.) Ea. No. 2 x 3' 12 \$48.85 H395650900323 3 x 5' 30 122.12 H395650900333 3 x 10' 60 244.25 H3956509003310 2 x 75' 300 122.12,Roll H3956509003375 3 x 75' 450 1831.85/Roll H3956509003375 4 x 75' 600 2442.46/Roll H3956509003475 A LENGTH* Price Per Sq. Ft. Y 2' x length per 8.54 H39565090032X	Line Product Wt. Price Product Wt. W x L (lbs.) Ea. No. (lbs.) (lbs.) Cline No. No. (lbs.) Cline No. No. No. No. No. </td

ArmorStep[™]

½" thick enhanced, wear-resistant top surface naturally bonded to a closed-cell PVC foam base outlasts traditional one-layer foam matting!

A cost effective alternative to other laminated foam-based products. 1/2" thick closed-cell foam structure resists moisture and common chemicals and provides all-day comfort and relief from standing. Beveled edges for increased safety. Limited lifetime warranty against product delamination. FOB Shipping Point.



7/8" Safety Tru-Tread™

- Heavy duty construction with durable, colored
- beveled borders.

• Anti-fatigue matting for wet, greasy and dry environments.

Made of grease-resistant black rubber. Mat elevated to drain away fluids. 3-Year limited warranty. FOB Shipping Point.

SAFETY TRU-TREAD™									
Product		Wt.	Price						
No.	Size	(lbs.)	Ea.						
H465042840	28 x 40"	22	\$71.63						
H465044052	40 x 52"	38	131.87						
H465044064	40 x 64"	49	137.96						
H4650440124	40 x 124"	92	267.80						
Development and a second		Vallan alaa							

Border color available in Orange or Yellow -- please specity 4 sided border pricing shown -- call for 3-sided pricing.





FLOOR MATTING

apache mills

⁵∕⁸" Performa[™] 100N

• 100% Nitrile Matting will resist petroleum-based fluids.

⁵/₈" thick, 3' x 3' mat with two-sided connectors that are built-in so you can join multiple mats together to quickly create larger mats. Disconnects for easy cleaning and maintenance. Drainage holes allow fluids to pass through. Available with slip-resistant and fluid-insoluble industrial mineral Grit TuffTM coating -- call for pricing. Optional 3" female and male yellow safety borders are easy to install -- sold separately. FOB Shipping Point.

5/a" D	ERFORMA™	100N			5⁄%" PERFORMA™	100N			A CONTRACTOR OF
Product	Size	Wt.	Price		YELLOW SAFETY BO				8800
No.	WxL	(lbs.)	Ea.	Product		Size	Wt.	Price	
H39-279-0923-3X3	3 x 3'	22	\$81.07	No.	Description	WxL	(lbs.)	Ea.	Shown with Yellow Safety
				H39-279-0938-3X39	Male Border	3 x 39"	1	\$20.77	Borders (sold separately)
				H39-279-0937-3X39	Female Border	3 x 39"	1	20.77	



Diamond Deluxe Soft Foot

• 1/2" 100% blown vinyl sponge with popular diamond deckplate embossed surface.

Popular diamond deckplate surface anti-fatigue matting offers comfortable underfoot cushioning. ¹/₂" thickness provides extra relief over traditional ³/₈" Soft FootTM products. Reduces pressure or pain caused by prolonged standing. Closed-cell, single layer vinyl foam recommended for dry to low moisture environments. Solid Black or Black with Yellow safety borders. Manufactured beveled edges on standard sizes help reduce trips or falls. FOB Shipping Point.

1/2" DIAMOND DELUXE SOFT FOOT™								
		BLACK			BLACK/YELLOW			
Size	Product	Wt.	Price	Product	Ŵt.	Price		
WxL	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.		
2 x 3'	H20-570-0900-23	6	\$22.10	H20-570-0903-23	6	\$23.59		
3 x 5'	H20-570-0900-35	15	55.25	H20-570-0903-35	15	58.98		
3 x 12'	H20-570-0900-312	33	132.59	H20-570-0903-312	33	141.56		
2 x 60'	H20-570-0900-260	120	402.09	H20-570-0903-260	120	428.68		
3 x 60'	H20-570-0900-360	180	603.14	H20-570-0903-360	180	643.02		
4 x 60'	H20-570-0900-460	240	804.18	H20-570-0903-460	240	857.35		
4 x 60'	H20-570-0900-460	240	804.18	H20-570-0903-460	240	857.35		

ErgoFlex[™]

- Specially formulated foam for unparalleled resilience and cushioning for ultimate work comfort.
- Recommended for use in automotive and industrial work areas, service counters and laboratories.

Designed and manufactured to accommodate the most demanding work environments, these mats are the next generation in foam technology. ½" thick closed-cell PVC foam formulation is extra tough for long lasting performance. Handles most common fluids and stays buoyant even at low temperatures. Aggressive pebbleembossed surface enhances traction and durability. Beveled edges reduce tripping. 3-year limited warranty. FOB Shipping Point.

		1	/2" ERGOFLE	X™		
		BLACK			CK/YELL	ow
Size	Product	Wt.	Price	Product	Wt.	Price
WxL	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.
2 x 3'	H45-270-0900-23	6	\$22.93	H45-270-0903-23	6	\$23.93
3 x 5'	H45-270-0900-35	15	57.32	H45-270-0903-35	15	59.82
3 x 10'	H45-270-0900-310	30	114.65	H45-270-0903-310	30	119.63
2 x 60'	H45-270-0900-260	120	425.35	H45-270-0903-260	120	446.95
3 x 60'	H45-270-0900-360	180	638.03	H45-270-0903-360	180	670.43
4 x 60'	H45-270-0900-460	240	850.71	H45-270-0903-460	240	893.91
6 x 60'	H45-270-0900-660	360	1,276.06	-	-	-

Infinity Collection Montage™

• Recycled rubber molded carpet entrance mat.

The ultimate high performance green matting made from recycled materials. 88% recycled matting with Leed Contribution. Abrasive, extra course needle punch crush proof carpet scraping surface. The multi-directional rib pattern combined with extra deep channels further enhances the scrapping action. Needle punch carpet is molded to rugged recycled rubber backing. Amazing water absorption. Holds up top 1.5 gallons of water per square foot. Heavy duty engineered commercial beveled edging allows for wheels and caster traffic. Available in Steel Grey (1732), Chocolate (1419), Marine Blue (1532) or Charcoal (1901) – please specify. FOB Shipping Point.



485

INFINITY Product No.	COLLECTION - Size W x L	MONTAGE™ Wt. (lbs.)	M Price Ea.
H40-402-32 H40-402-35 H40-402-36 H40-402-310 H40-402-320 H40-402-360 H40-402-64 H40-402-610 H40-402-620 H40-402-620 H40-402-660	3 x 2' 3 x 5' 3 x 6' 3 x 10' 3 x 20' 3 x 60' 6 x 4' 6 x 10' 6 x 20' 6 x 60'	6 15 18 29 58 173 23 57 113 338	\$29.08 72.69 87.23 145.38 290.77 959.54 116.31 290.77 581.54 1,919.08



matting manufactured, one scrap tire and four plastic bottles are saved from entering American landfills.

SPONGE MATTING



Alisatical

10 Airug

419 Diamond Sof-Tred™ w/Dyna-Shield®



Diamond Sof-Tred[™] is a durable anti-fatigue mat with a non-directional diamond deck plate top surface that allows for sure footing. The Notrax[®] exclusive Dyna-Shield[®] sponge is manufactured with a tough protective top layer that provides long lasting wear and is tear resistant with tensile strength. Designed for use in medium duty dry work areas such as labs, packaging stations, and shipping departments. FOB Shipping Point.

DIAMOND SOF-TRED™ W/DYNA SHIELD®								
C '		14/1			Black w/Yellow			
Size W x L	Thickness	Wt. (lbs.)	Product No.		Product No.	Price Ea.		
		• •						
2 x 3'	1/2"	5	H419S0023BL		H419S0023BY	\$23.79		
2 x 6'	1/2"	9.7	H419S0026BL		H419S0026BY	47.58		
3 x 4'	1/2"	10	H419S0034BL	45.68	H419S0034BY	47.58		
3 x 5'	'X"	12.2	H419S0035BL	57.10	H419S0035BY	59.48		
3 x 6'	1/3"	14.4	H419S0036BL	68.52	H419S0036BY	71.37		
3 x 12'	1/2"	28.5	H419S0312BL		H419S0312BY	142.74		
			FULL ROLLS					
2 x 60'	1/3"	94	H419R0024BL	456.78	H419R0024BY	475.81		
3 x 60'	1/2"	155	H419R0036BL	685 17	H419R0036BY	713.72		
4 x 60'	1/2"	184.5	H419R0048BL		H419R0048BY	951.63		
CUSTC	OM CUT LEN	IGTHS UP	PTO 60' Price	Per Sq.	Ft. Price Pe	er Sq. Ft.		
2'W x Ler	nath ½" .7	78/sa. ft.	H419C0024BL	4.19	H419C0024BY	4.36		
3'W x Ler		78/sa ft	H419C0036BL		H419C0036BY			
4'W x Ler			H419C0048BL		H419C0048BY	4.36		
	igin 72 .7	0, 39. 11.	11417 6004002	-1.17	11417004001	4.00		

415 Pebble Step Sof-Tred™ w/Dyna-Shield®



The non-directional pebble embossed top surface of Pebble Step Sof-TredTM provides excellent traction. The Notrax[®] exclusive Dyna-Shield[®] sponge is manufactured with a tough protective top layer that provides long lasting wear and is tear resistant with tensile strength. Designed for use in medium duty dry work areas. FOB Shipping Point.

PEBBLE STEP SOF-TRED™ W/DYNA SHIELD [®] Solid Black Black w/Yellow Borders								
Size W x L	Thickness	Wt. (lbs.)	Product No.	Price Ea.	Product No.	Price Ea.		
2 x 3' 2 x 6' 3 x 4' 3 x 5'	%" %" %" %"	4.1 7.56 7.56 10.2	H415S0023BL H415S0026BL H415S0034BL H415S0035BL	36.54	H415S0023BY H415S0026BY H415S0034BY H415S0035BY	\$19.03 38.07 38.07 47.58		
3 x 6' 3 x 12'	36" 36"	12 23.7	H415S0036BL H415S0312BL FULL ROLLS	54.81 109.63	H415S0036BY H415S0312BY	57.10 114.20		
	%" %" %"	76 114.6 150.9	H415R0024BL H415R0036BL H415R0048BL	548.14	H415R0024BY H415R0036BY H415R0048BY	380.65 570.98 761.30		
CUSTC	DM CUT LEN			Per Sq. F	t. Price Pe	er Sq. Ft.		
2'W x Len 3'W x Len 4'W x Len	igth %" .e	64/sq. ft.	H415C0024BL H415C0036BL H415C0048BL	3.35	H415C0024BY H415C0036BY H415C0048BY	3.49 3.49 3.49		

508 Diamond Cushion™

Diamond Cushion[™] is manufactured with a PVC closed cell foam that relieves leg and back discomfort while providing a barrier to cold floors. This mat has a diamond pattern top surface for added traction and makes it easy to sweep away dirt and debris. FOB Shipping Point.

DIAMOND CUSHION™								
			Solid Bl		Black w/Yellow Borders			
Size	-1.1.1	Wt.	Product	Price	Product	Price		
WxL	Thickness	(lbs.)	No.	Ea.	No.	Ea.		
2 x 3'	1/2"	5	H508S0023BL	\$19.03	H508S0023BY	\$19.03		
2 x 6'	1/2"	9	H508S0026BL	38.07	H508S0026BY	38.07		
3 x 4'	1/2"	10	H508S0034BL	38.07	H508S0034BY	38.07		
3 x 5'	1/2"	12	H508S0035BL	47.58	H508S0035BY	47.58		
3 x 6'	1/2"	14	H508S0036BL	57.10	H508S0036BY	57.10		
3 x 12'	1/2"	29	H508S0312BL	114.20	H508S0312BY	114.20		
			FULL ROLLS					
2 x 60'	1/2"	94	H508R0024BL	380.65	H508R0024BY	380.65		
3 x 60'	1/2"	142	H508R0036BL	570.98	H508R0036BY	570.98		
4 x 60'	1/2"	190	H508R0048BL	761.30	H508R0048BY	761.30		
CUSTO	OM CUT LEN	IGTHS U	P TO 60' Price	Per Sq.	Ft. Price P	er Sq. Ft.		
2'W x Lei	ngth ½" .7	79/sq. ft.	H508C0024BL	3.49	H508C0024BY	3.49		
3'W x Lei	ngth ½" .7	79/sq. ft.	H508C0036BL	3.49	H508C0036BY	3.49		
4'W x Lei	ngth ½" .7	79/sq. ft.	H508C0048BL	3.49	H508C0048BY	3.49		



410 Airug[®]/411 Sof-Tred[™]

Airug[®] is an economical solution for workstations where workers are standing for long periods of time and basic anti-fatigue is needed. The PVC closed cell foam relieves leg and back discomfort while providing a barrier to cold floors. Sof-Tred™ features an embossed pebble-texture top surface that enhances the mat's slip resistance while providing increased worker fatigue relief. Sof-Tred™ is intended for applications where basic anti-fatigue relief is required at a low cost. FOB Shipping Point.

Size W x L	AIRUG [®] Product No.	%" THICKN Wt. (lbs.)	IESS Price Ea.	AIRUG Product No.	® %" THICK Wt. (lbs.)	NESS Price Ea.
27 x 36" 27 x 60" 2 x 3' 3 x 5' 3 x 12'	H410S3273 H410S3275 H410S0323 H410S0335 H410S3312	3.5 5.6 3 9 17	\$14.99 24.98 13.32 33.31 79.94	H410S5273 H410S5275 H410S0523 H410S0535	4 12 7 15 -	\$25.85 43.06 22.98 57.41
		FULL	ROLLS			
2 x 60' 3 x 60' 4 x 60' 6 x 60'	H410R0324 H410R0336 H410R0348 H410R0372	68 103 137 162	266.46 399.68 532.91 799.37	H410R0524 H410R0536 H410R0548	110 166 221	226.01 339.02 452.02
CUSTOM CUT	LENGTHS UP	TO 60' Pr	ice Per Sq	.Ft.	Price Pe	r Sq. Ft.
2'W x Length 3'W x Length 4'W x Length	H410C0336	.45/Sq. Ft .45/Sq. Ft .45/Sq. Ft	2.44	H410C0524* H410C0536* H410C0548*	.92/Sq. Ft. .92/Sq. Ft. .92/Sq. Ft.	3.30
*Up to 30' len		ack and BY	for Black)	w/Yellow Borde	r	

dd **BL** to Product No. tor Black and **BY** tor Black w/Yellow Border

	SOF-TRED	™ %" THI	CKNESS	SOF-TRE	D™ %₀" TI	HICKNESS
Size	Product	Wt.	Price	Product	Wt.	Price
WxL	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.
2 x 3'	H411S0323BL	3		H411S0423BL	5	\$22.98
3 x 5'	H411S0335BL	9		H411S0435BL	12	57.43
3 x 12'	H411S3312BL	21	79.94	H411S4312BL	29	137.83
		FULL	ROLLS			
2 x 60'	H411R0324BL	68	266.46	H411R0424BL	96	451.63
3 x 60'	H411R0336BL	103	399.68	H411R0436BL	144	677.43
4 x 60'	H411R0348BL	137	532.91	H411R0448BL	192	903.24
	LENGTHS UP TO		rice Per S		Price F	Per Sq. Ft.
2'W x Length	H411C0324BL	.45/Sq. I	t. 2.44	H411C0424BL	.80/Sq. F	t. 3.22
3'W x Length	H411C0336BL	.45/Sq. F	t. 2.44	H411C0424BL H411C0436BL H411C0448BL	.80/Sq. F	t. 3.22
4'W x Lenath	H411C0348BL	.45/Sa.	Ft. 2.44	H411C0448BL	.80/Sa. F	t. 3.22



CUSHION-EASE ATTING

MATS FOR PROFESSIONAL USE

550 Cushion-Ease®/650 Niru® Cushion-Ease®/ 850 Niru[®] Cushion-Ease[®] GSII™



that excels in extreme wet environments. FOB Shipping Point.

Cushion-Ease[®] is a modular anti-fatigue matting system that offers exceptional fatigue relief. All Cushion-Ease® mats have a male/female interlocking system and are compatible with Notrax® M.D. Ramps for easy on-site custom configurations and trip-resistant platforms.

Large holes provide excellent drainage and aeration leaving a dry work area. Cushion-Ease® mats are available in both grease resistant, and grease-proof versions with select products (red only) manufactured with MicroStopTM antimicrobial rubber that inhibits the growth of bacteria and fungi. 550 Cushion-Ease® is made with a 100% Nitrile rubber compound. 850 Niru[®] Cushion-Ease[®] GSII is a high performance modular matting system

		CUSHION-EASE®							
Product No.	Size W x L	Thickness	Wt. (Ibs.)	Price Ea.					
H550S0033BL H550S0035BL	3 x 3' 3 x 5'	3/4" 3/4"	24 39	\$57.10 99.13					
	NIRU	J [®] CUSHION-EASE [®]	D						
H650S0033BL H650S0035BL	3 x 3' 3 x 5'	3/4" 3/4"	23 40	96.85 161.43					
	NIRU	[®] CUSHION-EASE [®]	FR						
H650SFR33BL	3 x 3'	3/1"	33	110.25					
	NIRU®	° CUSHION-EASE [®] (SSII						
H850S0033BL H850S0035BL	3 x 3' 3 x 5'	3/4" 3/4"	24 42	147.57 245.89					
	NIRU [®] CUSHION-EASE [®] FR/GSII								
H850SFR33BL	3 x 3'	3/4"	33	159.05					

556 Cushion-Ease® Solid /656 Niru® Cushion-Ease® Solid/ 856 Niru® Cushion-Ease® GSII™ Solid/558 Cushion-Ease® ESD Solid

556 Cushion-Ease® Solid has a solid-top design with an anti-slip surface texture for added traction, 656 Niru[®] Cushion-Ease[®] Solid is made with a 100% Nitrile rubber compound. Providing unmatched durability and performance in harsh environments, the Nitrile rubber offers a greater resistance to a variety of commonly found caustic chemicals, cutting fluids, animal fats, oils, and greases. 856 Niru[®] Cushion-Ease[®] GSIITM Solid is a high performance modular matting system that excels in extreme environments. Also made with 100% Nitrile rubber compound, this mat provides the highest degree of resistance to chemicals, oils, and animal fats. The Silicon Carbide grit surface offers long-lasting traction in the harshest conditions. The 558 Cushion-Ease Solid ESD is an



Electro Static Discharge (ESD) protective mat that is formulated to drain static electricity from workers to safeguard against static shocks and protect equipment. A rubber, anti-slip pebble top surface provides excellent traction. The 3' x 3' snap together tiles allow for easy, on-site customization. FOB Shipping Point.

	CUS	HION-EASE [®] SOLID					
Product	Size		Wt.	Price			
No.	WxL	Thickness	(lbs.)	Ea.			
H556S0033BL	3 x 3'	3/4"	24	\$57.10			
	CUSHIC	ON-EASE [®] SOLID ER	GO				
H557S0033BL	3 x 3'	34"	24	71.37			
CUSHION-EASE® SOLID ESD							
H558S0033BL	3 x 3'	34"	24	83.08			
	NIRU [®] (CUSHION-EASE [®] SO	LID				
H656S0033BL	3 x 3'	3/4"	29	96.85			
	NIRU [®] CU	JSHION-EASE [®] SOL	ID FR				
H656FR33BL	3 x 3'	34"	30	104.38			
	NIRU [®] CUS	HION-EASE [®] SOLID	GSII™				
H856S0033BL	3 x 3'	34"	30	147.57			
	NIRU [®] CUSH	IION-EASE [®] SOLID F	R/GSII™				
H856SFR33BL	3 x 3'	3/4"	33	159.05			

557 Cushion-Ease® Ergo™

557 Cushion-Ease[®] Ergo[™] is a modular rubber anti-fatigue matting system with a bubble-top design and a multi-nib backing to enhance the comfort and ergonomic support of the mat. The top surface of Cushion-Ease[®] Ergo[™] has an anti-slip texture for added traction. Cushion-Ease® ErgoTM mats can also be combined with other Cushion-Ease® family products. FOB Shipping Point.



551/552 Cushion-Ease®

Male and Female Cushion-Ease® Ramps are available in Black and Yellow. They create a smart safety beveling solution that minimizes trip hazards. The ramps can also be combined with other Cushion-Ease® family products. FOB Shipping Point.

Product No.	Description	M. D. RAMPS Size W x L	Thickness	Wt. (lbs.)	Price Ea.
H551F0003BL H551F0003YL H551M0003BL H551M0003YL H552F0003BL	Female-Black Female-Yellow Male-Black Male-Yellow Female-Black	2" x 36" 2" x 36" 2" x 36" 2" x 36" 2" x 36" 6" x 36"	34" 34" 34" 34" 34" 34" 34"	1.6 1.6 1.8 1.8 5.8	\$14.15 17.62 14.15 17.62 27.69
H552F0003YL H552M0003BL H552M0003YL	Female-Yellow Male-Black Male-Yellow	6" x 36" 6" x 36" 6" x 36"	34" 34" 34"	5.8 5.8 5.8	30.77 27.69 30.77





DIAMOND PLATE MATTING



479 Cushion Trax[®] & 975 Cushion Trax[®] Ultra™

The Cushion Trax[®] anti-fatigue floor mat is engineered to meet the toughest requirements of today's industrial applications and is particularly suited for multi-shift operations in dry work areas. The durable vinyl diamond-plate design provides non-directional traction. The top surface is combined with a dense closed cell foam base utilizing Notrax[®] exclusive UniFusion™ technology virtually eliminating the possibility of de-lamination. All Notrax[®] laminate floor mats come standard with RedStop™, a uniquely engineered non-slip backing technology that eliminates the slipping and sliding of floor mats on smooth surface flooring such as tile, wood, marble, and treated concrete. Cushion Trax[®] Ultra™ has a thickness of ¼" which provides worker productivity and comfort. FOB Shipping Point.

			CUSHION TRA Blac		Black w/Yello	w Borders				C	USHION TRAX [®] (Blac		Black w/Yellow	/ Borders
Size W x L	Thicknes	Wt. s (lbs.)	Product No.	Price Ea.	Product No.	Price Ea.		Size V x L	Thickness	Wt. (Ibs.)	Product No.	Price Ea.	Product No.	Price Ea.
2 x 3' 3 x 5' 3 x 12'	%6" %6" %6"	9 20 48	H479S0023BL H479S0035BL H479S0312BL	\$41.12 102.82 246.74	H479S0023YB H479S0035YB H479S0312YB	\$45.69 114.23 274.15	3	2 x 3' 3 x 5' 3 x 12'	34 II 34 II 34 II 34 II	9.3 23.25 55.8	H975S0023BL H975S0035BL H975S0312BL	\$47.62 119.05 285.70	H975S0023YB H975S0035YB H975S0312YB	\$51.14 127.86 306.86
5 × 12	/16	40	FULL ROLLS	240.74	1147 75051210	2/4.13		5 × 12	74	55.0	FULL ROLLS	205.70	1177 33031218	500.00
2 x 75' 3 x 75'	%6" %6"	215 320	H479R2475BL H479R3675BL	952.32 1,428.49	H479R2475YB H479R3675YB	1,082.19 1,623.28		2 x 75' 3 x 75'	3/4" 3/4"	233 349	H975R2475BL H975R3675BL	1,163.95 1,785.61	H975R2475YB H975R3675YB	1,278.58 1,917.87
4 x 75' 5 x 75'	%6 " %6 "	425 510	H479R4875BL H479R6075BL	1,904.65 3,074.39	H479R4875YB H479R6075YB			4 x 75' 5 x 75'	34" 34"	465 582	H975R4875BL H975R6075BL	2,380.81 3,536.23	H975R4875YB H975R6075YB	2,557.17 3,891.50
CUSTON	A CUT LEN	GTHS UP TO	75' Prie	e Per Sq. F	t. Price	Per Sq. Ft.		CUSTOM C	CUT LENG	THS UP TO	75' Pri	ce Per Sq. I	t. Price	Per Sq. Ft.
2'W x Leng 3'W x Leng 4'W x Leng 5'W x Leng	yth %。" yth %。"	1.36/sq. ft. 1.36/sq. ft. 1.36/sq. ft. 1.36/sq. ft.	H479C0024BL H479C0036BL H479C0048BL H479C0608BL	7.29 7.29 7.29 9.11	H479C0024YB H479C0036YB H479C0048YB H479C0060YB	8.02 8.02 8.02 10.02	3' 4'	W x Length W x Length W x Length W x Length	34" 34"	1.55/sq. ft. 1.55/sq. ft.	H975C0024BL H975C0036BL H975C0048BL H975C0060BL	8.28 8.28 8.28 9.95	H975C0024YB H975C0036YB H975C0048YB H975C0060YB	8.82 8.82 8.82 10.37

Saddle Trax[™] is a thicker, heavier and stronger anti-fatigue floor mat, engineered to meet the toughest requirements of today's industrial applications. At a full one-inch thick, it is the ultimate anti-fatigue product maximizing worker productivity and comfort. The durable vinyl diamond-plate design provides non-directional traction. The top surface is combined with a dense closed cell foam base utilizing Notrax[®] exclusive UniFusion[™] technology virtually eliminating the possibility of de-lamination. All Notrax[®] laminate floor mats come standard with RedStop[™], a uniquely engineered non-slip backing technology that eliminates the slipping and sliding of floor mats on smooth surface flooring such as tile, wood, marble, and treated concrete. FOB Shipping Point.

Size W x L	Thickness	Wt. (lbs.)	SADDLE TRA) Black Product No.		Black w/Yello Product No.	w Borders Price Ea.	
2 x 3' 3 x 5' 3 x 12'	1" 1" 1"	12 30 72	H979S0023BL H979S0035BL H979S0312BL	\$51.77 129.43 310.63	H979S0023YB H979S0035YB H979S0312YB	\$56.27 140.68 337.64	
FULL ROLLS							
2 x 75' 3 x 75' 4 x 75' 5 x 75'	1" 1" 1" 1"	300 450 600 750	H979R2475BL H979R3675BL H979R4875BL H979R6075BL	2,588.59	H979R2475YB H979R3675YB H979R4875YB H979R6075YB	1,406.84 2,110.26 2,813.68 4,341.19	
CUSTOM	CUT LENG	THS UP TO) 75' Prio	e Per Sq. F	t. Price	Per Sq. Ft.	
2'W x Leng 3'W x Leng 4'W x Leng 5'W x Leng	th 1" th 1"	2/sq. ft. 2/sq. ft. 2/sq. ft. 2/sq. ft.	H979C0024BL H979C0036BL H979C0048BL H979C0060BL		H979C0024YB H979C0036YB H979C0048YB H979C0060YB	9.84 9.84 9.84 12.12	

979 Saddle Trax™





509 Diamond-Tuff™ & 510 Diamond-Tuff™ Max

Diamond-TuffTM is a durable anti-fatigue/anti-slip mat with a vinyl diamond plate top surface that provides sure footing and a foam base for added comfort. Diamond-TuffTM is available in both workstation sizes and full rolls for applications that require a longer mat such as assembly lines. The diamond plate top surface is easy to sweep or damp mop clean. Diamond-TuffTM Max is a durable anti-fatigue/anti-slip mat with a vinyl diamond plate top surface that provides sure footing and a full 1" thick foam base for maximum comfort. FOB Shipping Point.

Size W x L	Thicknes	Wt. s (lbs.)	DIAMOND-TUF Black Product No.		Black w/Yellov Product No.	v Borders Price Ea.
2 x 3' 3 x 5'	%6 " %6 "	9 20	H509S0023BL H509S0035BL		H509S0023YB H509S0035YB	\$38.98 97.43
			FULL ROL	LS		
2 x 75' 3 x 75'	%6" %6"	215	H509R2475BL H509R3675BL		H509R2475YB	974.20
4 x 75'	%16"	320 425	H509R4875BL	1,870.45	H509R3675YB H509R4875YB	1,461.30 1,948.39
5 x 75'	%6"	545	H509R6075BL	2,486.54	H509R6075YB	2,584.62
		GTHS UP TO		ce Per Sq. I	t. Price	Per Sq. Ft.
2'W x Lengt	h %。"	1.44/sq. ft.	H509C0024BL	6.49	H509C0024YB	6.79
3'W x Lengt	h %"	1.44/sq. ft.	H509C0036BL	6.49	H509C0036YB	6.79
4'W x Lengt	h %。"	1.44/sq. ft.			H509C0048YB	6.79
5'W x Lengt		1.44/sq. ft.	H509C0060BL	8.06	H509C0060YB	8.48

Size W x L	Thickness	Wt. (lbs.)	DIAMOND-TUFF ^T Black Product No.		Black w/Yello Product No.	w Borders Price Ea.		
2 x 3'	1"	12	H510S0023BL		H510S0023YB	\$51.78		
2 x 5 3 x 5'	į.	30	H510S0035BL	118.15	H510S0035YB	129.46		
	FULL ROLLS							
2 x 75'	1"	250	H510R0024BL	1,181.54	H510R0024YB	1,294.62		
3 x 75'	1"	450	H510R0036BL	1,772.31	H510R0036YB	1,941.92		
4 x 75'	1"	600	H510R0048BL	2,363.08	H510R0048YB	2,589.23		
5 x 75'	1"	750	H510R0060BL	2,953.85	H510R0060YB	3,236.54		
CUSTON	1 CUT LENG	THS UP TO	075' Pri	ice Per Sq. I	Ft. Price	Per Sq. Ft.		
2'W x Lenc	1th 1"	2/sq. ft.	H510C0024BL	7.97	H510C0024YB	9.05		
3'W x Leng	íth 1"	2/sa ft	H510C0036BL	7.97	H510C0036YB	9.05		
4'W x Leng	₁th l"	2/sq. ft.	H510C0048BL		H510C0048YB	9.05		
5'W x Leng	jth 1"	2/sq. ft.	H510C0060BL	9.38	H510C0060YB	10.66		
	₁th l"	2/sq. ft.						

ANTI-FATIGUE MATTING



MATS FOR PROFESSIONAL USE

480 Pebble Trax™ & 980 Pebble Trax Grande™

The Pebble TraxTM anti-fatigue floor mat offers comfort and ergonomic support in dry environments. The pebble-embossed rubber top provides non-directional

traction, is easy to clean, and resists exposure to sparks from welding. Made with a resilient rubber compound, the top surface is combined with a dense closed cell foam base utilizing Notrax[®] exclusive UniFusionTM technology virtually eliminating the possibility of de-lamination. All Notrax[®] laminate floor mats come standard with RedStopTM, a uniquely engineered non-slip backing technology that eliminates the slipping and sliding of floor mats on smooth surface flooring such as tile, wood, marble, and treated concrete. Pebble Trax GrandeTM has a full thickness of one-inch. FOB Shipping Point.

Product No.	PEB Size W x L	BLE TRAX™ Thickness	Wt. (Ibs.)	Price Ea.					
H480S0023BL H480S0035BL H480S0312BL	2 x 3' 3 x 5' 3 x 12'	1/2" 1/2" 1/2"	9 20 50	\$48.81 122.03 292.87					
	FULL ROLL								
H480R2475BL H480R3675BL H480R4875BL	2 x 75' 3 x 75' 4 x 75'	1/2" 1/2" 1/2"	180 270 360	1,220.28 1,830.43 2,440.57					
CUSTOM CUT	LENGTHS UP TO 7	75'	Price	Per Sq. Ft.					
H480C0024BL H480C0036BL H480C0048BL	2'W x Length 3'W x Length 4'W x Length	1/2" 1/2" 1/2"	1.17/sq. ft. 1.17/sq. ft. 1.17/sq. ft.	8.14 8.14 8.14					

Product No.	PEBBLE T Size W x L	RAX GRANDE™ Thickness	Wt. (Ibs.)	Price Ea.
H980S0023BL	2 x 3'	1"	12	\$63.43
H980S0035BL	3 x 5'	1"	30	158.57
H980S0312BL	3 x 12'	1"	72	380.58
		FULL ROLL		
H980R2475BL	2 x 75'	1"	300	1,585.75
H980R3675BL	3 x 75'	1"	450	2,378.62
H980R4875BL	4 x 75'	1"	600	3,171.50
CUSTOM CU	T LENGTHS UP TO	75'	Price	Per Sq. Ft.
H980C0024BL	2'W x Length	1"	2/sq. ft.	10.57
H980C0036BL	3'W x Length	1"	2/sq. ft.	10.57
H980C0048BL	4'W x Length	1"	2/sq. ft.	10.57

511 Marble Tuff™ & 512 Marble Tuff™ Max

Marble TuffTM is a stylish anti-fatigue mat with a marble pattern top surface combined with a foam base for durability and comfort. The Marble TuffTM mat has an aesthetically pleasing look while providing ergonomic support for areas where workers stand for extended periods of time. The sloped beveled edges reduce trip hazards and allow easy access on and off the mat and the smooth top surface is easy to sweep or mop clean. Marble TuffTM Max has a thickness of one inch. Available in Black, Gray, and Blue -- please specify. FOB Shipping Point.

		ARBLE TUFF™							
Product	Size	Thickness	Wt.	Price					
No.	W x L		(lbs.)	Ea.					
H511S0023	2 x 3'	1/2"	9	\$43.72					
H511S0035	3 x 5'	1/2"	22	109.31					
	FULL ROLL								
H511R0024	2 x 60'	1/2"	179	869.54					
H511R0036	3 x 60'	1/2"	268	1,304.31					
H511R0048	4 x 60'	1/2"	358	1,739.08					
	CUT LENGTHS UP TO	0 60'	Price	Per Sq. Ft.					
H511C0024	2'W x Length	1/2"	1.49/sq. ft.	7.29					
H511C0036	3'W x Length	1/2"	1.49/sq. ft.	7.29					
H511C0048	4'W x Length	1/2"	1.49/sq. ft.	7.29					

482 Bubble Trax™ & 982 Bubble Trax Grande™

The Bubble Trax[™] is a unique high performance anti-fatigue floor mat with a bubble-top surface design providing extreme ergonomic comfort and durability. Bubble Trax[™] combines a heavy-duty vinyl top surface with a dense sponge backing utilizing the Notrax[®]

exclusive UniFusionTM bonding process. The resulting finished product is a single piece virtually eliminating any possibility of de-lamination. Bubble TraxTM uses RedStopTM non-slip backing, a uniquely engineered technology that eliminates the slipping and sliding of Notrax[®] floor mats on all types of smooth floor surfaces such as vinyl composite tile, painted or epoxy coated concrete, vinyl sheet flooring, carpet, and ceramic tile. Bubble Trax GrandeTM has a full thickness of one-inch. FOB Shipping Point.

			BUBBLE TRAX	м		
			Black		Black w/Yellow	
Size		Wt.	Product	Price	Product	Price
WxL	Thickness	(lbs.)	No.	Ea.	No.	Ea.
2 x 3' 3 x 5'	1/2" 1/2"	8.5 21	H482S0023BL H482S0035BL	\$62.95 157.38	H482S0023YB H482S0035YB	\$67.02 167.54
			FULL ROLLS			
2 x 72' 3 x 72' 4 x 72' 5 x 72'	1/2" 1/2" 1/2" 1/2"	213 320 426 511	H482R0024BL H482R0036BL H482R0048BL H482R0060BL	1,510.89 2,266.34 3,021.78 3,777.23	H482R0024YB H482R0036YB H482R0048YB H482R0060YB	1,608.37 2,412.55 3,216.74 4,020.92
CUSTOM (CUT LENGTH	S UP TO 72'	Pri	ice Per Sq. Ft	. Pric	e Per Sq. Ft.
2'W x Length 3'W x Length 4'W x Length 5'W x Length	n ½" n ½" n ½"	1.42/sq. ft. 1.42/sq. ft. 1.42/sq. ft. 1.42/sq. ft. 1.42/sq. ft.	H482C0024BL H482C0036BL H482C0048BL H482C0060BL	10.65 10.65 10.65 10.65	H482C0024YB H482C0036YB H482C0048YB H482C0060YB	11.32 11.32 11.32 11.32 11.32
		DI	JBBLE TRAX GRAN	DETM		
		DC	Black		Black w/Yellow	Borders
Size W x L	Thickness	Wt. (Ibs.)	Product No.	Price Ea.	Product No.	Price Ea.
2 x 3' 3 x 5'	1" 1"	11 28	H982S0023BL H982S0035BL	\$75.51 188.77	H982S0023YB H982S0035YB	\$80.40 201.00
			FULL ROLLS			
2 x 72' 3 x 72' 4 x 72' 5 x 72']"]"]"]"	300 450 600 659	H982R0024BL H982R0036BL H982R0048BL H982R0060BL	1,887.69 2,831.54 3,775.38 4,530.46	H982R0024YB H982R0036YB H982R0048YB H982R0060YB	2,010.00 3,015.00 4,020.00 4,824.00
CUSTOM (CUT LENGTH	S UP TO 72'	Prie	ce Per Sq. Ft.	Pric	e Per Sq. Ft.
2'W x Length 3'W x Length	n 1" n 1"	1.83/sq. ft. 1.83/sq. ft.	H982C0024BL H982C0036BL	12.82 12.82	H982C0024YB H982C0036YB	13.63 13.63

T17 Superfoam[®]

Superfoam[®] is a durable foam anti-fatigue mat designed especially for extreme ergonomic comfort. Made from a closed cell PVC Nitrile foam blend. Superfoam[®] does not absorb liquids

and is highly resistant to grease, oils, and industrial chemicals such as cutting fluid. This allows it to be used in areas where occasional overspray and dripping occur. FOB Shipping Point.

			SUPERFOAM [®] Blace		Black - Per	forated
Size W x L	Thickness	Wt. (Ibs.)	Product No.	Price Ea.	Product No.	Price Ea.
3 x 2' 3 x 3' 3 x 4' 3 x 5' 3 x 6' 3 x 8'	%" %" %" %" %"	4.8 7.3 9.7 12.1 14.5 19.4	HT17S0032BL HT17S0033BL HT17S0034BL HT17S0035BL HT17S0036BL HT17S0036BL	\$57.69 86.54 115.38 138.46 173.08 230.77	HT17P0032BL HT17P0033BL HT17P0034BL HT17P0035BL HT17P0036BL HT17P0038BL	\$82.71 124.06 165.42 206.77 248.12 330.83
3 x 75' 4 x 75'	%" %"	205 273	FULL ROLLS HT17R0036BL HT17R0048BL	2,163.46 2,884.62	:	:
CUSTOM	CUT LENGTHS	UP TO 75'	Price	e Per Sq. Ft.		-
3'W x Lengt 4'W x Lengt	th %" th %"	.91/sq. ft. .91/sq. ft.	HT17C0036BL HT17C0048BL	10.58 10.58	:	-

	MARBLE	TUFF™ MAX		
Product	Size	Thickness	Wt.	Price
No.	W x L		(lbs.)	Ea.
H512S0023	2 x 3'	1"	12	\$53.44
H512S0035	3 x 5'	1"	30	133.60
	F	ULL ROLL		
H512R0024	2 × 60'	1"	240	1,000.62
H512R0036	3 × 60'	1"	360	1,500.92
H512R0048	4 × 60'	1"	480	2,001.23
CUSTOM C	ut lengths up to a	50'	Price	Per Sq. Ft.
H512C0024	2'W x Length	1"	2/sq. ft.	8.91
H512C0036	3'W x Length	1"	2/sq. ft.	8.91
H512C0048	4'W x Length	1"	2/sq. ft.	8.91

HEAVY DUTY MATTING



520 Cushion-Lok™ & 920 Cushion-Lok™ Solid

Cushion-LokTM is a tough vinyl based workstation mat intended for wet environments where resistance to harsh industrial chemicals is a necessity. Cushion-LokTM has



hundreds of portholes to facilitate drainage while the worker is elevated on a series of blades to increase traction and keep the worker out of the spillage. The Cushion-Lok™ Solid-Top Series is a tough PVC based workstation mat for dry applications where

anti-fatigue and anti-slip properties are a necessity. The PVC construction makes it especially resistant to chemicals found in harsh environments. The individual mats can

be combined with beveled ramps making it the perfect solution for custom configurations as well as workstation mats. The 920 floor mat can be interlocked with the 520 (perforated) series for a truly customized configuration. FOB Shipping Point.

Size W x L	Thickness	Wt. (Ibs.)	CUSHION-LOK Black Product No.		Black w/Yellov Product No.	v Borders Price Ea.
30 x 36" 30 x 48"	%" %"	13 18	H520S3036BL H520S3048BL	\$77.08 100.08	H520S3036BY H520S3048BY	\$77.08 100.08
30 x 60" 30 x 72"	76" 76"	23 29	H520S3060BL H520S3072BL	122.77	H520S3060BY H520S3072BY	122.77
30 x 96"	76"	37	H520S3096BL	185.23	H520S3096BY	185.23
42 x 72" 42 x 96"	%" %"	41 52	H520S4272BL H520S4296BL	192.15 249.62	H520S4272BY H520S4296BY	192.15 249.62
42 x 120"	%"	62	H520S4210BL	299.15	H520S4210BY	299.15

Size W x L	Thickness	Wt. (Ibs.)	CUSHION-LOK™ HI Black Product No.		Black w/Yellow Product No.	v Borders Price Ea.
30 x 36" 30 x 48" 30 x 60" 30 x 72"	78" 78" 78" 78"	23 31 38 46	H920H3036BL H920H3048BL H920H3060BL	\$97.62 126.31 155.00	H920H3036BY H920H3048BY H920H3060BY H920H3072BY	\$97.62 126.31 155.00 177.77
30 x 96" 42 x 72" 42 x 96" 42 x 120"	78" 78" 78" 78"	61 64 86 107	H920H3096BL H920H4296BL	234.23 315.62	H920H4272BY H920H4296BY H920H4210BY	243.23 315.62 378.15

040 Slabmat Carré & 041 Slabmat Carré Safety Ramps

The Slabmat Carré is a durable product designed for dry areas where heavy industrial equipment is stored. It is also suitable for gyms, weight rooms, skating rinks, golf

courses, trailers and stables. This indestructible rubber mat absorbs shock from falling objects and protects floors as well as equipment. The textured top surface provides traction and limits slip hazards. These interlocking mats allow on-site customization. Units can be easily laid out from wall to wall or as islands, in any shape or direction. Male and Female Slabmat Carré Safety Ramps are available in Black and Yellow.



They create a smart beveling solution that minimizes trip hazards. When adding bevels be sure to allow for an outside and inside corner. FOB Shipping Point.

SLABMAT CARRE						
Product No.	Description	Size W x L	Thickness	Wt. (lbs.)	Price Ea.	
H040S0033BL	Black Mat	3 x 3'	5%"	32.4	\$79.18	
	SLAB	MAT CARRE BE	VEL RAMPS			
H041M0003YL H041F0003YL H041F0003BL H041M0003BL	Yellow-Male Yellow-Female Black-Female Black-Male	2 x 36" 2 x 36" 2 x 36" 2 x 36" 2 x 36"	%" %" %" %"	1.5 1.5 1.5 1.5	13.12 13.12 13.12 13.12 13.12	

420 Cushion-Dek[™]

Slotted perforations allow for moisture to drain from the worker platform in wet environments. A studded bottom surface raises the mat and allows for channeling of moisture. The Grit-Step[®] version comes with a thick

gritted layer applied to the top surface for extremely slippery environments. FOB Shipping Point.

CUSHION-DEK™						
Product No.	Size W x L	Thickness	Wt. (Ibs.)	Price Ea.		
H420S0023BL	2 x 3'	7/16"	8	\$37.27		
H420S0026BL	2 x 6'	7/6 "	15	74.54		
H420S0034BL	3 x 4'	7/6"	15	74.54		
H420S0036BL	3 x 6'	7/6"	22	111.81		
H420S0046BL	4 x 6'	7/16"	29	149.08		
H420S0048BL	4 x 8'	7/6"	39	198.77		
H420S0310BL	3 x 10'	7/6"	36	186.35		

549 Safety Stance®

Safety Stance[®] is made from a grease resistant rubber compound to withstand many of the more commonly found industrial cutting oils and

chemicals. Particularly well suited for wet or dry work areas, Safety Stance[®] features a large hole

drainage system with a mini-diamond

studded top surface to minimize slippage.

Beveled edges are made from a 100% Nitrile rubber compound offering the best in trip protection. FOB Shipping Point.

		SAFETY STANCE®		
Product	Size	Thickness	Wt.	Price
No.	W x L		(Ibs.)	Ea.
H549S2640YB H549S3840YB H549S3864YB H549S3124YB H549S2840YB	26 x 40" 38 x 40" 38 x 64" 38 x 124" 28 x 40"	76" 76" 78" 78" 78" 78" 78"	23 32 52 100 24	\$77.72 118.95 150.67 278.83 94.37
H549S4040YB	40 x 40"	78"	33	132.99
H549S4064YB	40 x 64"	78"	55	169.39
H549S4124YB	40 x 124"	78"	105	322.43

562 Sanitop®

Sanitop[®] is made from a durable rubber compound designed to withstand harsh chemicals while creating a slip resistant surface. An

alternating large and small hole drainage


system channels liquid and debris away from the work area further enhancing the traction of the mat. The beveled edges on all four sides eliminate trip hazards. Sanitop[®] offers a simple, economical solution for wet environments in many industrial or food service applications. FOB Shipping Point.

		SANITOP®		
Product	Size	Thickness	Wt.	Price
No.	W x L		(Ibs.)	Ea.
H562S0035BL	3 x 5'	1/2"	27	\$68.99
H562S0310BL	3 x 10'	1/2"	54	150.67
H562S0320BL	3 x 20'	1/2"	108	344.96

SKYMASTERTM HD & SKYSTEPTM SERIES MATTING



Skymaster[™] HD Series



This modular ergonomic matting system is made of high quality, heavy duty rubber. It is well suited for dry industrial environments but also compounded to handle oils and coolants. The SkymasterTM HD series is available in 3' x 3' molded modular tiles that interlock to create custom-designed matting solutions for any work station. Its additional curved designs make the sky the limit on configurations that meet the needs of today's industrial work cells. A ^{%"} thick worker platform with an ergonomic bubble pattern provides maximum

anti-fatigue comfort and traction to prevent slip hazards. Unique features in this series are the inner and outer curves. 461 Skymaster[™] HD Nitrile Ramp is made from a 100% nitrile base rubber compound. Ramp lengths fit the male/female interlocking system and are beveled to prevent tripping hazards. The I-Curve, or inner curve, is 45-degrees and the O-Curve, or outer curve, is 22.4-degrees. Both connect effortlessly to the Skymaster[™] HD series creating configurations

for corners, S-Curves, half-moons and complete circles. FOB Shipping Point.

Available Compounds;

• Natural Rubber (NR)

- 100% Nitrile Rubber
- ESD (Electro Static Discharge)
- Fire Retardant

	SKYMA	STER™HD ESD		
Product	Size		Wt.	Price
No.	WxL	Thickness	(lbs.)	Ea.
H463S0033BL	3 x 3'	%"	22	\$79.11
	SKYMASTER™HD -		IER CURVE)	
H433SC045BL	3'-45 DEGREE	5 % "	9.5	49.42
	SKYMASTER™HD - E			
H443SC045BL	3'-22.5 DEGREE	%"	14.1	74.14
	SKYMASTER	MHD ESD NITRIL	E FR	
Product	Size		Wt.	Price
No.	WxL	Thickness	(lbs.)	Ea.
H464S0033BL	3 x 3'	58"	22	\$165.15
	SKYMASTER™HD - ESD			
H434SC045BL	3'-45 DEGREE	%"	9.5	103.35
	SKYMASTER™HD - ESD			
H444SC045BL	3'-22.5 DEGREE	%"	14.1	155.03
	SKYMA	STER™HD NITRILI		
Product	Size		Wt.	Price
No.	WxL	Thickness	(lbs.)	Ea.
H462S0033BL	3 x 3'	58"	22	\$128.18
	SKYMASTER™HD - N			
H432SC045BL	3'-45 DEGREE	58"	9.5	79.97
	SKYMASTER™HD - N			
H442SC045BL	3'-22.5 DEGREE	5/8"	14.1	119.94
	SKYM	ASTER™HD NR		
Product	Size		Wt.	Price
No.	WxL	Thickness	(lbs.)	Ea.
H460S0033BL	3 x 3'	58"	22	\$44.75
	SKYMASTER™HD -		,	
H430SC045BL	3'-45 DEGREE	%"	9.5	29.95
	SKYMASTER™HD - I	NR O-CURVE (OU	TER CURVE)	
H446SC045BL	3'-22.5 DEGREE	5%"	14.1	44,94





Skymaster™ HD Shown above.

Product No.	SKYMAS Description	STER™HD - NITRILE Size W x L	RAMP Thickness	Wt. (Ibs.)	Price Ea.
H461M0003BL H461F0003BL H461M0003YL H461F0003YL	Male-Black Female-Black Male-Yellow Female-Yellow	2 x 36' 2 x 36' 2 x 36' 2 x 36' 2 x 36'	56" 58" 58" 58"	0.88 0.88 0.88 0.88	\$11.82 11.82 11.82 11.82 11.82
	SKYMASTER™	HD - NITRILE I-CUR	/E RAMPS		
H431MC003BL H431MC003YL	Male-Black Male-Yellow	3'-45 DEGREE 3'-45 DEGREE	5%" 5%"	9.5 9.5	15.66 15.66
	SKYMASTE	R™HD O-CURVE RA	AMPS		
H481MC003BL H481MC003YL H481FC015BL H481FC015YL	Male-Black Male-Yellow Female-Black Female-Yellow	3'-22.5 DEGREE 3'-22.5 DEGREE 3'-22.5 DEGREE 3'-22.5 DEGREE	56" 56" 56" 56"	14.1 14.1 14.1 14.1	15.66 15.66 10.58 10.58

	SKYMASTER™HD - NITRILE FR						
Product	Size		Wt.	Price			
No.	WxL	Thickness	(lbs.)	Ea.			
H465S0033BL	3 x 3'	%"	22	\$139.40			
	SKYMASTER™HD -	NITRILE FR I-CUR	VE (INNER CURVE)				
H435SC045BL	3'-45 DEGREE	5%"	9.5	87.11			
SKYMASTER™HD - NITRILE FR O-CURVE (OUTER CURVE)							
H445SC045BL	3'-22.5 DEGREE	58"	14.1	130.68			

Skystep™ Series

This workstation ergonomic matting system is designed for individual work stations in medium traffic areas. It is designed to suction to the ground to prevent shifting while trapping air in its chambers. The air pockets combined with the resiliency of the rubber create an ultimate cushioning effect keeping the mat lightweight. There are molded, beveled edges on all four sides to prevent trip hazards. Similar to the Skymaster™ HD Series, it is %" thick and has a bubble pattern that provides maximum anti-fatigue comfort and traction to prevent slip hazards. FOB Shipping Point.

Available Compounds;

- Natural Rubber (NR)
- 100% Nitrile Rubber
- ESD (Electro Static Discharge)







		SKYSTEP™			
Product	Size	Thickness	Wt.	Price	
No.	W x L		(lbs.)	Ea.	
H455S0023BL	2 × 3'	%"	12	\$31.14	
H455S0034BL	3 × 4'	%"	26	62.72	
H455S0035BL	3 × 5'	%"	35	78.97	
	SK	YSTEP™ NITRILE			
H456S0023BL	2 x 3'	%"	12	65.20	
H456S0034BL	3 x 4'	%"	26	136.74	
H456S0035BL	3 x 5'	%"	35	171.03	
SKYSTEP™ ESD					
H457S0023BL	2 × 3'	%"	12	43.77	
H457S0034BL	3 × 4'	%"	26	89.80	
H457S0035BL	3 × 5'	%"	35	112.37	

PAPER STORAGE





EENGUARD

A) Steel Flat Files

• Drawers glide effortlessly on case hardened steel ball bearing rollers. • Tops are reinforced for stacking strength and files can be stacked up

to 5 high without additional hardware.

Features 1" and 2" deep drawers for active and inactive filing needs. Each drawer has a hinged front depressor and rear hood to protect sheets. The heavy gauge steel frame and double-thick wrap-around corner seams keep files new looking for years. 5-drawer file features five 2" drawers and the 10-drawer model has ten 1" drawers. Available in Tropic Sand, White, Black or Gray powder coat paint finish - please specify. H4986 is not available in White. Greenguard certified. FOB Shipping Point.

Product No.	5-DRAWER FILE Outside Size W x D x H	Wt. (Ibs.)	Price Ea.		
H4994 H4996 H4998	40½ x 29½ x 16½" 46½ x 35½ x 16½" 53½ x 41½ x 16½"	160 195 250	\$1,215.00 1,405.93 1,665.64		
10-DRAWER FILE					
H4986	46½ x 35½ x 16½"	278	2,483.36		

B) Optional Lock Kits Lock Kits are field installable and include 2 keys.

OPTIONAL LOCK KITS					
Product		Wt.	Price		
No.	Use With	(lbs.)	Ea.		
H4981	Use w/5-Drawer Flat File	1	\$72.00		
H4983	Use w/10-Drawer Flat File	1	72.00		



Mobile Vertical ling Stand

- The easy way to store and organize large prints, maps and charts.
- Holds up to 12 Hanging Clamps in Pivot Brackets that allow clamps to swing freely.

Each clamp holds up to 100 sheets (20 lbs. max.). Height and length adjust to accommodate various size sheets and clamps. Height adjusts from 431/2" to 61[/]/₂" for sheets up to 54" long. The base extends from 271/2" to 371/2". 27 wide overall. Includes stand, 12 Pivot Brackets. Hanging clamps sold separately. Tropic Sand in color. Shipped KD. Measures 27"W. x 271/2-371/2"D. x 43½-61½"H. Greenguard certified. FOB Shipping Point. **H5026** Wt. 47 (lbs.) Price Ea. **\$558.64**



C) Optional Closed & Open Bases

EENGUARD

Closed Base raises files 6" off the floor for protection and easier access. 5-drawer files can be stacked up to 5 high on base. Front is recessed 2³/₄" from front of file. Open Base raises files 20" off the floor. Available in Tropic Sand, White, Black or Gray powder coat finish - please specify. Greenguard certified. FOB Shipping Point.

	CLOSED BASE		
Product	Use With	Wt.	Price
No.		(lbs.)	Ea.
H4995	Use w/Product No. H4994	22	\$212.14
H4997	Use w/Product No. H4996 & H4986	26	227.57
H4999	Use w/Product No. H4998	30	285.43
	OPEN BASE		
H4975	Use w/Product No. H4994	37	466.07
H4977	Use w/Product No. H4996 & H4986	42	496.29
H4979	Use w/Product No. H4998	47	517.50

Mobile Plan Center

• Features heavy gauge steel construction.

Rolls easily to any location on four ball bearing swivel casters (2 locking). The width adjusts to fit 24" to 42" hanging clamps (sold separately). Accommodates up to 18 clamps that simply drop in and lift out as needed. Tropic Sand finish. Assembly required. Measures 25³/4" to 43³/4"W. x 20⁵/2"D. x 51"H. Greenguard certified. FOB Shipping Point. H5060 Wt. 33 (lbs.) Price Ea. \$418.50

Hanging Clamps



Akulon plastic wing knobs for balanced gripping tension. Each clamp holds up to 100 sheets (20 lbs. max.). Clamps can be used in a variety of vertical filing systems. Greenguard certified. FOB Shipping Point.

	HANGING			
Product No.	Size	No. Clamps Per Ctn.	Wt. (lbs.) Ctn.	Price Per Ctn.
H5001-6 H5002-6 H5003-6 H5004-6 H5005-6	18" long (19¾" overall) 24" long (25¼" overall) 30" long (31¾ overall) 36" long (37¾" overall) 42" long (43¾" overall)	6 6 6 6	5 6 7 9 10	\$194.79 218.57 242.36 254.57 270.00

ROLL STORAGE





Upright Roll Files

• Store and organize your documents with this compact desk-side file.

Keep your documents together and unharmed with square tube openings, reinforced with plastic molding to prevent tears and snags. Each file is constructed of durable corrugated fiberboard in a Walnut wood grain finish. Easy assembly. Greenguard certified. FOB Shipping Point.

UPRIGHT ROLL FILES					
Product		Comp.	Size	Wt.	Price
No.	Comp.	Size	WxDxH	(lbs.)	Ea.
H3079	12	3% x 3% "	15 x 12 x 22"	4	\$57.21
LI2001	20	03/ 03/ II	15.10.00	4	40 42



Tube-Stor KD Roll File¹

Great low-cost system for rolled document storage.

With 16 compartments you can easily store and find your documents. Can be stacked to create a filing system. Constructed of white corrugated fiberboard. Limited lifetime warranty. Assembles quickly and easily. FOB Shipping Point.

TUBE-STOR KD ROLL FILE						
Product		Size	Wt.	Price		
No.	Size	WxDxH	(lbs.)	Ea.		
H3098	3 x 3 x 36"	12¾ x 37 x 12½"	12	\$70.07		



Tubular Steel Roll Files

• Economical and lightweight, these roll files move easily on twin casters -- 2 locking.

Slanted top design provides convenient access to rolled files. Light Gray frame with chrome-plated grids looks great in any setting. Bottom dust guard protects your files. Each unit has a 100 lb. capacity when files are evenly distributed. Assembles easily. Greenguard certified. FOB Shipping Point.

TUBULAR STEEL ROLL FILES							
Product No.	No. Comp.	Comp. Size	Size W x D x H	Wt. (lbs.)	Price Ea.		
H3090	12	3 ³⁄4"	18 x 12¾ x 24½"	8	\$85.50		
H3091	20	2 ³ /4"	18 x 12¾ x 24½"	8	86.14		



Value Sorter[®] Literature Organizers

• Organize literature, file folders and

catalogs and keep them readily accessible. Large capacity fiberboard compartments measure $9^{3}/{n}^{"} \ge 12^{1}/{2}^{"} \ge 2^{1}/{2}^{"}$ and accept hard to organize file folders or up to 550 sheets per compartment. All steel exterior and support shelves. Radius corners



Provide a finished appearance. Compartments are heavy-duty corrugated fiber-board. Wide shelf fronts serve as label holders (labels are included). Available in Black (BL) Gray (GR), powder coat or Medium Oak (MO) Woodgrain finish on steel. Quick-lock design for easy assembly without tools. FOB Shipping Point.

VALUE SORTER [®] LITERATURE ORGANIZERS							
Product	No.	Size	Wt.	Price			
No.	Comp.	WxDxH	(lbs.)	Ea.			
H7111	24	32¼ x 13½ x 25¾"	27	\$147.21			
H7121	36	32¼ x 13½ x 38"	37	171.64			
H7131	72	32¼ x 13½ x 75"	68	294.43			

LITERATURE Storage Centers

• E-Z Stor® Steel Literature Storage Centers -- Letter Size

Premium unit is quality built with a strong steel frame, shelves, dividers and a solid fiberboard back. Interlocking design of shelves and dividers adds extra strength. Compartments measure 9"W x 12¼"D x 3"H. Each compartment will hold up to 750 sheets. Available in Black, Gray or Tropic Sand powder coat finish - please specify. Easy assembly. Greenguard certified. FOB Shipping Point.

	CLASSIC	92 STEEL STORAGE CENTERS	LETTER SIZE	
Product No.	No. of Comp.	Overall W x D x H	Wt. (lbs.)	Price Ea.
H9211	24	37½ x 12¾ x 25¾	54	\$289.93
H9221	36	37½ x 12¾ x 36½"	75	356.14
H9231	60	37 ¹ / ₂ x 12 ³ / ₄ x 60"	124	558.00
H9241	72	37½ x 12¾ x 71"	143	625.50

Wood Adjustable Compartment Literature Organizers

• Adjustable shelves make these compartments truly versatile.

Affordable literature organizers that can be used on a desk, tabletop or as a free standing combination cabinet. Mix and match units with or without drawers to create the storage system that fits your needs. Constructed from %" compressed wood with laminate finish and a full fiberboard back. Hardboard shelves form 9"W x 11%"D x 2%"H letter size compartments, adjustable in 2%" increments and a weight capacity of up to 15 lbs. Model H9422 stores CD's on bottom shelf with an adapter rod. The plastic molding serves as a labeling system (labels are included). Quick and easy set up. Available in Oak (MO) or Gray (GR). FOB Shipping Point.

	H9423
H9422	H9424
WOOD ADJUSTA	BLE COMPARTMENT LITERATURE ORGANIZERS

	WOOD AD	JUSTABLE CO	MPARTMENT LITERATURE C	DRGANIZERS	
Product No.	No. Comp.	Drawers	Size W x D x H	Wt. (lbs.)	Price Ea.
	Comp.	Diaweis			
H9422	16	-	19½ x 11¾ x 21"	22	\$90.00
H9423	24	-	39¼ x 11¾ x 16¼"	33	113.79
H9424	36	-	39¼ x 11¾ x 24"	45	138.86
H9494	32	2	39¼ × 11¾ × 25¼"	68	160.07

ABLES

Square & Round Lunchroom Tables

- Round and square cafeteria tables are sure to brighten up any lunchroom.
- Tabletop and benches are laminated with high-pressure laminate that resists stains and scratches for years of dependable use.

Tops are ¾" thick, benches are 1¼" thick. Tabletop and benches have protective black edge. Benches have extra bracing to insure sturdiness. All tables have adjustable glides. 30" overall height. Assembly required. Baked Black enamel paint standard. Available in Red, Blue, Yellow, Green, Black, White, Gray Nebula or Walnut - please specify color. FOB Shipping Point.

48" Square Table – Seats 4 to 8 people **HNBS-48** Wt. 207 (lbs.) Price Ea. **\$733.69** 48" Round Table – Seats 4 to 8 people **HNBR-48** Wt. 172 (lbs.) Price Ea. **\$716.89** 60" Round Table - Seats 4 to 8 people HNBR-60 Wt. 214 (lbs.) Price Ea. \$820.66

Pedestal Folding Table • Tops are rugged 3/4" flake board and covered with a

This durable folding table is the standard for function and quality. Top/Paint finishes available in Walnut/Brown, Light Oak/Brown, Gray/Gray, Gray Nebula/Black -- please specify. Strong legs are 1[/]/₄" and made from 16 and 18 ga. steel. FOB Shipping Point. PEDESTAL FOLDING TABLE

Wt. (lbs.

Price

Ea.

\$126.28 128.20

144.98 138.55

148.78

174.51

197 26

handsome, high pressure laminate. Top resists burns and scrapes.

Size

18 x 60" 18 x 72" 18 x 96"

30 x 60"

30 x 72" 30 x 96"

36 x 72'


Product No.

H100-1P H100-2P

H100-3P H101-P

H102-P H103-P

H104-P H105-P



Durable Workstations

• Features recessed legs for added legroom and modesty panel for privacy.

An ideal computer workstation. Available in fixed height or adjustable height – adjustable height tables adjust from 26" to 30" in 1" increments. Fixed height legs are 1" x 2" rec., 18 ga. steel, baked enamel paint. Adjustable legs are 1/" sq., 18 ga. steel with chrome-plated finish. Particle board tops feature a plastic-laminate surface. Adjustable leveling glides compensate for uneven floors. Easy assembly. FOB Shipping

Color Options

Top Colors - Gray Nebula, Walnut, Light Oak or Gray - please specify. Edge Colors – Black, Brown, Walnut, Light Oak or Gray – please specify.

C		ORKSTAT HEIGHT	IONS					
oduct No.	Size W x L	Height	Wt. (lbs.)	Price Ea.				
BK4115 BK4125 BK4140 BK4145 BK4150 BK4155	24 x 30" 24 x 48" 30 x 36" 30 x 48" 30 x 60" 30 x 72"	29" 29" 29" 29" 29" 29"	40 52 50 65 82 99	\$104.65 139.14 143.82 167.20 184.15 206.95		100		
	ADJUSTA	BLE HEIG	HT				-	
HBK4615 HBK4625 HBK4640 HBK4645 HBK4650 HBK4655	24 × 30" 24 × 48" 30 × 36" 30 × 48" 30 × 60" 30 × 72"	26-30" 26-30" 26-30"	39 51 49 64 81 100	135.63 179.54 173.69 223.85 239.08 311.54		(
			-	1				
			-		TWC	DRAWER PEDE	STAL BOX/F	ILE
			11 1	Proc	luct	DRAWER PEDE	STAL BOX/F Wt. (lbs.)	ILE Pric Ea.

2 - Drawer Unit

Lunchroom Cafeteria Table

• Solid one piece table delivers functional service with handsome good looks.

• Seating is securely welded to the table frame to keep cafeteria areas neat and organized.

Durable high pressure laminate top resist burns, stair and scuffs. Easy to clean and maintain. Ruggedly bui for maintenance-free use. Top and base colors -Walnut/Tan, Gray/Gray, Gray Nebula/Black -- pleas specify. Available with or without backs. Assembly required. FOB Shipping Point.

	· · · · · · · · · · · · · · · · · · ·						
1s lt	Product No.	WITHOU Size	UT BACKS Overall Width	Wt. (lbs.)	Price Ea.		
se	HNB-6-30-P HNB-8-30-P	30 x 72" 30 x 96"	60" 60"	155 187	\$617.51 701.54		
	WITH BACKS						
	HWB-30-6-P HWB-30-8-P	30 x 72" 30 x 96"	68" 68"	187 240	662.82 811.89		



Non-Folding Utility Tables

- Affordable table for use in lobbies, boardrooms, etc.
- Rugged and sturdy 1" square x 18 ga. steel construction.

Features ¾" flakeboard with melamine plastic top. 2 ¼" semi-boxed steel apron. 30" standard height. Available in Walnut with Black edge and frame and Light Oak with Brown edge and frame -please specify. FOB Shipping Point.

Product	NON-FOLDING UT	ILITY TABLE Wt.	Price			
No.	Size	(lbs.)	Ea.			
HUT1830	18 x 30"	32	\$111.82			
HUT1860	18 x 60"	45	143.23			
HUT1872	18 x 72"	49	156.38			
HUT2448	24 x 48"	39	135.20			
HUT2460	24 x 60"	49	158.58			
HUT2472	24 x 72"	55	168.08			
	UTILITY TABLE WI	TH SHELF				
HUTS1830	18 x 30"	39	134.46			
HUTS1848	18 x 48"	59	134.46			
HUTS2424	24 x 24"	49	134.46			
HUT\$3030	30 x 30"	55	134.46			
HBKCS3+3 Casters Price Eq. \$31.43						

494

Expanded ETAL PRODUCTS

Expanded Metal 46" Round & **Sauare Tables**

• 9 gauge expanded metal seats and tops. • 2" umbrella hole.

Our round and square 46" tables have weatherproof thermoplastic coating to provide years of attractive usage. Black powder coated galvanized steel 2" tubular understructure. Choose from 16 colors - please specify when ordering. ADA tables available. FOB Shipping Point.

EXPANDED METAL 46" ROUND/SQUARE TABLES Product No. Description Wt. (lbs.) Price Ea. HT46ROP HT46ROSM 46" Round Portable Table 46" Round Surface Mount Table 46" Round In-Ground Table \$661.00 674.00 255 260 HT46ROIG 265 680.00 HT46ROP-ADA HT46SQP 46" Round Table - 3 Seats 220 265 270 626.00 639.00 650.00 40" Square Portable - 3 Seats 46" Square Portable Table 46" Square Surface Mount Table 46" Square In-Ground Table 46" Square Table - 3 Seats HT46SQSM 656.00 626.00 HT46SQIG 275 HT46SQP-ADA 230

Expanded Metal Picnic Table

• 9 gauge expanded metal seats and tops.

• Choose from 16 colors.

Our expanded metal picnic tables have weatherproof thermoplastic coating to

provide years of attractive usage. Black powder

coated galvanized steel 23/8" tubular legs. Available in sizes from 4' to 12' in length. ADA tables available in 8' size. Please specify color when ordering. FOB Shipping Point.

Product	EXPANDED METAL PICNIC TABLES	Wt.	Price
No.	Description	(Ibs.)	Ea.
HT6XPP HT6XP5M HT6XPIG HT8XPP HT8XP5M HT8XPFG HT8XPP-ADA HT8XPSM-ADA	6' Portable Picnic Table 6' Surface Mount Picnic Table 6' In-Ground Picnic Table 8' Portable Picnic Table 8' Surface Mount Picnic Table 8' In-Ground Picnic Table 8' Portable ADA Picnic Table 8' Surface Mount ADA Picnic Table	210 216 220 280 285 290 270 270 275	\$574.00 579.00 585.00 626.00 632.00 639.00 615.00 620.00



Expanded Metal Benches

• Benches available with and without backs.

Our benches have 9 gauge expanded metal seats and backs with black powder coated galvanized steel 23/8" tubular legs. Available in 16 colors of thermoplastic finish - please specify color when ordering. FOB Shipping Point.

Product	EXPANDED METAL BENCHES	Wt.	Price
No.	Description	(Ibs.)	Ea.
HB6WB*	6' Bench, with back - 12" wide seat	160	\$337.00
HB8WB*	8' Bench, with back - 12" wide seat	180	361.00
HB6XP*	6' Bench, no back - 12" wide seat	76	213.00
HB8XP*	8' Bench, no back - 12" wide seat	94	231.00

"Add suttix to product number. P=Portable; SM=Surtace Mount; IG=In-Ground



Purple Burgundy Brown

Beige

Sandstone

Grey Granit

Expanded Metal Receptacles & Lids

• 9 gauge expanded metal.

anna

Green Black Green Teal

Blue

Navy

Orange

Yellow

Red

Black

· Pre-drilled mounting holes.

These receptacles complement our expanded metal tables and benches. Lids and liners also available. Choose from 16 colors - please specify when ordering. FOB Shipping Point.

Product	EXPANDED METAL RECEPTACLES AND LIDS	Wt.	Price
No.	Description	(lbs.)	Ea.
H32EXP	32 Gal. Thermoplastic Expanded Metal Receptacle	70	\$196.00
H45MX	45 Gal. Thermoplastic Expanded Metal Receptacle	50	175.00
HR32L	Black Plastic Liner for H32EXP	4	59.00
H32SML	Spun Metal Lid for H32EXP - concave	20	97.00
H32SMLX	Spun Metal Lid for H32EXP - convex	20	97.00
HAB32	Ash Bonnet Lid, with powder coated ashtray for H32EXP	25	117.00
H32DB	Dome Bonnet Lid for H32EXP	25	116.00



Wave Bike Rack Accommodates 3 to 9 bikes.

Wave bike racks can securely park as many as 9 bikes. Optional cover caps give a finished look. 23/8" diameter schedule 40 steel pipe. In-ground post mount or plate surface mount style available. Available in 16 colors of thermoplastic finish – please specify when ordering. FOB Shipping Point.

Product	No. of	Size	WAVE BIKE RACKS	Wt.	Price
No.	Bikes		Description	(Ibs.)	Ea.
H2BK3PSM H2BK3PIG H2BK5PSM H2BK5PIG H2BK7PIG H2BK7PIG H2BK9PSM H2BK9PIG HCC	33557799 -	19 ¹ / ₂ " 19 ¹ / ₂ " 44 ¹ / ₂ " 69 ¹ / ₂ " 69 ¹ / ₂ " 94 ¹ / ₂ " 94 ¹ / ₂ " 2 ¹ / ₄ " high	Thermoplastic Surface Mount Thermoplastic In-Ground Mount Thermoplastic Surface Mount Thermoplastic In-Ground Mount Thermoplastic In-Ground Mount Thermoplastic Surface Mount Thermoplastic In-Ground Mount Black Powder-Coated Cover Cap	63 87 85 109 104 128 124 148 1	\$246.00 230.00 392.00 362.00 463.00 432.00 558.00 529.00 29.00



ile Cabinets & OKCASES

Lateral Files


HLPL3672L60

Heavy gauge welded steel construction ensures rigidity and durability for many years of use. Files will accommodate letter or legal hanging files. A mechanical interlock system prevents more than one drawer from opening at a time to eliminate the danger of tipping. Drawers and shelves glide on heavy duty, full extension ball bearing suspensions. A single lock controls all openings. Locks are core removable and master keyed (order keys separately). Each opening is equipped with side-to-side hang rods for the folders. Optional front-to-back rods (H15CR) are available.

Product

Black

Drawers and doors have easy grip, full-width pulls with recessed label holders. Four leveling glides allow the unit to be leveled on uneven floors. To reduce risk of tipping, order two drawer lateral files with counterweights (suffix "W") for all applications except under a work surface in a workstation. Five and six-high units have retractable door(s) with rollout drawer on top opening(s). Choose an optional laminate top to create a work surface on two and three-high files. Specify Oak or Walnut. Durable powder-coat paint finish available in five colors. FOB Shipping Point.



LATERAL FILE CABINETS

Size

No. of

Storage Made Easy

Price



Available Colors:

Vertical Files



Tennsco vertical files are as attractive as they are dependable. Contemporary design features fullwidth recessed handles with plastic label holders. Drawers operate quietly and effortlessly on steel ball bearing suspensions. All hanging files in a drawer are visible as drawers extend fully on the three-section telescoping suspensions.

A single lock controls all drawers. Locks are core removable and are master keyed (order master keys separately). An interlock system keeps more than one drawer from opening at a time. Hanging file folders hang on the full height drawer sides eliminating the need for hanging folder frames. Durable powdercoat paint finish available in five colors. FOB Shipping Point.



	VER	FICAL FILE CABINETS		
Product No.	No. of Drawers	Size W x D x H LETTER	Wt. (lbs.)	Price Ea.
HV282-MF HV283-MF HV284-MF HV285-MF	2 3 4 5	14 ¹ % ₆ x 28 x 26 ¹ % ₆ " 14 ¹ % ₆ x 28 x 38%" 14 ¹ % ₆ x 28 x 50% ₆ " 14 ¹ % ₆ x 28 x 62%"	80 113 144 176	\$332.57 420.29 513.69 595.73
		LEGAL		
HV282C-MF HV283C-MF HV284C-MF HV285C-MF	2 3 4 5	17 ¹ %6 x 28 x 26 ¹ %6" 17 ¹ %6 x 28 x 38%" 17 ¹ %6 x 28 x 50%6" 17 ¹ %6 x 28 x 62%"	86 120 154 187	354.03 450.59 542.72 634.23
Product		ACCESSORIES	Wt.	Price
No. HTCRKLE	Descrip Master	otion Key	(lbs.)	Ea. 2.08

Bookcases



Choose the bookcase depth that best meets your needs - 131/2" or 18". Deeper units can also be used as a cabinet without doors to store things other than books and binders. Durable, strong units feature welded construction with clean lines so side-to-side units fit flush together. Raised base provides protection for materials on bottom shelf.

Shelves are adjustable in 2" increments on built-in support tabs. Shelf load capacity is 130 lbs. for the 131/2"D units and 150 lbs. for the 18"D units. Mobile units are available in four heights with 4" swivel casters, two of which are locking. Durable powder-coat paint finish available in five colors. FOB Shipping Point.

Available Colors:



496

		POOKCASES		
Product No.	No. of Drawers 13½"	BOOKCASES Size W x D x H DEEP BOOKCASES	Wt. (Ibs.)	Price Ea.
HB-30 HB-42 HB-53 HB-66 HB-78	2 3 4 5 6	34½ x 13½ x 28" 34½ x 13½ x 40" 34½ x 13½ x 52" 34½ x 13½ x 66" 34½ x 13½ x 78"	44 57 75 90 105	\$105.39 126.85 161.55 190.58 212.67
	18"	DEEP BOOKCASES STATIONARY		
		STATIONART		
HBC18-30 HBC18-42 HBC18-52 HBC18-72 HBC18-84	2 3 4 5 6	36 x 18 x 30" 36 x 18 x 43" 36 x 18 x 55" 36 x 18 x 72" 36 x 18 x 84"	47 60 80 98 115	153.98 189.95 222.77 273.25 292.82
		MOBILE		
HBC18-30M HBC18-42M HBC18-52M HBC18-72M	2 3 4 5	36 × 18 × 37" 36 × 18 × 49" 36 × 18 × 62" 36 × 18 × 79"	68 81 101 118	214.56 250.54 283.35 333.84
	B	OOK SUPPORTS		
HBSN6 HBSN9	-	4½ x 1¾ x 6" 4½ x 1¾ x 9"	0.6 1.0	3.85 4.67
HB-345 Extra She	If for 13½" Deep	Bookcases, Wt. 8 (lbs.) Pr	rice Ea. \$13	.88

H301 Extra Shelf for 18" Deep Bookcases, Wt. 8 (lbs.) Price Ea. \$15.78

& LADDERS **& STOOLS**

Steel Rolling Ladders

• Perfect for industrial and commercial use.

• 300 lb. rating and 24" wide steps.

The ideal ladder for stockrooms, hospitals, and warehouses. Frame is constructed of high grade 1" steel tubing enhanced by a durable powder coat. Features sturdy, deep ribbed stair tread. Top step platform is 15"D., remaining steps are 7.5" D. Rugged, all welded step and side rail assembly. Versatile positioning capabilities enable strategically positioned swivel casters for high maneuverability and can be ordered to suit virtually any need. Meets OSHA and ANSI standards. Please allow 1-2 weeks for shipping. FOB Shipping Point.

	STEEL ROLLING LADDERS									
Product No.	No. of Steps	Top Step Ht.	Base W x D	Handrail Ht.	Wt. (lbs.)	Price Option 1	Ea. Option 2			
HH2452	5	45"	36 x 40"	30"	54	\$491.00	\$610.74			
HH2462	6	54"	36 x 44"	30"	77	552.59	675.10			
HH2472	7	63"	36 x 50"	30"	84	593.16	721.17			
HH2482	8	72"	36 x 55"	30"	90	750.32	845.99			
HH2492	9	81"	36 x 61"	30"	100	797.67	929.67			
HH24102	10	90"	36 x 66"	30"	107	866.88	998.90			
HH24112	11	99"	36 x 72"	30"	113	962.36	1,070.56			
HH24122	12	108"	36 x 77"	30"	128	1,022.52	1,134.48			
HH24132	13	117"	36 x 83"	36"	134	1,351.18	1,448.92			
HH24142	14	126"	36 x 89"	36"	141	1,438.22	1,556.44			

Ladders With Five or More Steps...choose Option 1 or Option 2:

Option 1- two 3" diameter swivel casters up front and two 3" fixed rear casters.

Option 2- two 3" diameter swivel casters up front and two 3" swivel rear casters. Option 2 enables user to move ladder straight, laterally, or diagonally for closer positioning and tight cornering. "Grip & Roll" lift lever mobilizes all swivel casters.



HAL132 HAL132 HAL132 HAL130 HA

No Tip Aluminum Stools and Ladders

• Built in step tread for sure footing.

• Lightweight and corrosion resistant.

These stools and ladders are foot friendly with 180% more area on that important first step. Complies with OSHA and ANSI standards. Available in the following colors — (AL) Aluminum, (BK) Black, (PT) Putty, (BL) Blue, (YL) Yellow, (WH) White, (RD) Red, (GR) Green, (BR) Brown, (GY) Gray– please specify. No assembly required except to attach handrails. Please allow 1-2 weeks for shipping. FOB Shipping Point.

	NO TIP STOOLS/LADDERS								
Product	No.	Top Step	Step	Top Step	Base	Wt.	Price		
No.	Steps	Height	Width	Depth	WxD	(lbs)	Ea.		
HSAS100*	1	9"	12"	7.5"	16 x 14"	5	\$67.28		
HSUPS100*	1	9"	16"	7.5"	20 x 15"	8	75.64		
HSUPS120*	1	9"	16"	15"	20 x 22"	12	91.97		
HSAS220*	2	15"	12"	7.5"	17 x 18"	8	97.71		
HSUPS200*	23	18"	16"	7.5"	26 x 16"	11	133.73		
HSUPS300*	3	27"	16"	7.5"	26 x 23"	16	191.84		
			ROLL	ING STOOLS/	LADDERS				
HSUPR120*	1	9"	16"	15"	20 x 22"	12	\$135.07		
HSAR220*	2	15"	12"	15"	17 x 18"	10	121.37		
HAL120*	23	18"	16"	7.5"	26 x 16"	14	160.76		
HAL130*	3	27"	16"	7.5"	26 x 23"	17	280.99		
HAL140*	4	36"	16"	7.5"	26 x 28"	21	452.58		
		ROLLING STO	OLS/LADDE	RS WITH 30" H	IANDRAIL				
HAL132*	3	27"	16"	7.5"	26" x 22"	22	\$328.74		
HAL142*	4	36"	16"	7.5"	26" x 28"	25	549.81		
HAL152*	5	45"	16"	7.5"	26" x 34"	36	569.54		
HAL162*	6	54"	16"	7.5"	26" x 40"	46	740.04		
*Please specify col	or (-AL) Alumi	num (-BK) Black	(-PT) Putty (-B	I) Blue (-YI) Yello	w (-WH) White (-	RD) Red 1-G	R) Green		

*Please specify color: (-AL) Aluminum, (-BK) Black, (-PT) Putty, (-BL) Blue, (-YL) Yellow, (-WH) White, (-RD) Red, (-GR) Green (-BR) Brown or (-GY) Gray.

Aluminum Rolling Ladders

• **300 Lb. Load Rating and 24**" **step width.** These lightweight and attractive ladders can be used in warehouses, libraries, schools, hospitals, and offices. The frame is constructed of 1" square high strength aluminum tube. Rugged, all welded step and side rail assembly with built in deep ribbed stair tread for sure footing. Top step is 15"D., remaining steps are 7.5"D. All ladders ship by truck partially knocked down. See Hybrid Ladder for details regarding caster and ladder options. FOB Shipping Point.



		AL	UMINUM R	OLLING LA	DDERS		
Product	No.	Top Step Ht.	Base	Handrail	Wt.	Price	
No.	of Steps	'Ht. '	WxD	Ht.	(lbs.)	Option 1	Option 2
HAL2452	5	45"	36 x 40"	30"	51	\$724.39	\$837.49
HAL2462	6	54"	36 x 44"	30"	67	779.81	920.07
HAL2472	7	63"	36 x 50"	30"	72	855.08	988.75
HAL2482	8	72"	36 x 55"	30"	78	978.38	1,068.39
HAL2492	9	81"	36 x 61"	30"	86	1,082.25	1,155.03
HAL24102	10	90"	36 x 66"	30"	92	1,167.27	1,258.20
HAL24112	11	99"	36 x 72"	30"	98	1,276.51	1,359.15
HAL24122	12	108"	36 x 77"	30"	109	1,394.29	1,467.81
HAL24132	13	117"	36 x 83"	36"	115	1,496.92	1,575.48
HAL24142	14	126"	36 x 89"	36"	121	1,624.29	1,688.65


Rolling AFETY LADDERS



M-2000 **ROLLING SAFETY LADDERS**

• Easy to use footpedal activated lockstep • Features 14"D. top step.

Made from rigid 1" OD tubing -- handles 450 lb. loads. Features expanded metal tread standard or specify alternate tread. 30" handrails -- measured vertically from front of step. Ladders ship unassembled. For fully assembled ladder -- specify (SU) ... Add \$82.97 Built to OSHA and ANSI standards. CAL OSHA available -- 6-9 step add \$80.31; 10+ steps add \$125.54. Boxing available ... Add \$55.38. Gray powder coat finish. FOB Shipping Point.



POWDER

COATED

TOUGH[™]

Expanded Perforated Abrasive Metal (X) Step (P) Mat (R) Base W x L Top Wt. Step Overall (lbs.) Product No. Serrated Grating (G) Steps 16" WIDE TREAD 50" 60" 70" 80" 83" 93" 103" \$564.00 675.00 731.00 \$470.00 563.00 609.00 24 x 43' H052414 \$427.00 \$470.00 71 ** 6 H062414 H072414 80 89 512.00 554.00 563.00 609.00 24 x 49" 24 x 55" ** 8 24 x 61 113' 100 H082414 890.00 742.00 675.00 742.00 24" WIDE TREAD 30 x 42" 30 x 49" 30 x 55" 32 x 61" 32 x 68" 510.00 622.00 675.00 790.00 854.00 464.00 565.00 613.00 718.00 776.00 510.00 622.00 675.00 790.00 854.00 50" 60" 70" 80" 90" 83" 93" 103" 113" 123" H053014 H063014 H073014 612.00 746.00 5 110 122 143 160 175 193 205 220 250 ** 6 810.00 ** 8 ** 9 H073014 H083214 H093214 H103214 H113214 H123214 948.00 1.025.00 **10 **11 778.00 853.00 935.00 1,004.00 1,393.00 1,452.00 1,512.00 133" 143" 153" 172" 182" 192" 32 x 74" 32 x 80" 32 x 87" 100" 110" 120" 1,126.00 1,234.00 1,326.00 939.00 1,028.00 1,105.00 939.00 1,028.00 1,105.00 **12 1,838.00 1,917.00 1,996.00 1,532.00 1,597.00 1,663.00 *13 40 x 94" i30" H134014 1,532.00 140" 280 H144014 310 H154014 *14 ,597.00 40 x 100' *i5 40 x 106' 150" 1 663 00

16-20 steps available -- contact dealer for information. *Add **\$55.38** for skidding. **Are in stock in Expanded Metal and Perforated step

Spring Loaded Casters Ladders

• Mounted on 4 spring loaded swivel casters that retract under user's weight.

450 lb. capacity - made from heavy-duty 1" dia. tubing.

- 1 to 4 step ladders have 10"D. top step with
- 7" intermediate steps and ship flat in a box via UPS. 5 thru 7 step ladders have a
- 14"D. top step and ship KD.

Set-up available - add \$55.38 per ladder. CAL OSHA compliant on 1 - 4 steps. For 5 - 7 steps add \$80.31. FOB Shipping Point.







Spring loaded casters retract under users weight.

Steps	Top Step	Overall	Product No.	Base W x L	Wt. (lbs.)	16" WIDE S Serrated Grating (G)	TEP Expanded Metal (X)	Perforated Step (P)	Abrasive Mat (R)	Product No.	Base W x L	Wt. (lbs.)	24" WIDE Serrated Grating (G)	STEP Expanded Metal (X)	Perforated Step (P)	Abrasive Mat (R)
•	•					0		IANDRAILS				• •			• • • •	
1 2 3 4	12" 19" 28.5" 38"	12" 19" 28.5" 38"	118 218 318 418	18 x 16" 20 x 19" 20 x 25" 20 x 31"	18 22 31 42	\$173.00 217.00 261.00 311.00	\$144.00 181.00 217.00 259.00	\$131.00 164.00 198.00 235.00	\$144.00 181.00 217.00 259.00	126 226 326 426	26 x 16" 30 x 19" 30 x 25" 30 x 31"	20 28 36 51	\$184.00 238.00 303.00 365.00	\$154.00 198.00 253.00 304.00	\$140.00 180.00 230.00 276.00	\$154.00 198.00 253.00 304.00
							WITH	HANDRAIL	S							
2 3 4 5 6 7	19" 28.5" 38" 50" 60" 70"	49" 58.5" 68" 83" 93" 103"	HH218 HH318 HH418 HHFSH518 HHFSH618 HHFSH718	20 x 19" 20 x 25" 20 x 31" 20 x 37" 24 x 49" 24 x 56"	36 45 56 75 83 89	276.00 305.00 372.00 462.00 558.00 612.00	230.00 254.00 310.00 385.00 465.00 510.00	209.00 231.00 282.00 350.00 423.00 464.00	230.00 254.00 310.00 385.00 465.00 510.00	HH226 HH326 HH426 HHFSH526 HHFSH626 HHFSH726	30 x 19" 30 x 25" 30 x 31" 30 x 37" 30 x 49" 30 x 56"	42 50 65 87 98 108	305.00 345.00 449.00 551.00 649.00 710.00	254.00 288.00 374.00 459.00 540.00 592.00	231.00 262.00 340.00 417.00 491.00 538.00	254.00 288.00 374.00 459.00 540.00 592.00


Ladders ship unassembled. Available fully assembled -- specify SU Add **\$55.38**

ROLLING LADDERS

Weight – Actuated Rolling Safety Ladders

- *NEW* State of the art lock step design provides exceptional safety by automatically dropping the ladder to the climbing position with it's feet firmly on the floor when weight is applied to the stair section.
- Easy to use, a single pedal raises the ladder to the rolling position and the users weight automatically locks the ladder to the floor for climbing.
- *Durable* this next generation lock step has been robotically tested; cycling over 60,000 times.
- 14" Deep Top Step Ladders have option to ship in a box to reduce freight expense and the risk of shipping damage. 21" and 28" DTS ship in a box.
- Heavy-duty, 450-lb load rating

Feature Comfortable 14" Deep Top Step and 7" D intermediate steps. For a more comfortable working area specify 21"D or 28"D top step. Durable, manufactured with 1"OD tubing and tough powder coat gray finish. Compliance: OSHA 1910.29 and ANSI 14.7 Please specify Tread Style: R(Abrasive Mat), X(Expanded Metal), G(Grip-Strut), P(Perforated) Ships standard KD. Optional set-up available specify **SU**... add **\$82.97**. FOB Shipping Point.



50° Slope Walk Down Ladder

- Top step is 14"D. for additional comfort and safety.
 Exceeds OSHA and ANSI standards.
- Exceeds OSHA and ANSI
 Cal OSHA available.

Unique 50° stairway slope for easy forward ascent or descent. Sturdy 450 lb. capacity. 7"D. intermediate step. Easy operating lockstep secures ladder to the floor. Perforated tread standard or specify alternate tread. Ladders shipped knocked down -- for setup please specify SU.... Add \$82.97 Grav Powder coat finish. FOB Shipping Point.

Gray Powder coat finish. FOB Shipping Point.									
No. of Steps	Base W x L	Height Top Step	Overall	1 Wt. (Ibs.)	6" WIDE STEP Product No.	Serrated Grating (G)	Expanded Metal (X)	Perforated Step (P)	Abrasive Mat (R)
5 6 7 8	24 x 50" 24 x 58" 24 x 66" 24 x 74"	50" 60" 70" 80"	83" 93" 103" 113"	96 109 122 135	HSW520 HSW624 HSW724 HSW824	\$660.00 771.00 827.00 986.00	\$550.00 643.00 689.00 822.00	\$503.00 588.00 630.00 750.00	\$550.00 643.00 689.00 822.00
					24" WIDE STE	P			
5 6 7 8	32 x 50" 32 x 58" 32 x 66" 32 x 74"	50" 60" 70" 80"	83" 93" 103" 113"	115 120 139 165	HSW530 HSW630 HSW730 HSW830	708.00 842.00 906.00 1.044.00	590.00 702.00 755.00 870.00	540.00 641.00 689.00 794.00	590.00 702.00 755.00 870.00
9 10 11	32 x 74" 32 x 82" 32 x 90" 32 x 98"	90" 100" 110"	123" 133" 143"	180 200 210	HSW932 HSW1032 HSW1132	1,120.00 1,222.00 1,330.00	934.00 1,018.00 1,108.00	852.00 929.00 1,011.00	934.00 1,018.00 1,108.00
12	32 x 106"	120"	153"	230	HSW1232	1,422.00	1,185.00	1,080.00	1,185.00





Climb the ladder. Locks to the floor!



Add 15 lbs.

Options For Weight-Actuated Rolling Safety Ladders and 50° Slope Walk Down Ladder	Price Ea.
21"D. Top Step 28"D. Top Step All Directional	\$212.00 268.00
All Directional	162.00
Side Exit	434.53
Rear Exit Boxing	166.84 55.38
Skidding	55.38
Employee Only Sign CAL-OSHA (5 - 9 Steps) CAL-OSHA (10 - 15 Steps)	96.92
CAL-OSHA (5 - 9 Steps)	80.31
CAL-OSHA (10 - 15 Steps)	125.54



ROLLING ADDERS & CARTS

Product

No.

HLS2247

HLS3247 HLS4247

HALS3247 HALS4247

Cap.

(lbs.)

350

350

350

300 300

No.

Steps

2 3

NEW

Alumi

Step Height

20" 30"

40"

ALUMINUM

28½ 38"

Steel and Aluminum Lock-N-Stock **Folding Ladder**

- Lock the stair section in place -- Climb it. Roll it. Fold it. or Store it.
- Welded steel construction rated to 350 lbs.
- New light weight aluminum ladders are rated to 300 lbs.

Rugged, dependable and safe to use. Features 58° slope with 7"D. steps for safe, easy climbing. All welded construction for long wearing use. No hinge to break. Easy to maneuver in the open or closed positions. Locks in the folded or climbing positions for extra safety. Approx. 10"D. when folded for space saving storage. Built to ANSI 14.2 standards. FOB Shipping Point.

Steel and Aluminum Modified Lock-N-Stock Folding Ladder

- All the benefits of Ballymore's popular Lock-N-Stock ladder but with a 10" deep top step and full 32" handrails on the top step, including a rear guardrail.
- Provides access to 8' working heights.
- New lightweight aluminum ladders are easier to maneuver and lead to better productivity.

Now available in Aluminum! The drastically reduced weight makes it easier to maneuver and leads to better productivity. Non-slip perforated step tread is standard. Features 58° slope for easy climbing. Rolls easily on two 4" wheels, in either the folded or open position. Tilt and roll mobility allows maneuverability in tight areas. The Modified Lock-N-Stock can be easily folded for storage. Folds without a hinge for increased durability. Durable Blue powder coat finish. Built to OSHA and ANSI standards. No assembly required. Ships in a box (Eligible for UPS oversize shipment). FOB Shipping Point.

Product No.	Cap. (lbs.)	No. Steps	STEEL MODIF Top Step Height		STOCK FOLDI Folded Size W x D x H	NG LAI Wt. (lbs.)	DDERS UPS Shipping	Price Ea.
HLS32410	350	3	28½"	24 x 28"	14 x 24 x 62"	46	Yes	\$293.54
HLS42410	350	4	38"	24 x 35"	14 x 24 x 74"	52	Yes	348.92
	NEW	ALUMI	NUM MODIFIE	D LOCK-N-S	STOCK FOLDIN	IG LAD	DERS	
HALS32410	300	3	28½"	24 x 28"	14 x 24 x 62"	26	Yes	523.38
HALS42410	300	4	38"	24 x 35"	14 x 24 x 72"	31	Yes	584.54

Tilt & Roll Ladders

- Balanced design allows ladder to tilt easily and roll effortlessly on 2-4" casters
- 24"W. treads.

Oversized 20"D. x 24"W. top step. 450 lbs. capacity. Gray powder coat finish. Expanded metal standard or specify alternate tread. FOB Shipping Point.

	Hor Sindule base													
NON-STRADDLE BASE No. Top Step Overall Product Base Wt. Serrated Expanded Perf Steps Height Height No. W x L (lbs.) Grating (G) Metal (X) Sta														
3 4 5 6	30" 40" 50" 60"	63" 73" 83" 93"	HTR-3 HTR-4 HTR-5 HTR-6	30 x 40" 30 x 47" 30 x 54" 30 x 61"	84 91 98 109	\$436.00 503.00 568.00 633.00	\$363.00 419.00 473.00 528.00	\$330.00 381.00 430.00 480.00						
				STRADDLE BA	SE									
3 4 5 6	30" 40" 50" 60"	63" 73" 83" 93"	HHL-3NS HHL-4NS HHL-5NS HHL-6NS	26 x 40" 26 x 45" 26 x 52" 26 x 58"	96 103 110 121	603.00 723.00 819.00 915.00	502.00 603.00 683.00 763.00	456.00 548.00 621.00 693.00						

Non-Straddle Base

Merchandise Ladder Car

STEEL LOCK-N-STOCK FOLDING LADDERS Top Open Size Folded Size Open Size W x L

24 x 17"

24 x 23" 24 x 30"

24 x 23" 24 x 30"

WxDxH

10 x 24 x 41

10 x 24 x 52' 10 x 24 x 65'

10 x 24 x 52' 10 x 24 x 65'

OCK-N-STOCK FOLDING L

 Includes two shelves. Ballymore's new heavy duty Merchandise Ladder Cart has a 1000 lb. capacity. Top shelf measures 20"W. x 40"L. Top shelf height measures 28". Base measures 21" x 51" and overall height is 63". Durable powder coated Gray with Yellow Steps. FOB Shipping Point.

POWDER COATED **TOUGH**TM

HBMLC Wt. 108 (lbs.) Price Ea. \$420.00

Paint Cart

Ballymore's new heavy duty 5-gallon Paint Cart has a 400 lb. capacity. Top shelf measures 20"W. x 20"L. Base measures 20"W. x 27"L. and overall height is 42". Choose from Orange or Blue. FOB Shipping Point.

Wt.

(lbs.)

36 44

51

28

DDERS

UPS

Shipping

Yes

Yes

No

Yes

Yac

Price

Ea.

\$229.00

297.00

358.00

484.62 547.38



HBPCRT-O Orange Cart Wt. 62 (lbs.) Price Ea. \$380.00 HBPCRT-B Blue Cart Wt. 62 (lbs.) Price Ea. \$380.00



Straddle base

500

shown with optional

10" x 24"

tool tray. HPHT Add

\$119.00

ROLLING ADDERS **Pivoting All** Direction Ladders

 Pivots in its own radius. • Easy to use footpedal

activated lockstep.

Rolls on four swivel casters allowing the ladder to move in ALL DIRECTIONS. Rugged 450 lb capacity. 14" Deep Top Step. Specify tread. Gray powder coat finish. Built to OSHA and ANSI standards. FOB Shipping Point.

	16" WIDE TREAD													
No. Steps	Base W x D	Top Step Height	Overall Height	Wt. (lbs.)	Product No.	Serrated Grating (G)		Perforated Step (P)	Expanded Metal (X)					
6 7 8	24 x 49" 24 x 55" 24 x 61"	60" 70" 80"	93" 103" 113"	110 125 140	HPIP-6 HPIP-7 HPIP-8	\$795.00 851.00 1,010.00	\$663.00 709.00 842.00	\$606.00 649.00 769.00	\$663.00 709.00 842.00					
				24	I" WIDE TR	EAD								
6 7 8 9 10 11 12	32 x 49" 32 x 55" 32 x 61" 32 x 68" 32 x 74" 32 x 80" 32 x 87"	60" 70" 80" 90" 100" 110" 120"	93" 103" 113" 123" 133" 143" 153"	124 141 158 175 188 205 220	HPIP-6-3 HPIP-7-3 HPIP-8-3 HPIP-9 HPIP-10 HPIP-11 HPIP-12		1,128.00	660.00 708.00 813.00 871.00 948.00 1,030.00 1,099.00	722.00 775.00 890.00 954.00 1,038.00 1,128.00 1,205.00					

Patented Navigator

• Standard 30" fixed rails on both sides and a rear guardrail.

• Optional folding rails are available on both sides of the steps to allow easier access for stocking and retrieving.

The Navigator is ideal for stock rooms and retail environments that are looking for a safer alternative to A-Frame ladders. Specifically designed with a compact base to allow safer access to stock in confined areas and for use in narrow aisles. The raised base frame allows the ladder to straddle corners when turning. Includes the patented safety feature of the weight actuated Lock Step, which prohibits the use of the ladder while in the rolling position. Comfortable 14" Deep Top Step. Rugged 450 lb. capacity. Rolls on four 4" swivel casters. The All Directional caster design provides 360° turning radius. Comes standard with solid steel steps with abrasive Non-Slip mats (other treads styles available). Durable Gray powder coat finish. Available to be boxed -- call for more information. FOB Shipping Point.

Product No.	No. of Steps	Base W x D	D NAVIGA Top Step Height D FIXED RA	Overall Height	Wt. (Ibs.)	Price Ea.
HNAV-7RS	7	24 x 51"	70"	103"	160	\$886.15
HNAV-8RS	8	24 x 57"	80"	113"	176	978.46
HNAV-9RS	9	24 x 63"	90"	123"	192	1,033.85
HNAV-10RS	10	24 x 69"	100"	133"	210	1,107.69
		FOLI	DING RAILS	;		
HNAV-9RF	9	24 x 63"	90"	123"	192	1,126.15
HNAV-10RF	10	24 x 69"	100"	133"	210	1,200.00

Ships unassembled for freight savings. As a fully assembled ladder pecify SU... add \$82.97



Stock Picking Ladders

- Combines the benefit of a rolling safety ladder and a stock picking cart.
- Multi shelves for storage.


Choice of 14" top step or 21"D. top step. Sturdy shelves; 2 shelves on 6-7 step models; 3 shelves on 8-12 step models. Combined 600 lbs. capacity -- 300 lbs. for the ladder and 300 lbs. for the storage shelves. Gray powder coat finish. Expanded metal tread standard or specify alternate tread. FOB Shipping Point.

Ships unassembled for
freight savings. As a
(in a substantial substantia
fully assembled ladder,
specify SU add \$82.97
· ,

501




HNAV-10RF Folding Rails



Optional Folding Tray HFTSPL 7" x 16" or 24" Price Ea. \$142.43

HNAV-10RS Standard Fixed Rails









POWDER

INDUSTRIAL LADDERS

MONSTER LINE Rolling Safety Ladder Extra Heavy Duty 600 lb. Capacity Ladder



Includes Weight Actuated Lockstep: The Safest, Most Durable Lockstep on the Market

- 59° Slope.
- Weight actuated lockstep.

Standard Features: • 21" Deep top step.

rectangular tubing.

• High quality non-marking wheels with roller bearings and dust cover.

• Base frame and rear vertical are rugged 2" x 1"

- Rear corner bumpers.
- Tough Powder Coat Gray Finish.
- Exceeds OSHA and ANSI standards.

Three step tread types available -- please specify. All-Directional option is available -- contact dealer for more information.



MONSTER LINE LADDERS 24" WIDE TREAD													
No. Steps	Base W x D	Top Step Height	Overall Height	Wt. (Ibs.)	Product No.	Serrated Grating (G)	Perforated Step (P)	Expanded Metal (X)					
6	32 x 56"	60"	93"	165	HML063221	\$1,088.00	\$947.00	\$994.00					
7	32 x 62"	70"	103"	189	HML073221	1,154.00	1,003.00	1,054.00					
8	32 x 68"	80"	113"	209	HML083221	1,296.00	1,127.00	1,182.00					
9	32 x 75"	90"	123"	227	HML093221	1,375.00	1,195.00	1,255.00					
10	32 x 81"	100"	133"	248	HML103221	1,481.00	1,288.00	1,352.00					
11	32 x 87"	110"	143"	263	HML113221	1,591.00	1,384.00	1,453.00					
12	32 x 94"	120"	153"	281	HML123221	1,687.00	1,466.00	1,541.00					
13	40 x 101"	130"	172"	314	HML134021	2,215.00	1,926.00	2,023.00					
14	40 x 107"	140"	182"	347	HML144021	2,296.00	1,997.00	2,097.00					
15	40 x 113"	150"	192"	380	HML154021	2,378.00	2,068.00	2,170.00					

Heavy Duty 600 lb. Capacity Stairway Slope Ladder

• Weight Actuated lockstep


• Top step is 21" deep for additional comfort and safety.

Unique 50° stairway slope for easy forward ascent or descent. Intermediate steps are 7"D. Built to OSHA and ANSI standards. CAL OSHA available. Specify tread type. Ladders ship knocked down -- for setup please specify (**SU**) ... Add **\$82.97**. Gray powder coat finish. FOB Shipping Point.

No. o Steps	f Base W x L	Height Top Step				Serrated Grating (G)		Perforated Step (P)	
5	32 x 55"	50"	83"	132	HHDS-5	\$982.00	\$819.00	\$744.00	\$819.00
6	32 x 63"	60"	93"	152	HHDS-6	1,096.00	913.00	830.00	913.00
7	32 x 72"	70"	103"	178	HHDS-7	1,236.00	1,030.00	936.00	1,030.00
8	32 x 80"	80"	113"	204	HHDS-8	1,435.00	1,196.00	1,087.00	1,196.00
9	32 x 88"	90"	123"	227	HHDS-9	1,591.00	1,326.00	1,205.00	1,326.00
10	32 x 97"	100"	133"	245	HHDS-10	1,667.00	1,390.00	1,263.00	1,390.00
11	32 x 105	" 110"	143"	278	HHDS-11	2,059.00	1,716.00	1,560.00	1,716.00
12	32 x 113	" 120"	153"	297	HHDS-12	2,153.00	1,794.00	1,631.00	1,794.00

Options for Heavy Duty	Price
600 lb. Capacity Ladder	Ea.
28"D. Top Step	\$268.00
All Directional	162.00
Side Exit	434.53
Rear Exit	166.84
Boxing	55.38
Skidding	55.38
Employee Only Sign	96.92
CAL-OSHA 5-9 Step	80.31
CAL-OSHA 10-12 Step	125.54





Shown with all directional option. Recommended for larger ladders.



502



ALUMINUM LADDERS -- WHEELBARROW STYLE

(G) SERRATED

SOLID

Product	No.	Тор	Overall	S STEEL LC Base	Wt.	(G) TREAD Price	(P) TREAD Price	Product No.	No. Steps	Top Height	Overall Height	Step Width	Base W x L	Wt. (Ibs.)	GRATING Price Ea.	RIBBED TREAD Price Ea.
No.	Steps	Height	Height	WxL	(lbs.)	Ea.	Ea.	HALWB5	5	50"	83"	18"	30 x 47"	42	\$1,015.00	\$966.00
HSS052414 HSS062414	5	50" 60"	83" 93"	24 x 46" 24 x 52"	95 105	\$1,612.00 1,872.00	\$1,466.00 1,702.00	HALWB6 HALWB7	6	60" 70"	93" 103"	18" 18"	30 x 53" 30 x 60"	50 58	1,136.00 1,258.00	1,082.00 1,198.00
HSS072414	7	70"	103"	24 x 52 24 x 58"	114	2,132.00	1,939.00	HALWB8	8	80"	113"	18"	30 x 66"	66	1,380.00	1,314.00
HSS082414	8	80"	113"	24 x 64"	132	2,393.00	2,175.00	HALWB9	9	90"	123"	18"	36 x 72"	74	1,502.00	1,430.00
HSS053014	5	50"	83"	32 x 46"	113	1,846.00	1,679.00	HALWB10	10	100"	133"	18"	36 x 78"	82	1,623.00	1,546.00
HSS063014	6	60"	93"	32 x 52"	126	2,124.00	1,931.00	HALWB530	5	50"	83"	24"	36 x 47"	50	1,055.00	1,005.00
HSS073014	/	70"	103"	32 x 58"	147	2,401.00	2,183.00	HALWB630	<u>0</u>	60"	93"	24"	36 x 53"	60	1,193.00	1,136.00
HSS083214	8	80"	113"	32 x 64"	165	2,679.00	2,435.00	HALWB730	/	70"	103"	24"	36 x 60"	70	1,331.00	1,268.00
HSS093214	9	90"	123"	32 x 70"	180	2,956.00	2,687.00	HALWB830	8	80"	113"	24"	36 x 66"	80	1,469.00	1,399.00
HSS103214	10	100"	133"	32 x 76"	199	3,233.00	2,939.00	HALWB930	10	90"	123"	24"	36 x 72"	90	1,607.00	1,531.00
HSS113214	11	110"	143"	32 x 82"	211	3,511.00	3,192.00	HALWB1030		100"	133"	24"	36 x 78"	100	1,745.00	1,662.00
HSS123214	12	120"	153"	32 x 88"	227	3,788.00	3,444.00	Optional 20	D. Top	Step. Add	\$135.00)				

Stainless Steel & Aluminum Rolling Ladders

with 20"D. top step.



• Paint free for food or pharmaceutical applications.

• OSHA & ANSI compliant.

• 450 lb. capacity stainless steel, 450 lb. capacity aluminum ladders.

Ste	TILT Base eps W x L	& RO Height Top Step		Product		WIDE TREA NLESS STE Price Ea. (G)		Product No.	Price Ea. (R)		
2 3 4 5 6	20 x 19" 20 x 25" 20 x 38" 20 x 44" 24 x 50"	40"	49" 58.5" 73" 83" 93"	HSSTR220 HSSTR320 HSSTR420 HSSTR520 HSSTR624	42 47 52	1,439.00		HA2SH-TR HA3SH-TR HA4SH-TR	21 27 34	\$457.00 583.00 709.00	\$436.00 555.00 676.00
					24	" WIDE TR	READS				
23 45 67	30 x 25" 30 x 38"	38-40" 47-50" 57-60"	49" 58.5" 73" 83" 93" 96.5"	HSSTR230 HSSTR330 HSSTR430* HSSTR530* HSSTR630*	55 64 77	1,404.00 1,629.00	1,087.00		34 * 41 * 49 * 60	1,159.00	496.00 659.00 821.00 966.00 1,104.00 1,239.00

STAINLESS STEEL ROLLING LADDERS

T304. Ideal for wash down or corrosive environments. Casters and springs are not stainless. 450 lb. capacity. Specify Serrated (G) or Perforated (P) Tread. 20"D. top step available. Add **\$216.00**

*Aluminum 4-7 step ladders have a 9.5" step spacing and a shorter base depth. Stainless steel ladders have 10" step spacing.

503

SPRING LOADED 16" WIDE TREADS STAINLESS STEEL ALUMINUM													
Steps	Base 5 W x L	Top Step	30-33" Rails	Product No.	Wt. (lbs.)	Price Ea. (G)	Price Ea. (P)	Product No.	Wt. Price (lbs.) Ea. (G)	Price Ea. (R)			
1 2 3 4 2 3 4	18 × 20" 20 × 19" 20 × 25" 20 × 31" 20 × 19" 20 × 25" 20 × 31"	12" 19" 28.5" 38" 19" 28.5" 38"	No No No 49" 58.5" 68"	HSS1Nº HSS2Nº HSS3Nº HSS220 HSS320 HSS420	24 28 35 40 46 70	\$607.00 763.00 919.00 1,075.00 1,248.00	\$551.00 693.00 835.00 977.00 1,135.00	HA2S* [®] HA3S* [®] HA4S HA2SH HA3SH HA3SH HA4SH	15 \$367.00 20 453.00 29 592.00 21 457.00 27 583.00 34 709.00	\$350.00 432.00 565.00 436.00 555.00 676.00			
				24" W	IDE T	READS							
2 3 4	30 x 19" 30 x 25" 30 x 31"	19" 28.5" 38"	No No No	HSS2N30 ^e HSS3N30	43 55	849.00 1,040.00	772.00 946.00	HA2S30* ^e HA3S30 HA4S30	22 453.00 28 557.00 35 695.00	432.00 531.00 662.00			
4 2 3 4	30 x 19" 30 x 25" 30 x 35"	19" 28.5" 38-40"	49" 58.5" 73"	HSS230 HSS330 HSS430*	43 55 85	1,005.00 1,196.00 1,404.00	914.00 1,087.00 1,276.00	HA2SH30 HA3SH30 HA4SH30*	28 521.00 34 691.00 41 862.00	496.00 659.00 821.00			
5 6 7	30 x 42" 30 x 49" 30 x 56"	47-50" 57-60" 66-70"	83" 93" 103"	HSS530* HSS630* HSS730*	115	1,855.00 2,080.00	1,482.00 1,686.00 1,891.00	HA5SH30* HA6SH30* HA7SH30*	49 1,014.00 60 1,159.00 67 1,301.00				

*Aluminum 4-7 step ladders have a 9.5" step spacing and a shorter base depth. Stainless Steel ladders have 10" step spacing. "Eligible for UPS.

ALUMINUM ROLLING LADDERS Perfect for use in banks, libraries and hospitals. 450 lb. capacity. Specify Serrated (G) or Ribbed (R) Tread. Colorful painted aluminum available -call for pricing. 20"D. top step available -- add \$135.00



LADDERS & LIFTS





Cantilever Ladders

- Tough powder coat gray finish.
- Easy to assemble

Cantilevered Rolling Ladders are the perfect solution to access those hard-to-reach places. Allows the worker to stand out over the top of objects, such as tanks, trucks, or equipment. Top step includes 14" rear cantilever as standard, with options for 28", 35", or 42" cantilever. Frame is heavy duty 1" x 2" rectangular steel tubing. High quality 5" x 2" locking casters for easy rolling. Ships unassembled to reduce freight costs and risk of damage. Counterweight ships with ladder. Meets ANSI Special Purpose standards. Customized cantilevers are available to meet special requirements. Comes standard with Perforated Step (P) tread; for Serrated Grating (G) ...add \$31.69/step. FOB Shipping Point.

Ladder comes with Rear Guard Rail. Shown with the option "Remove Rear Guard Rail & Insert Snap Chains" for walk off accessibility.

Product No.	No. Steps	Platform Height	Vertical Clearance				28" Cantilever Perforated Step (P) Base Wt. Price Size (lbs.) Ea.				Cantile rated St Wt. (lbs.)		42" Cantilever Perforated Step (P) Base Wt. Price Size (lbs.) Ea.		
HCL-6	6	60"	57"	32 x 46"	468	\$1,790.00	32 x 53"	735	\$2,553.00	32 x 60"	763	\$2,743.00	32 x 67"	791	\$2,941.00
HCL-7	ž	70"	67"	32 x 52"	442	1,898.00	32 x 52"	695	2,661.00	32 x 59"	773	2,851.00	32 x 66"	801	3,049.00
HCL-8	8	80"	77"	32 x 58"	412	2,133.00	32 x 58"	640	2,896.00	32 x 58"	779	3,086.00	32 x 65"	807	3,284.00
HCL-9	9	90"	87"	32 x 65"	405	2,263.00	32 x 65"	583	3,026.00	32 x 65"	697	3,215.00	32 x 65"	811	3,413.00
HCL-10	10	100"	97"	32 x 71"	401	2,440.00	32 x 71"	554	3,203.00	32 x 71"	668	3,392.00	32 x 71"	757	3,590.00
HCL-11	11	110"	107"	32 x 77"	405	2,620.00	32 x 77"	544	3,383.00	32 x 77"	633	3,572.00	32 x 77"	722	3,770.00
HCL-12	12	120"	117"	32 x 84"	409	2,776.00	32 x 84"	537	3,539.00	32 x 84"	601	3,728.00	32 x 84"	690	3,927.00
HCL-13	13	130"	127"	40 x 90"	417	3,645.00	40 x 90"	520	4,111.00	40 x 90"	609	4,260.00	40 x 90"	673	4,399.00
HCL-14	14	140"	137"	40 x 96"	450	3,779.00	40 x 96"	528	4,245.00	40 x 96"	592	4,394.00	40 x 96"	656	4,533.00
HCL-15	15	150"	147"	40 x 103"	458	3,913.00	40 x 103"	536	4,379.00	40 x 103"	600	4,527.00	40 x 103"	664	4,666.00

Add \$31.69/step for Serrated Grating (G). Weights are for the ladders only and do not include the weight of the packaging - call for freight quote. Base length and overall length may vary slightly. If you have a tight space, please call to confirm. Option: Remove Rear Guard Rail and Insert Snap Chains... Add \$166.39

Tank-Top Lifts

- Provides easy access to tank truck and railroad car hatches.
- Excellent where cantilevered work deck is required.

• Great for trailer top snow and ice removal.

Deck height is hydraulically adjustable from 9' to 13' underclearance. Platform measures 24" x 48". Base is 28" x 60". Fixed outrigger spread is 69". Rolls on 8" casters with polyurethane tread -- 2 swivels with locks, 2 rigid. Ships in 3 pieces. Gray enamel paint. FOB Shipping Point. HTT9-13 9' to 13' adjustable deck height. Wt. 1525 (lbs.)

Price Ea. \$7,634.00

HTT9-13F 9' to 13' non-adjustable deck height. Wt. 1450 (lbs.) Price Ea. \$6,286.00

Specify selected height - factory will preset height to bottom of cantilevered deck. Recommended Options: Removable 30" Extension Railings. Add \$373.00

Orange powder coat finish. Add \$400.00

Model shown with optional 30' extension railing and in optional Safety Orange



MOBILE WORK PLATFORMS

800 Lbs. Capacity Work Platforms

- Two person, 800 lbs. capacity work platforms with serrated grating for the toughest jobs.
- Base and frame are made of rugged 2 x 1" rectangular steel.

Choice of 24" or 36" wide platforms. Pedal activated lockstep with 4" casters. Rails removed for shipping. OSHA/ANSI approved. CAL OSHA available add **\$101.73**. Custom platforms, all welded 800 lbs. and aluminum or stainless steel available -- contact dealer for pricing. Work Platforms are non-returnable. FOB Shipping Point.






SINGLE ENTRY WITHOUT HANDRAILS ADD PLATFORM LENGTH TO PART NO. TO SPECIFY LENGTH

						PLAIFORM L			O SPECIFT LEI							
			36"	LONG PLATFOR	RM						60" LONG PLATFORM			72" LONG PLATFORM		
			Product	Base	Wt.	Price	Base	Wt.	Price	Base	Wt.	Price	Base	Wt.	Price	
Steps	Height	Width	No.	WxD	(lbs.)	Ea.	WxD	(lbs.)	Ea.	WxD	(lbs.)	Ea.	WxD	(lbs.)	Ea.	
3	30"	24"	HSNR3-24	33 x 48"	105	\$691.00	33 x 60"	127	\$768.00	33 x 72"	149	\$857.54	33 x 84"	171	\$948.00	
3	30"	36"	HSNR3-36	38 x 48"	121	808.00	38 x 60"	143	1,009.00	38 x 72"	150	1,148.31	38 x 84"	187	1,285.00	
4	40"	24"	HSNR4-24	33 x 54"	121	785.00	33 x 66"	143	873.00	33 x 78"	165	964.62	33 x 90"	187	1,056.00	
4	40"	36"	HSNR4-36	38 x 54"	138	918.00	38 x 66"	160	1,148.00	38 x 78"	182	1,278.46	38 x 90"	204	1,409.00	





SINGLE ENTRY WITH PLATFORM HANDRAILS ADD PLATFORM LENGTH TO PART NO. TO SPECIFY LENGTH

					A	DD PLATFORM	LENGTH TO	PART NO	. TO SPECIFY	LENGTH					
				36" LONG PLAT	IFORM		48" LC	DNG PLA	IFORM	60" LO	NG PLAT	FORM	72" LO	NG PLAT	FORM
			Product	Base	Wt.	Price	Base	Wt.	Price	Base	Wt.	Price	Base	Wt.	Price
Steps	Height	Width	No.	WxD	(lbs.)	Ea.	WxD	(lbs.)	Ea.	WxD	(lbs.)	Ea.	WxD	(lbs.)	Ea.
3	30"	24"	HSEP3-24	33 x 48"	136	\$788.85	33 x 60"	151	\$874.10	33 x 72"	172	\$969.54	33 x 84"	193	\$1,068.51
3	30"	36"	HSEP3-36	38 x 48"	153	905.85	38 x 60"	178	1,115.10	38 x 72"	202	1,260.31	38 x 84"	226	1,405.51
4	40"	24"	HSEP4.24	33 x 54"	151	882.85	33 x 66"	165	979.10	33 x 78"	186	1,076.62	33 x 90"	207	1,176.51
4	40"	36"	HSEP4-36	38 x 54"	167	1,015.85	38 x 66"	193	1,254.10	38 x 78"	217	1,390.46	38 x 90"	240	1,529.51
5	50"	24"	HSEP5-24	33 x 60"	165	932.00	33 x 72"	178	1,036.00	33 x 84"	199	1,207.38	33 x 96"	220	1,378.00
5	50"	36"	HSEP5-36	38 x 60"	182	1,090.00	38 x 72"	206	1,362.00	38 x 84"	230	1,499.08	38 x 96"	253	1,637.00
6	60"	24"	HSEP6-24	33 x 66"	178	1,070.00	33 x 78"	193	1,300.00	33 x 90"	215	1,384.62	33 x 102"	237	1,470.00
6	60"	36"	HSEP6-36	38 x 66"	198	1,377.00	38 x 78"	220	1,713.00	38 x 90"	245	1,825.85	38 x 102"	270	1,936.00
7	70"	24"	HSEP7-24	33 x 73"	193	1,148.00	33 x 85"	209	1,377.00	33 x 97"	230	1,492.62	33 x 108"	251	1,607.00
7	70"	36"	HSEP7-36	38 x 73"	21.5	1.530.00	38 x 85"	237	1.822.00	38 x 97"	273	1.944.00	38 x 108"	308	2.067.00

DOUBLE ENTRY WITH PLATFORM HANDRAILS

	ADD PLATFORM LENGTH TO PART NO. TO SPECIFY LENGTH														
				36" LONG PLA	TFORM		48" L	ONG PL	ATFORM	60" L(ong PL/	ATFORM	72" LO	ong pla	ATFORM
			Product	Base	Wt.	Price	Base	Wt.	Price	Base	Wt.	Price	Base	Wt.	Price
Steps	Height	Width	No.	W x D	(lbs.)	Ea.	WxD	(lbs.)	Ea.	W x D	(lbs.)	Ea.	W x D	(lbs.)	Ea.
3	30"	24"	HDEP3-24	33 x 60"	202	\$1,125.00	33 x 72"	220	\$1,160.00	33 x 84"	240	\$1,193.54	33 x 96"	260	\$1,355.00
3	30"	36"	HDEP3-36	38 x 60"	226	1,339.00	38 x 72"	242	1,416.00	38 x 84"	262	1,492.62	38 x 96"	282	1,694.00
4	40"	24"	HDEP4-24	33 x 73"	227	1,246.00	33 x 85"	245	1,280.00	33 x 97"	285	1,358.77	33 x 108"	284	1,492.00
4	40"	36"	HDEP4-36	38 x 73"	248	1,523.00	38 x 85"	264	1,599.00	38 x 97"	289	1,698.46	38 x 108"	306	1,822.00
5	50"	24"	HDEP5-24	33 x 85"	251	1,492.00	33 x 97"	271	1,530.00	33 x 109"	311	1,628.31	33 x 121"	308	1,753.00
5	50"	36"	HDEP5-36	38 x 85"	270	1,836.00	38 x 97"	292	1,912.00	38 x 109"	314	2,034.46	38 x 121"	330	2,160.00
6	60"	24"	HDEP6-24	33 x 98"	276	1,643.00	33 x 110"	295	1,684.00	33 x 121"	333	1,769.54	33 x 133"	332	1,914.00
6	60"	36"	HDEP6-36	38 x 98"	297	2,029.00	38 x 110"	314	2,104.00	38 x 121"	334	2,210.77	38 x 133"	352	2,357.00
7	70"	24"	HDEP7-24	33 x 110"	300	1,760.00	33 x 122"	319	1,836.00	33 x 134"	339	1,951.38	33 x 146"	356	2,067.00
7	70"	36"	HDEP7-36	38 x 110"	319	2,180.00	38 x 122"	341	2,257.00	38 x 134"	362	2,391.69	38 x 146"	380	2,526.00



WORK PLATFORMS & CROSSOVER LADDERS

Fork Deck Maintenance Platform

• Turns your fork truck into an efficient personnel lift.

• Safe, affordable access to heights greater than those reached by a rolling ladder.

Rugged steel construction for durable, safe use. Safety features includes non-skid platform, screen to shield operator from forklift mast, safety chain to secure platform to mast, 42"H. handrails with mid-rail and locking gate. Fork pockets measure 2" x 7" on 29" centers. Standard 4" casters permits easy positioning. Finished in bright orange paint. Ships flat in box for easy assembly. FOB Shipping Point.

OPTIONAL ACCESSORIES:

HFD-TH Fluorescent Bulb Caddy. Wt. 26 (lbs.) Price Ea. **\$147.00** HFD-TT Tool Tray. Wt. 14 (lbs.) Price Ea. **\$108.00** All welded available. Price Ea. **\$140.00** Ship fully assembled Price Ea. **\$62.00**

	FORK DEC	CK MAINTENANCE PLATFORM		
Product	Cap. (lbs.)	Size	Wt.	Price
No.	(lbs.)	LxW	(lbs.)	Ea.
HFD-O-C	1000	36 x 36"	141	\$499.00
HFD-48-C	1000	48 x 36"	163	541.00
HFD-40-48	1000	40 x 48"	171	559.00



Fixed Crossovers

• Extra heavy duty construction -- 1½" O.D. pipe for rugged use.

• The comfortable 48° stair slope allows workers to descend facing outward.

Any combination of six stair heights and five bridge lengths is available in three standard widths. Custom sizes are available. Supplied in 3 pieces -- 2 stair sections and 1 bridge. Rated capacity 600 lbs. Built to OSHA code. Gray enamel paint. Available in aluminum. Fixed Crossovers are non-returnable. FOB Shipping Point.

	Stair Sections (Set of 2) For Fixed Crossovers (48° Stairway Slope) 2 to 7 steps with choice of widths.													
	27" OVERALL WIDTH 31½" OVERALL WIDTH 38½" OVERALL WIDTH (Expanded Metal) (Serrated Grating) (Serrated Grating)													
No	Vertical	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price				
Steps	Clearance	No.*	(lbs.)	Ea.	No.*	(lbs.)	Ea.	No.*	(lbs.)	Ea.				
2	28"	HCS227	253	\$1,131.00	HCS231	254	\$1,288.00	HCS238	276	\$1,417.00				
3	38"	HCS327	310	1,495.00	HCS331	325	1,715.00	HCS338	351	1,893.00				
4	48"	HCS427	378	1,863.00	HCS431	393	2,146.00	HCS438	428	2,424.00				
5	58"	HCS527	445	2,235.00	HCS531	465	2,576.00	HCS538	505	2,857.00				
6	68"	HCS627	517	2,629.00	HCS631	537	3,035.00	HCS638	583	3,372.00				
7	78"	HCS727	600	3,060.00	HCS731	630	3,534.00	HCS738	680	3,924.00				
	BRIDGE SECTIONS FOR FIXED CROSSOVERS Any length can be used with 2 to 7 step stair sections. 27" OVERALL WIDTH 31½" OVERALL WIDTH 38½" OVERALL WIDTH (Expanded Metal) (Serrated Grating) (Serrated Grating)													
Length	Horizontal	Product	Wt.	Price	Product	Wt.	Price	Product	Wt.	Price				
	Clearance	No.*	(lbs.)	Ea.	No.*	(lbs.)	Ea.	No.*	(lbs.)	Ea.				
20"	18"	HCB227	88	\$378.00	HCB231	95	\$507.00	HCB238	102	\$549.00				
30"	28"	HCB327	111	556.00	HCB331	120	602.00	HCB338	128	652.00				
40"	38"	HCB427	133	661.00	HCB431	140	700.00	HCB438	153	760.00				
50"	48"	HCB527	156	744.00	HCB531	165	796.00	HCB538	180	890.00				
60"	58"	HCB627	195	846.00	HCB631	203	911.00	HCB538	220	989.00				

Complete Product designation includes prefix, indicating a pair of stair section from "Stair Section". Solid tread (R) available for 27" only, at above prices - must be specified.

Adjustable Height Steel Work Platform

Stair sections and Bridge sections sold separately.

• Makes uneven surfaces level.

• Sturdy 500 lb. capacity.

Easy to use. Simply turn feet to adjust height -- place several units together for larger areas. Heavy-duty serrated grating provides excellent slip resistance. Platforms 24" to 48" have 4 legs. Longer platforms have 6 legs. Powder coat finish. FOB Shipping Point.

Size W x L	Wt. (lbs.)	HEIGHTS FROM Product No.	N 5" TO 8" Price Ea.	HEIGHTS FROM Product No.	9" TO 14" Price Ea.
24 x 24"	38	HAWP5-2424	\$215.00	HAWP9-2424	\$227.00
24 x 36"	52	HAWP5-2436	241.00	HAWP9-2436	253.00
24 x 48"	66	HAWP5-2448	275.00	HAWP9-2448	286.00
24 x 59"	80	HAWP5-2459	308.00	HAWP9-2459	319.00
24 x 71"	106	HAWP5-2471	355.00	HAWP9-2471	366.00
24 x 97"	138	HAWP5-2497	402.00	HAWP9-2497	412.00



LIFTS **Mobile Vertical Lift**

• 300 lb. Capacity.

• 12 Volt DC Power.

• Outriggers included and attached.

This push around lift is designed for 1 person and reaches a maximum platform height of 30'. The working height is approximately 35' which makes it ideal for light and ceiling maintenance. The lift climbs and descends smoothly and quietly. 12 volt DC powered with an easy to use control box. Outrigger interlock display lights which indicate when all four outriggers are down and in place is included as an added safety feature. The lift will not ascend unless all four outriggers are firmly in place. Compacts to 78" for easy storage and rolls easily through doorways. Lift is also equipped with tilt and lift for easy loading. Lead-time 3 days to ship. FOB Shipping Point.

Product	Working	Platform	Platform	Base	Outrigger	Wt.	Price
No.	Height	Max. Height	W x L	W x L	Footprint	(lbs.)	Ea.
HBMVL-30	35'	30'	24 x 27"	29 x 56"	64 x 74"	950	\$11,500.00

Drivable Vertical Mast Lift

• Small 30" x 62" footprint.

Introducing a drivable version of the Ballymore Push-able Vertical Lift (HBMVL-30). Designed for one worker and provides access to working heights of approximately 24 feet. Ideal for overhead maintenance on lights, fixtures and signs. Lift has a very small footprint, only 30" x 62". Platform is 24"W. x 25"L. with a cantilever platform extension of 21". Easy operating controls and numerous standard safety features including a Manual Lowering Valve, Emergency Stop Button and Automatic Pothole Protection. Includes 2-12V batteries that charge using a 110 Volt Outlet. FOB Shipping Point.

Product	Cap.	Platform	Working	Footprint	Platform Size	Height	Wt.	Price
No.	(lbs.)	Max. Height	Height	W x L	W x L	Stowed	(Ibs.)	Ea.
HDVML-18	330	18'	24'	30 x 62"	24 x 25"	80"	2430	\$22,915.00

Mini Merchandise Lift

- 500 lb. Capacity.
- Safety Control Panel 3 button plus Kill Switch.
- Limit Switch included that will prohibit the lift from ascending without the casters being locked to the floor.

Ballymore's latest introduction is the Push-able Mini Merchandise Lift. This unique lift features a very small 26" x 48" footprint giving it the ability to operate in tight aisle ways. There are "push" handles on the front and back of the lift for easy maneuverability. It rolls on four 6" dia. wheels, two 2" wide locking swivel wheels and 2" wide rigid wheels. A heavy duty 150 lb. capacity shelf is perfect for stocking and destocking. Imagine the increased productivity and safety enhancement as an employee can load multiple boxes on the shelf rather than going up and down carrying boxes. Shelf lip keeps packages from falling off the front of the lift. Large standing platform measures 231/2"W. x 20"D. Safety shield prevents access to the chains and linkage. The lift is equipped with a limit switch which prohibits the lift from rising without the

casters locked firmly on the floor. The lift is battery operated and can be charged using a standard 110 volt outlet. It also comes with a manual lowering valve, power cut-off switches and simple controls - all standard. Yellow in color. FOB Shipping Point.

MINI MERCHANDISE LIFT Standing											
Product No.	Cap. (lbs.)	Base W x L	Overall W x L x H	Platform Ht. Min./Max.	Shelf W x L	Max. Shelf Ht.	Wt. (Ibs.)	Price Ea.			
HBMML-9	500	26 x 48"	26 x 55 x 55"	13"/71"	25 x 17"	110"	650	\$6,350.00			





BALLYMORE







LIFTS

"Power Stocker" Lift

- Ground Entry Manually Propelled Hydraulic Order Picker.
- Designed for smooth, easy one-person order picking up to 21' high.
- No outriggers required, floor locks secure in place. Electric interlocks standard.
- Key lock prevents unauthorized use.

Small foot print won't block aisles and is easy to maneuver. **HPS-10** is only 76" tall for easy movement through standard doorways. Movable guard rails beside stock platform for easy loading and unloading. Merchandise can be easily raised to shelf level and easily slid to minimize lifting. High quality controls require both hands to operate for user safety. 12 volt DC power (AGM battery) with mounted charger included. Recharges using a standard 110V outlet. 100+ raise and lower cycles between charges. Optional Safety Sensing System for **HPS-12** and **HPS-15** creates a 2' safety zone around lift alerting operator to activity below the lift. Meets/exceed ANSI safety standards. FOB Shipping Point.

Product No.	Cap. (lbs.)	Footprint W x L	Overall Height	Platform Max. Height	Platform Min. Height	Working Height	Power	Wt. (Ibs.)	Price Ea.
HPS-10	450	36 x 54"	76"	8'2"	10"	14'	12V DC	660	\$5,499.00
HPS-12	650	36 x 54"	95"	11'6"	11"	17'	12V DC	1168	8,250.00
HPS-15	650	43 x 54"	83"	14'9"	12"	20'	12V DC	1250	11,213.00
<u> </u>	· (

Optional Safety Sensing System available on HPS-12 and HPS-15... Add \$1,075.00.





Optional Safety Sensing system

Drivable "Power Stocker" Lift

\bullet Large cargo deck 32"W. x 28"D. and standing platform 28"W x 19"D.

• 650 lbs. capacity - merchandise and operator.

Our New Drivable Power Stocker has all the ergonomic features and benefits as our push-able models, including ground entry and the ability to raise merchandise to shelf levels while easily sliding the product on or off the shelf. This minimizes the back strains of lifting and at the same time improves productivity and safety. The Drivable Power Stocker is easy to operate. The control (joy) stick makes navigation simple and safe. The Drivable Power Stocker has two speeds and can be operated in the raised position. Powered by two 12V Batteries. Easy charging with it's own power cord using a 110V outlet. The HPS-12D comes with a Gate Safety Alarm, Manual Lowering Valve, Warning Lights plus Emergency Stop Buttons all standard. Key lock prevents unauthorized usage. Ground and control box operations. FOB Shipping Point.

Product No.	Working Height	Merchandise Deck Max. Height	Footprint W x L	Overall Height (lowered)	Power	Wt. (lbs.)	Price Ea.
HPS-12D	18'	13'	42 x 60"	96"	2-12V	1600	\$9,950.00
Optional Safe	ty Sensing System	available Add \$800.0	0				



STOCK SHELF

moves with worker





Scissor Lifts

Drivable and Push-able Scissor Lifts

- DC Powered.
- Drivable Lifts include a roll-out cantilevered platform.
- Meets/Exceeds ANSI Safety Requirements.
- Power Unit stored in a lockable slide out drawer.

The Push-able Scissor Lifts are ideal for stores and stock rooms. Provides the stability and reliability of a scissor lift in a compact size that fits almost anywhere. The slim base makes it a must for tight aisle ways and reduced access areas. High quality 6" casters, two locking swivel and two rigid make it easy to maneuver. Includes battery charge indicator, emergency stop button, emergency lowering system and forklift pockets. The easy mechanics and basic controls make it very user friendly and all but assure that it will be used, not stored away in a corner. No outriggers required.

The new Drivable Scissor Lifts have all the popular features of the manually propelled models but are drivable. The drivability will improve productivity and minimize the strains from pushing lifts. Other features include self-lock gate, drivable at full heights, emergency lowering system, emergency stop button and forklift pockets. FOB Shipping Point.







HMSL-10

HDMSL-19







					ABLE SCISSOR LIF	rc .				
Product No.	Cap. (lbs.)	Working Height	Platform Max. Height	Platform Lowered Height	Platform W x L	15	Base W x L	Overall Height	Wt. (Ibs.)	Price Ea.
HMSL-10 HMSL-12	500 500	16' 19'	9' 10" 12' 9"	21" 26"	24 x 46" 24 x 46"		28 x 46" 28 x 46"	70" 74"	787 917	\$7,000.00 8,400.00
				DRIVA	BLE SCISSOR LIFT	S				
Product No.	Cap. (lbs.)	Working Height	Platform Max. Height	Platform Lowered Height	Platform W x L	Platform Extension	Base W x L	Overall Height	Wt. (Ibs.)	Price Ea.
HDMSL-10	500	16'	10'	29"	28 x 46"	22"	30 x 46"	73"	1246	14,000.00
HDMSL-12	500	19'	12'	33"	28 x 46"	22"	30 x 46"	77"	1300	15,700.00
HDMSL-19	500	26'	19'	42"	29 x 66"	36"	30 x 74"	86"	3164	20,000.00
HDMSL-26	500	32'	26'	48"	32 x 90"	36"	32 x 98"	92"	4718	24,000.00
HDMSL-26(WIDE)	1000	32'	26'	48"	44 x 90"	36"	46 x 98"	92"	4884	28,080.00
HDSL-32	700	38'	32'	48"	44 x 90"	36"	46 x 98"	96"	5533	38,400.00
HDSL-40	550	46'	40'	58"	44 x 90"	36"	47 x 98"	102"	6834	48,900.00
HDSL-45	500	51'	45'	58"	44 x 104"	36"	55 x 112"	102"	7320	59,100.00

HYDRAULIC ELEVATING ORK PLATFORMS

Hydraulic Elevating Work Platforms

- Enclosed platform with 42" guardrails, midrails, gate, toeboards and skid resistant deck.
- Built-in ladder with flat skid-resistant treads and grab rails provide access to platform.
- Manually propelled.
- Self-storing outriggers provide maximum stability.
- Leveling jacks secure unit to floor.
- Meets and exceeds ANSI.
- Rails fold for doorway passage.

300 LB. One Person Maintenance Lift

- Raise one worker and equipment up to 21' working height.
- Versatile and economical lifts.

A cantilevered model is also available to provide safe access to hard-to-reach locations. These units have a lifting capacity of 300 lbs. 6" casters for easy rolling and maneuverability. Hydraulic system includes a dual-action hand pump. FOB Shipping Point.

Level Level Construction Construction							
Product No.			Platform L x W	Wt. (Ibs.)	Price Ea.		
HBL-315 HBL-C14	15' 14'	6'4" 6'4"	20 x 28" 64 x 20"	590 900	\$3,881.00 5,096.00		
	OP	CRIPTION	1				
				Price			
	Description				Ea.		
AC	Electric p Electric p hydraulic	ower		\$2,688.00			
DC	Electric p	ower		2	,077.00		
Air-	hydraulic	power		3	,299.00		
Tool tray					113.00		
Fluor	escent tubé			204.00			
Platfori	n duplex r	eceptacle			358.00		

Fold-N-Store Rolling Ladder

• Ladder can be easily folded for storage or transportation.

• Provides tilt and roll mobility when set up.

Features wheelbarrow style portability. Expanded metal standard or specify alternate tread. Large 10" rubber wheels roll easily on rough surfaces. Rugged 350 lb. capacity. Gray powder coat finish. FOB Shipping Point. Ships Unassembled. For fully assembled ladder, specify SU Add \$82.97. CAL-OSHA available -- add \$80.31 for 5-9 steps and add \$125.54 for 10-12 steps.

No. of Steps	Base W x L	Height Top Step	Overall	Wt. (lbs.)	Product No.	Serrated Grating (G)	Perforated Step (P)	Expanded Metal (X)
5	30 x 46"	50"	83"	90	HFAWL-5	\$652.00	\$494.00	\$544.00
6	30 x 52"	60"	93"	100	HFAWL-6	708.00	536.00	590.00
7	30 x 58"	70"	103"	110	HFAWL-7	764.00	579.00	636.00
8	30 x 64"	80"	113"	120	HFAWL-8	817.00	619.00	681.00
9	30 x 70"	90"	123"	135	HFAWL-9	883.00	669.00	736.00
10	30 x 76"	100"	133"	148	HFAWL-10	948.00	718.00	790.00
11	30 x 82"	110"	143"	165	HFAWL-11	1,013.00	768.00	844.00
12	30 x 88"	120"	153"	175	HFAWL-12	1,109.00	840.00	924.00





Price Ea.

HT.

	LADDER	SLOPE 59°						STAIRW	AY SLOPE	50°		
Product	Step	Top Step	Overall	Base	Wt.	Price	Product	Step	Top Step	Overall	Base	V
No.	Widih	Height	Height	WxL	(lbs.)	Ea.	No.	Width	Height	Height	WxL	(lk
HTA-5-24	24"	50"	80"	32 x 53"	145	\$565.47	HSW-TA-5-24	24"	50"	80"	32 x 60"	1.
HTA-5-36	36"	50"	80"	44 x 53"	180	608.73	HSW-TA-5-36	36"	50"	80"	44 x 60"	1

No rear guardrail is standard for easy walk through (includes snap chain). Heavy duty serrated grating tread for added safety. Rolls easily on 10" rubber wheels. Available in both 59° ladder slope or gradual 50° stairway slope. 450 lb. capacity. Built to OSHA

30 For CAL OSHA ... Add \$60.00

500 LB. Two Person Lift

• Overhead Maintenance, **Repair and Operating problems** are solved with this heavy-duty, two person telescoping hvdraulic lift. Working Heights to 34

Enclosed 28" x 36" platform. 8" casters for easy rolling and maneuverability. Raise and lower power choices include 120V AC, 12V DC complete with battery and charger or Air-Hydraulic. 500 lb. capacity.



Rails folded for doorway passage both models.

rice

Ea.

4.00

8.00 3.00

OPTIONAL EQUIPMENT DESCRIPTION

Description	P
Fluorescent tube holder	\$20
Platform duplex receptacle Tool tray	35
r-Hydraulic drive (add to AC price)	1,01

Air-Hydraulic	drive (add to	AC price)	1,018.00		
Product	Platform	Height	Working	Wt.	Price
No.	Max	Min.	Height	(Ibs.)	Ea.
HMR-15-AC	15'	6' 4"	21'	800	\$8,295.00
HMR-15-DC	15'	6' 4"	21'	930	8,549.00
HMR-20-AC	19' 3"	6' 4"	25'	1000	10,243.00 10,497.00
HMR-20-DC	19' 3"	6' 4"	25'	1130	
HMR-24-AC	23' 8"	6' 7"	30'	1200	12,442.00
HMR-24-DC	23' 8"	6' 7"	30'	1330	12,696.00
HMR-28-AC	28'	6' 10"	34'	1420	14,394.00 14,648.00
HMR-28-DC	28'	6' 10"	34'	1550	



510

Truck/Dock Access Ladder

• Vertical frame constructed with 2" x 1" rectangular tubing.

and ANSI standards. Gray powder coat finish. FOB Shipping Point.

• Designed to access trucks and docks.





Multi-Purpose LADDERS

Little Giant® Velocity™ Ladder

- Stability in any configuration thanks to aircraft-grade aluminum, Triple-Locking[™] hinge, wide-flared legs and the highest quality construction.
- Buy one ladder to do the job of five.

• Reach the toughest areas, above staircase, vaulted ceilings and over and around obstacles.

When it comes to articulating ladders, the VelocityTM by Little Giant is by far the best value for the money. VelocityTM features some of the latest patents and improvements in multi-use ladder design, Rock Lock[®] adjusters for fast, easy adjustment, Tip & GlideTM Wheels for easy transport (except for H15413-001), and wide rungs for improved balance, comfort and safety. Ladder works as an A-Frame, extension, staircase, 90-degree and even as trestle-and-plank scaffolding system. Use the right ladder for the right job every time and avoid 95% of all ladder related safety issues. The VelocityTM Ladder meets all OSHA & ANSI standards fot the Type IA-300 lb. rating. FOB Shipping Point.

Product No.	Description	LITTLE GI/ Extension Height	ANT [®] VELOCITY L Stepladder Height	ADDER Scaffold Height	Storage Height	Wt. (Ibs.)	Price Ea.	H15413-001
H15413-001	13' Aluminum	7' to 11'	3' to 5'	3'	3'7"	25	\$149.33	
H15417-001	17' Aluminum	9' to 15'	4' to 7'	3'	4'7"	30.5	182.67	
H15422-001	22' Aluminum	11' to 19'	5' to 9'	3'	5'7"	39	225.33	
H15426-001	26' Aluminum	13' to 23'	6' to 11'	3'	6'7"	49.5	274.67	

H15364-001

Little Giant[®] MightyLite™ Stepladder

• Significantly lighter than any comparable traditional stepladder.

• Prevent users from standing on the top rung, the most common cause of ladder falls. The MightyLite's patented-pending Ground Cue prevents injuries by signaling the user when it is safe to dismount the ladder. No-pinch platform design opens easily from a slim 5" storage profile and offers wide comfortable treads on each rung, with a spacious, comfortable standing deck. Its innovative top cap allows you to keep all of your tools close at hand. Designed to address the three leading types of stepladder injuries, painful body injuries from carrying heavy equipment, dangerous falls from standing on the top rung and ankle, knee and back injuries from missing the bottom rung. Available in both type IA (300 lbs.) and type IAA (375 lbs.) ratings. FOB Shipping Point.

	Product No.	Height	LITTLE GIANT [®] MIGH Standing Height	ITYLITE™ STEPLADDI ANSI Duty Rating	ER Storage Height	Wt. (Ibs.)	Price Ea.
	H15364-001	4'	1'10"	IA	4'2"	12	\$78.67
	H15384-001	4'	1'10"	IAA	4'2"	13	94.67
	H15365-001	5'	2'10"	IA	5'2"	14	90.67
1	H15385-001	5'	2'10"	IAA	5'2"	15	109.33
	H15366-001	6'	3'9"	IA	6'2"	18	106.67
	H15386-001	6'	3'9"	IAA	6'2"	19	130.67
	H15368-001	8'	5'8"	IA	8'2"	24	152.00
	H15388-001	8'	5'8"	IAA	8'2"	25	188.00

Little Giant[®] Dark Horse Ladder

• Only fiberglass, multi-use ladder on the market.

• Super-lightweight.

The vast majority of ladder accidents are caused by two things, using the wrong ladder for the job and overreaching. The Little Giant[®] Dark Horse Ladder is designed to help avoid these common problems. Its wide-flared base provides much more lateral stability than straight-sided step or extension ladders. Constructed with super-lightweight, super-strong fiberglass composite, the Dark Horse is a versatile tool for any job site. Many configurations including A-Frame, extension, and 90-degree ladder allow the user to work safely on stairs. RatchetTM Levelers and factory-installed walkthrough posts available - call for information. FOB Shipping Point.

		LITTLE GI/	ANT [®] DARK HORSE				
Product	Description	Extension	Stepladder	Scaffold	Storage	Wt.	Price
No.		Height	Height	Height	Height	(Ibs.)	Ea.
H15143-001	13' Fiberglass	7' to 11'	3' to 5'	3'	3'7"	35	\$350.99
H15147-001	17' Fiberglass	9' to 15'	4' to 7'	3'	4'7"	42	530.99
H15145-001	22' Fiberglass	11' to 19'	5' to 9'	3'	5'7"	46	772.99




Little Giant[®] Jumbo Step Safety Stepladder

Fixed height stepladder.Lightweight stepladder.

The Little Giant[®] Jumbo Step Safety Stepladder is the ultimate combination of lightweight, stability and strength. The Jumbo Step's 8½" wide, slip resistant treads and stair-like design provide unmatched comfort and stability. It is ideal for jobs that require both frequent climbing up and down, as well as those that require long periods of standing. This design makes working at heights as comfortable as standing on the ground. The patent pending Jumbo Step operates easily and is simple to store with its slim 4½" storage depth. Its large nonslip footpads provide great traction over almost any surface. Stands up to professional and industrial use and is rated to hold up to 300 lbs. FOB Shipping Point.

Product No.	Description	LITTLE GIANT® Height	JUMBO STEP SA Standing Height	AFETY STEPLADDE ANSI Duty Rating	R Storage Height	Wt. (Ibs.)	Price Ea.
H11902	2-Step	2'	1'6"	IAA	2'7"	11	\$80.00
H11903	3-Step	3'	2'2"	IAA	3'7"	16	100.00
H11904	4-Step	4'	2'11"	IAA	4'7"	20	124.00



Ladder Systems

STEP & EXTENSION ADDERS

A) Extra Heavy Duty Fiberglass Step Ladder

- Extra heavy duty industrial. 300 lbs. duty rating, Type IA.
- Orange non-conductive fiberglass side rails with non-irritation fabric outer mat assures a smooth trouble-free surface even after weathering.

Structural molded copolymer tool-Tra-Top[®] holds quart paint cans and tools -slotted for paint roller tray. Handy bucket holder clip. Internal steel spreaders

protect against abuse, storage and transport	P
damage. Double riveted aluminum steps are	ï
deeply serrated for slip resistance. Combination	Н
	H
slip-resistant foot pad. Front rails 3½"W.	H
	н
1 ³ / ₆ "W. Steps are 3"W. Top is 5 ³ / ₄ "W. x 13"L.	Н
	H
FOB Shipping Point.	H

Product No.	Height	Wt. (Ibs.)	Price Ea.
H6203	3'	13	\$77.72
H6204	4'	16	83.59
H6205	5'	19	93.51
H6206	6'	22	106.05
H6207	7'	26	126.56
H6208	8'	30	140.57
H6210	10'	39	212.84
H6212	12'	48	258.55

B) Heavy Duty Aluminum Step Ladder

- Extra heavy duty rating Type IA.
- Features blue molded Tool-Tra-Top[®]. Spill Proof[®] pail shelf with rag rack and tool holders.

Unique "H" spreaders with hand grip on 4', 5' and 6' units. Pinch-ProofTM outside spreaders on 3', 8' and 10' units. Blue, molded vinyl foot pads are riveted to aluminum foot brackets. UL Listed and Labeled. Meets ANSI and OSHA Code. FOB Shipping Point.

Product	Size	Wt.	Price
No.		(lbs.)	Ea.
H373	3'	9	\$83.56
H374	4'	11	101.95
H375	5'	14	116.96
H376	6'	16	
H378	8'	23	187.17
H310	10'	31	255.95

C) Extra Heavy Duty Fiberglass Step Ladder

- Extra heavy duty industrial. 375 lbs. duty rating, Type IAA.
- Orange non-conductive fiberglass side rails with non-irritation fabric outer mat assures a smooth trouble-free surface even after weathering.

Features heavy gauge aluminum Tool-Tra-Top[®]. 4 solid ¹/₄" aluminum rivet attach top to each front and back rail. Back up aluminum plate reinforces all top connectors. Heavy duty 11/4" inside aluminum spreader bars. 31/4" extra wide Traction-Tred[®] deeply serrated aluminum steps, knee braced and triple riveted. Full

Traction fred deepty servated aranimum steps, i	thee brace	cu unu un	pic nite	icu. i un
set of extra strength knee braced rear horizontals spaced one per foot. Lower rails reinforced with	Product No.	Height	Wt. (Ibs.)	Price Ea.
attached black non-conductive fiberglass rail	H7403	3'	14	\$95.08
shields to resist abuse. Combination rail end	H7404	4'	17	107.67
shield and shoe with extruded rubber slip-	H7405	5'	20	127.21
1	H7406	6'	24	141.24
resistant foot pad. Front rails 3 ³ / ["] W. Flange	H7407	7'	28	188.29
1 ³ / ₆ "W. Rear Rails 2"W. Flange 1 ⁷ / ₈ "W. Steps are	H7408	8'	32	184.55
3 [/] / ^W . Top is 7 [/] / ^W . x 14 ["] L. Meets ANSI and	H7410	10'	41	232.81
OSHA Standards. FOB Shipping Point.	H7412	12'	50	280.11
oor ni otandards. I o b ompping i onte.				


D) Platform Ladders

• 4X Work Zone to reach all directions.

• Extra-large platform for long standing comfort.

LOCKTOPTM extended guard rail securely wraps around work zone and holds an arsenal of tools. EDGE 360® includes an integrated rail shield, EDGE bracing and oversized foot pads. 300 lbs. Load Capacity, Type IA Duty Rating. Double riveted slip-resistant TRACTION-TRED® steps. Back-up plates reinforce all top

inveted sup-resistant i to to i to i	WINLD .	steps. Dack-	up plates ien	monee a	in top
connectors. Full set of rear	Product	Platform	Maximum	Wt.	Price
horizontals spaced one per foot.	No.	Height	Reach	(lbs.)	Ea.
All steps and two rear	HPD6203	3'	9'	23	\$151.43
horizontals are knee-braced.	HPD6204	4'	10'	28	162.16
FOB Shipping Point.	HPD6206	6'	12'	34	211.56
FOB Shipping Fount.	HPD6208	8'	14'	46	293.51
	HPD6210	10'	16'	57	354.39



E) Aluminum Flat D-Rung **Extension Ladders**

• 300 lbs. Rating Duty, Type IA. Extra Heavy Duty Industrial.

• Ladders are Twist-Proof due to exclusive Alflo rung joints.

Mar-resistant molded black end caps and vinyl fly section shoes. Larger, stronger modified "I" beam side rails. Exclusive continuous rope and quick clip eliminates loose ends, knots and tangles. Large, smoothly operating extruded gravity/spring locks with spring activated nylon flipper. Full side rail ¼" thick guide bracket at top of base, engages full fly rail. Guide brackets at bottom inside fly section for smooth operation and durability.

Shu-LokTM feature holds shoes in spur position for penetrating grass, dirt, etc. 16-40' ladders; side rails 3"W., flange 1¹/₈"W., D-rungs 1³/₄", base width 18" outside rails. UL Listed and Labeled. Meets OSHA and ANSI Code. FOB Shipping Point.

Product	Total	Max. Working	Wt.	Price
No.	Length	Length	(lbs.)	Ea.
HD1516-2	16'	13'	31	\$200.32
HD1520-2	20'	17'	37	230.75
HD1524-2	24'	21'	45	275.84
HD1528-2	28'	25'	56	333.53
HD1532-2	32'	29'	67	390.53
HD1536-2	36'	32'	80	459.55
HD1540-2	40'	35'	90	518.55


F) Fiberglass Flat D-Rung **Extension Ladder**

- 16-32' sizes are 300 lbs. duty rated Type IA -- 36-40' sizes are 250 lbs. duty rating Type 1.
- Red non-conductive fiberglass side rails with non-irritating fabric outer mat assures a smooth trouble-free surface even after weathering.

Traction-Tred[®] 1½"W. deeply serrated aluminum flat D-rung. Interlocking side rails. Internal guides on bottom of fly section and external guides on top of base section. Combination aluminum rail shield bracket and shoe with extruded rubber slip-resistant shoe pad and spur plate. Twist-Proof due to exclusive Alflo rung joints. Pre-pierced holes at top of fly for field installation of accessories. For ladders 16'-28' rails are 3%", flange 1%, and D-rungs 1½". Fly section width: 16" outside rail, 13%" inside rail. Base section 17[%] outside rail, 19" outside shoe. For ladders 32' and 40' rails are 3[%], flange 1

"" and D runge 14" Fly					
%" and D-rungs 1½". Fly ection 16" outside rail,	Product No.	Total Length	Max. Working Length	Wt. (Ibs.)	Price Ea.
3%" inside rail. Base	HD6316-2	16'	13'	37	\$168.63
ection 17¾" outside rail,	HD6320-2	20'	17'	45	192.96
9" inside rail. Meets ANSI	HD6324-2	24'	21'	52	221.79
nd OSHA Standards.	HD6328-2	28'	25'	60	260.59
	HD6332-2	32'	29'	72	302.56
OB Shipping Point.	HD6336-2	36'	32'	81	349.07
	HD6340-2	40'	35'	89	407.95

se 13 se 19 aı F



SAFETY SOLUTIONS



Work Platforms

• Platforms are shipped flat and are easy to assemble.

Heavy-duty work platforms offer a secure way to work safely on overhead equipment. Each OSHA and ANSI compliant platform features 42" handrails, a safety chain that attaches to the forklift mast, anti-slip tread plate decking and a wire mesh back panel to reduce access to the fork lift mast. Platform options include side and rear tool trays, extended back panels, light bulb caddies and two-and-three-shelf book cases -- call for prices. FOB Shipping Point.



Product No.	WORK PLATFORMS WITI Size	H CHAIN GATE Wt. (Ibs.)	Price Ea.				
HMP-19	36" × 36"	120	\$499.00				
HMP-17	36" × 48"	190	510.00				
HMP-20	40" × 48"	198	555.00				
WORK PLATFORMS WITH HINGED DOOR							
HMP-19-HD	36" × 36"	123	520.00				
HMP-17-HD	36" × 48"	193	530.00				
HMP-20-HD	40" × 48"	201	575.00				

Stock Picker Shelves for Work Platforms

These industrial stock picker shelves are designed to easily install on DPI's HMP-17 and HMP-19 work platforms (sold separately). Two-and three-shelf models, which easily bolt to work platforms, are available to address any application. The 12"- deep shelves provide a stable work station for a variety of situations. FOB Shipping Point.



STOCK	PICKER SHELVES	FOR WORK PLAT	FORM
Product No.	No. of Shelves	Wt. (lbs.)	Price Ea.
HSPS-2	2	47	\$299.00
HSPS-3	3	62	350.00

HSPS-2 Shown with DPI Work Platform (Sold Separately)

Plastic Steps & Stairs

• Steps have a 500 lb. capacity.

• Features anti-slip surfaces and anti-skid rubber feet.

DPI's industrial strength polyethylene steps are available in a range of sizes in both standard and nestable models. No rust or bent legs that are common with metal step stools. Standard 2, 3 & 4 step models feature inside storage in the back of the unit for added functionality. The HNST-1 and HNBST-1 are a dual use step stand - they can be turned upside down and used as a tote box. HST454 comes complete with hand rails (KD) and the top step is 38" high with the hand rail height of 71". Other steps have optional hand rails available -- call for prices. FOB Shipping Point.

STANDARD STEPS									
Product	Size	No. of	Wt.	Price					
No.		Steps	(lbs.)	Ea.					
HST18	19¼ x 13½ x 11¼"H.	1	7	\$52.00					
HST217	24½ x 18 x 19½"H.	2	17	86.00					
HST327	33½ x 22½ x 29½"H.	3	27	126.00					
HST454	43 x 22 x 71"H.	4	80	308.00					
	NESTABI	LE STEPS							
HNST-1	25 x 25 x 10"H.	1	9	68.00					
HNBST-1	25 x 25 x 14"H.	1	11	75.00					
HNST-2	32% x 25% x 20%"H.	2	19	105.00					
HNTST-2	33 x 25% x 24"H.	2	19	110.00					
HNST-3	42 x 25% x 29"H.	3	28	184.00					

Mini Work Platform 🕵

- Platforms are easy to assemble and disassemble for easy storage.
- Platforms are shipped knocked down in two packages (UPS).

DPI's Mini Work Platforms offer the same level of support as the standard Work Platforms. Each heavyduty OSHA and ANSI compliant platform features a secure 24" x 24" base with an anti-slip tread plate and 42" high hand rails. For additional functionality, the platforms can be outfitted with optional side tool trays, extended back panels and light bulb caddies -- call for prices. FOB Shipping Point.



MINI WORK PLATFORM WITH CHAIN GATE								
Product	Size	Wt.	Price					
No.	WxDxH	(lbs.)	Ea.					
HMP-1	24 x 24 x 45"	108	\$375.00					
MINI WORK PLATFORM WITH HINGED DOOR								
HMP-1-HD	24 × 24 × 45"	111	395.00					

Work Platform with Ramp • Each platform has an impressive

1,000 lb. capacity.

DPI Work Platforms with Ramp features an easy load fold-down ramp, offering a secure way to load equipment or supplies on wheels. The OSHA and ANSI compliant platform features a 36" x 48" heavy-duty base and 42" handrails for added safety. When the ramp is in the up position, it serves as a kick plate. FOB Shipping Point.



Two-Man Work Platform

• Each platform has an impressive 1,000 lb. capacity.

These heavy-duty Two-Man Work Platforms -- the largest platforms approved for standard forklifts -offer the ultimate in safety and functionally. OSHA and ANSI compliant platform features 42" high handrails, a mesh back panel to reduce access to the fork lift mast, anti-slip tread plate decking, safety chains that hook to the fork lift mast, and hinged doors on both ends. For added versatility the platform options include



side tool trays, extended back panels and light bulb caddies -- call for prices. FOB Shipping Point.

HMP-2 Size 60" x 40", Wt. 300 (lbs.) Price Ea. \$855.00



LOCKERS Bradley

Lenox® Plastic Lockers

- Patented one-piece box construction.
- Corrosion-Proof High Density Polyethylene.
- Powder coated stainless steel hinge.
- Maintenance-free durability.



Unlike metal, Lenox Lockers are made of corrosion-proof HDPE material that won't rust or dent. Lenox features a white one-piece box that wraps around with no screws, rivets or mechanical joints. With a box thickness of 3/8" and colored door and frame thickness of 1/2", Lenox Lockers withstand impacts that would easily damage other lockers. The continuous door slide latch is made of 1/2" thick High Density Polyethylene (HDPE) which secures the entire length of the door. Standard lockers include doors with ventilation slots and handles. One and two tier lockers include a double coat hook. A shelf is included with one-tier lockers only. All lockers ship fully assembled saving installation time and money. All locker parts and components carry a 20-year warranty against rust, corrosion, denting, bending and delaminating under normal use. Locker options (sold separately) include End Panels, and Flat Tops which finish exposed white sides of locker. Special order options include key locks, combination locks, coin locks, mesh doors, engraved logos and number plates. FOB Shipping Point.

*Note: Other Lenox Locker variations, colors, and pedestal benches also available -- call for more information.

Typical Area of Use:

- Food Processing
 Schools/Universities
 Manufacturing
- Athletic Facilities
- Healthcare Facilities
 Hotels/Motel
- Chemical Plants Park/Recreation Facilities
 LOCKER COLORS







New XL-Lockers are 30% deeper than standard 18" lockers. Choose from 21" or 24" depths. Call for pricing.

LENOX[®] LOCKERS

			or 24" deptns. C	all for p	bricing.			
	LET	NOX [®] LOCKERS						
Beige	Gray	Deep Blue	C	14/1	D. t.			
Product No.	Product No.	Product No.	Size W x D x H	Wt. (lbs.)	Price Ea.			
HLK1212601HV-202	HLK1212601HV-200	HLK1212601HV-203	3 12 x 12 x 60"	50	\$350.57			
HLK1212721HV-202 HLK1215601HV-202	HLK1212721HV-200 HLK1215601HV-200	HLK1212721HV-203 HLK1215601HV-203		60 57	399.43 361.71			
HLK1215721HV-202	HLK1215721HV-200	HLK1215721HV-20		67	420.00			
HLK1218601HV-202	HLK1218601HV-200	HLK1218601HV-203	3 12 x 18 x 60"	63	380.57			
HLK1218721HV-202	HLK1218721HV-200	HLK1218721HV-203 BLE TIER LOCKERS	3 12 x 18 x 72"	74	433.71			
HLK1212602HV-202	HLK1212602HV-200	HLK1212602HV-203	3 12 x 12 x 60"	51	356.57			
HLK1212722HV-202 HLK1215602HV-202	HLK1212722HV-200 HLK1215602HV-200	HLK1212722HV-203 HLK1215602HV-203		60 57	420.86 376.29			
HLK1215722HV-202	HLK1215722HV-200	HLK1215722HV-20		67	434.57			
HLK1218602HV-202	HLK1218602HV-200	HLK1218602HV-203	3 12 x 18 x 60"	63	399.43			
HLK1218722HV-202	HLK1218722HV-200	HLK1218722HV-203 LE TIER LOCKERS	3 12 x 18 x 72"	74	456.86			
HLK1212603HV-202	HLK1212603HV-200	HLK1212603HV-203	3 12 x 12 x 60"	53	380.57			
HLK1212723HV-202	HLK1212723HV-200	HLK1212723HV-203		62	444.86			
HLK1215603HV-202 HLK1215723HV-202	HLK1215603HV-200 HLK1215723HV-200	HLK1215603HV-203 HLK1215723HV-203		60 70	402.86 462.00			
HLK1218603HV-202	HLK1218603HV-200	HLK1218603HV-203	3 12 x 18 x 60"	66	420.86			
HLK1218723HV-202	HLK1218723HV-200	HLK1218723HV-203	3 12 x 18 x 72"	77	479.14			
H00208705	GUADR H00208706	UPLE TIER LOCKERS H00208707	12 x 12 x 60"	55	407.14			
H00208708	H00208709	H00208710	12 x 12 x 00 12 x 12 x 72" 12 x 15 x 60"	64	462.86			
H00208711	H00208712	H00208713	12 x 15 x 60"	62	420.00			
H00208715 H00208718	H00208716 H00208721	H00208717 H00208722	12 x 15 x 72" 12 x 18 x 60"	72 69	486.00 445.71			
H00208723	H00208726	H00208727	12 x 18 x 72"	79	488.57			
Number Plates ½" x ½" F								
		FOR FLAT TOP LOCK	ERS					
Beige Product	Gray Product	Deep Blue Product	Size	Wt.	Price			
No.	No.	No.	D x H	(lbs.)	Ea.			
HEPFT-S1260-202	HEPFT-S1260-200	HEPFT-S1260-203	12 x 60"	1	\$78.86			
HEPFT-S1272-202 HEPFT-S1560-202	HEPFT-S1272-200 HEPFT-S1560-200	HEPFT-S1272-203 HEPFT-S1560-203	12 x 72" 15 x 60"	1	78.86 82.29			
HEPFT-S1572-202	HEPFT-S1572-200	HEPFT-S1572-203	15 x 72"	1	82.29			
HEPFT-S1860-202 HEPFT-S1872-202	HEPFT-S1860-200 HEPFT-S1872-200	HEPFT-S1860-203 HEPFT-S1872-203	18 x 60" 18 x 72"	1	86.57 86.57			
12" WIDE FLAT TOPS FOR LOCKERS Beige Gray Deep Blue								
Beige Product	Gray Product	Product	Size	Wt.	Price			
No.	No.	No.	WXDxH	(lbs.)	Ea.			
H00271941	H00271942	H00271943	12 x 12 x ½"	3	\$45.43			
H00271944 H00271947	H00271945 H00271948	H00271946 H00271949	12 x 15 x ½" 12 x 18 x ½"	4 4	47.14 50.57			
	DED	ESTAL BENCHES						
Beige	Gray	Deep Blue						
Product	Product	Product	Size	Wt.	Price			
No.	No.	No.	WxDxH	(lbs.)	Ea.			
HPED9536-202 HPED9572-202	HPED9536-200 HPED9572-200		9½ x 36 x 18½" 9½ x 72 x 18½"	30 50	\$415.71 666.86			
				00				

*Additional locker sizes and options available--call for more information.

515

information.

SECURITY LOCKERS

1



Steel Set-up Lockers

• Durable, attractive all steel lockers.

• Sturdy lockers in multiple configurations.

Lockers come fully assembled and ready to use. Built strong with pop rivet construction. Lockers feature louvered doors for ventilation. Padlock attachments are an integral part of the handle (padlock not included). Available in Dove Gray or Putty. FOB Shipping Point.

A) Single Tier Lockers

The most practical and widely used of all lockers. Provides a convenient shelf as well as full length clothing storage. Choose one or three compartments.

B) Double Tier Lockers Meets a great many requirements, particularly for short-period occupancy and where short garments are stored. Choose two or six compartments.

C) Multiple Tier Lockers

Provides high-density storage of individual belongings and supplies in classrooms, laboratories, gymnasiums, sports and recreation facilities. Choose six or eighteen compartments.

Product No.	D x W x H	LYON STEEL SET-UP LOCKERS Opening Description		Price Per Unit
HDD50423SU	12" x 18" x 72" 12" x 18" x 72" J 12" x 18" x 72" J 12" x 18" x 72" 12" x 18" x 72"	Single Tier, One Wide Locker-Set Up (Dove Gray) Single Tier, One Wide Locker-Set Up (Putty) Single Tier, Three Wide Locker-Set Up (Dove Gray) Single Tier, Three Wide Locker-Set Up (Putty)	59 59 50.6 50.6	\$225.07 225.07 587.07 587.07
HPP5222SU HDD52223SU	12" x 18" x 36" 12" x 18" x 36" 12" x 18" x 36" 12" x 18" x 36" 12" x 18" x 36"	Double Tier, One Wide Locker-Set Up (Dove Gray) Double Tier, One Wide Locker-Set Up (Putty) Double Tier, Three Wide Locker-Set Up (Dove Gray) Double Tier, Three Wide Locker-Set Up (Putty)	30.5 30.5 25.3	256.79 256.79
HPP5362SU HDD53623SU	12" x 18" x 12" 12" x 18" x 12" J12" x 18" x 12" J12" x 18" x 12" 12" x 18" x 12"	Multiple Tier, One Wide Locker-Set Up (Dove Gray) Multiple Tier, One Wide Locker-Set Up (Putty) Multiple Tier, Three Wide Locker-Set Up (Dove Gray Multiple Tier, Three Wide Locker-Set Up (Putty)	10.3 10.3 9.7 9.7	329.29 329.29 859.11 859.11



- Provides ample coat storage and lockup compartments for up to 16 people.
- 4 color options.

The Lyon 16-person LockeRack® provides

coat storage and lock-up compartments for 16

people in approximately one-half square foot per person. Door pulls serve as padlock hasps (padlocks not included). Shipped knocked-down with frames and doors factory assembled in two upright sections and one horizontal center section with coat rod included. Compartments are 12"W. x 18" D. x 12"H. Overall dimensions are 12"W. x 18"D. x 78"H. Available in Dove Gray (DD) or Putty (PP) or Wedgewood Blue (BB) - please specify color. FOB Shipping Point.

H5990 - Shipped Knocked Down. 16-Person. Wt. 185 lbs. Price Ea. **\$706.50** H5990SU- Shipped Set Up. 16-Person. Wt. 172.3 lbs. Price Ea. **\$883.14**

FOUR DOOR HORIZONTAL SECTION...Measures 45"W. x 18"D. x 13"H. H5991CR Shipped Knocked Down. Wt. 49.8 (lbs.) Price Ea. **\$290.86** H5991CRSU Shipped Set Up. Wt. 46 (lbs.) Price Ea. **\$363.57**

Locker Benches

- Durable and attractive hardwood seats have a protective clear sealer.
- Benches 9' and larger have three pedestals.
- Measure 9½"W. x 18"H. Available in Dove Gray or Putty please specify. FOB Shipping Point.





A) Single Tier Lockers - KD

- Includes a convenient shelf with full length locking storage.
- 12"W. units have a double-prong ceiling hook and 3 single-

prong hooks.

Four hooks in lockers 15" and wider. Padlock attachments. Coat rod included in 18"D. and 21"D. lockers. Dove Gray or Putty finish. Shipped unassembled. FOB Shipping Point.

3-			1-\	Vide Loc	ker
Product No.	Wt. (lbs.)	Price Per Unit	Product No.	Wt. (lbs.)	Price Per Unit
H5002-3 H5012-3	41 44	\$394.76 411.47	H5002 H5012	45 49	\$151.36 157.76
H5022-3 H5112-3	47 47	432.54 443.04	H5022 H5112	54 52	165.83 169.90
H5042-3	54	469.50	H5042	62	173.29 180.04 201.26
H5092-3	67	545.97	H5092	76	201.20 209.29 219.19
	Product No. H5002-3 H5012-3 H5022-3 H5032-3 H5042-3 H5062-3	3-Wide Locl Product Wf. No. (lbs.) H5002-3 41 H5012-3 44 H5022-3 47 H5112-3 47 H5032-3 51 H5042-3 54 H5062-3 61 H5062-3 67	No. (lbs.) Unit H5002-3 41 \$394.76 H5012-3 44 411.47 H5022-3 47 432.54 H5112-3 47 443.04 H5032-3 51 452.00 H5042-3 54 469.50 H5062-3 61 524.90 H5092-3 67 545.97	3-Wide Locker Product Wt. Price Per No. (lbs.) Unit No. H5002-3 41 \$394.76 H5002 H5012-3 44 411.47 H5012 H5022-3 47 432.54 H5022 H5112-3 47 443.04 H5112 H5032-3 51 452.00 H5032 H5042-3 54 469.50 H5042 H5062-3 61 524.90 H5062 H5062-3 67 545.97 H5092	3-Wide Locker 1-Wide Locker Product Wt. Price Per Product Wt. No. (lbs.) Unit No. (lbs.) H5002-3 41 \$394.76 H5002 45 H5012-3 44 411.47 H5012 49 H5022-3 47 432.54 H5022 54 H5112-3 47 443.04 H5112 52 H5032-3 51 452.00 H5032 57 H5042-3 54 469.50 H5042 62 H5062-3 61 524.90 H5062 68 H5092-3 67 545.97 H5062 76

B) Double Tier Lockers - KD

• Ideal for short term use or where short coats are stored.

• 12"W. lockers have one double-prong and three single-prong coat hooks.


Over 12"W. lockers have one double-prong and four single-prong coat hooks. Padlock attachment. Dove Gray or Putty finish. Shipped unassembled. FOB Shipping Point.

DOUBLE-TIER LOCKERS 3-Wide Locker				Vide Loo	ker	
Size	Product	Wt.	Price Per	Product	Wt.	Price Per
W x D x H	No.	(Ibs.)	Unit	No.	(lbs.)	Unit
12 x 12 x 36"	H5202-3	24	\$489.57	H5202	27	\$187.76
12 x 15 x 36"	H5212-3	26	515.93	H5212	29	197.83
12 x 18 x 36"	H5222-3	28	535.79	H5222	32	205.40
12 x 12 x 30"	H5242-3	21	475.76	H5242	23	182.43
15 x 15 x 36"	H5252-3	29	571.19	H5252	32	218.97

C) Multiple Tier Lockers - KD

- Excellent storage for classrooms, labs, gyms, bowling alleys, etc.
- Doors have one point latching system and doors are equipped with padlock hasps with door pulls.
- Dove Gray or Putty finish. Shipped unassembled. FOB Shipping Point.
 WIDE LOCKER
 WIDE LOCKER


3	S WIDE LOCKE	R		1 V	VIDE LOC	KER
Size W x D x H	Product No.	Wt. (Ibs.)	Price Per Unit	Product No.	Wt. (Ibs.)	Price Per Unit
		FC	our high			
12 x 12 x 12"	H5352-3	10	\$509.71	H5352	11	\$182.79
		F	ive high			
12 x 12 x 12" 12 x 15 x 12" 15 x 15 x 12"	H5302-3 H5312-3 H5322-3	9 9 11	544.43 560.71 635.76	H5302 H5312 H5322	10 11 12	208.71 214.97 243.71
		5	SIX HIGH			
12 x 12 x 12" 12 x 15 x 12" 12 x 18 x 12"	H5332-3 H5342-3 H5362-3	8.4 9.2 9.9	624.40 654.19 687.29	H5332 H5342 H5362	9.5 10.7 11.7	239.43 250.79 263.47



Personal Effects Lockers

• Shipped set up, ready to use.

Perfect for limited spaces where employees need a secure place to store their belongings. All steel construction provides secure storage in a wide range of applications: restaurants, convenience stores, hospitals, service stations and small manufacturing plants. The 4 person and 8 person lockers, doors are 20 gauge and frames are 16 gauge steel. 9 person and 10 person lockers, doors are 22 gauge and frames are 16 gauge steel. Available in Dove Gray. FOB Shipping Point.





PERSONAL EFFECTS LOCKERS											
Locker Description	Compartment W x D x H	Door Opening W x H	Overall Size W x D x H	Wt. (lbs.)	Product No. With Padlock Attachment*	Price Ea.	Product No. With Combination Lock	Price Ea			
A-9 Person Privacy	23% x 13% x 8%"	18¼ x 8¾"	24 x 15 x 84"	133	H6309PLA	\$583.26	H6309C	\$780.47			
B-10 Person Privacy C-4 Person Apparel		12½ x 7½" 9½ x 38¾"	18 x 15 x 78" 26 x 21 x 84"	103 125	H6310PLA H6304WPLA	562.97 812.43	H6310C H6304WC	766.71 749.19			
D-8 Person Apparel		9½ x 38¾"	32% x 21 x 84"	194	H6308WPLA	891.61	H6308WC	907.43			
*Padlock not included.						-					

Hanging Garment Lockers

• Shipped set up, ready to use with sturdy, pop-rivet construction.

• Door frames are 16 gauge, doors are 20 gauge steel.

Compact design allows units to be installed near service or work areas, eliminating the need for secured storage rooms. Garment and linen inventories can be accurately controlled and "shrinkage" minimized. Provides space for four to eight people per unit with individual lockable compartments - plus master door access for servicing by a supervisor or supplier. Compact pre-engineer designs with your choice of locking systems adapt quickly to specific applications in a wide range of facilities. Available in Dove Gray. FOB Shipping Point.





HANGING GARMENT LOCKERS												
Locker	Compartment	Door Opening	Overall Size	Wt.	Product No. With	Price	Product No. With	Price	Product No. With	Price		
Description	WxDxH	W×H	WxDxH	(lbs.)	Key Lock	Ea.	Combination Lock	Ea.	Turn Lock	Ea.		
A-4 Hanging Garment	12% x 19% x 41½"	9½ x 38¾"	26 x 21 x 84"	132	H6404W	\$803.29	H6404WC	\$937.36	H6404WTL	\$878.14		
B-6 Hanging Garment	8 x 19% x 41½"	6½ x 38¾"	26 x 21 x 84"	147	H6406	908.76	H6406C	997.14	H6406TL	908.76		
C-8 Hanging Garment	5% x 19% x 41½"	4%₄ x 38¾"	26 x 21 x 84"	163	H 6408	933.36	H6408C	1,064.04	H6408TL	933.36		
D-Widebody 8 Hanging Garment	7½ x 19% x 41½"	6½ x 38¾"	32% x 21 x 84"	188	H6408W	995.86	H6408WC	1,125.36	H6408WTL	995.86		

Folded Garment/Linen Lockers

• Door frames are 16 gauge, doors are 22 gauge steel.

Individual patron doors have a choice of three different locking systems. Service door has H-1 industry standard lock. Nine-compartment lockers typically hold up to seven average size folded garments. Ten and sixteen-compartment lockers, respectively, hold five and two average size folded garments or accommodate small personal items in less than two square feet of floor space. Available in Dove Gray. FOB Shipping Point.




Description	Compartment W x D x H	Door Opening W x H	FOLD Overall Size W x D x H	ED GARA Wt. (Ibs.)	AENT/LINEN LOCKE Product No. With Key Lock	RS Price Ea.	Product No. With Combination Lock	Price Ea	Product No. With Turn Lock	Price Ea.
A-9 Compartment	23% x 13% x 8%"	18½ × 8¾"	24 x 15 x 84"	124	H6409	\$762.36	H6409C	\$979.19	H6409TL	\$803.83
B-10 Compartment	17% x 13% x 7%"	12½ × 7½"	18 x 15 x 78"	93	H6410	663.57	H6410C	860.64	H6410TL	663.57
C-16 Compartment	17% x 13% x 4%"	12½ × 4½"	18 x 15 x 78"	107	H6416	930.36	H6416C	1,037.29	H6416TL	930.36

ExchangeMaster[®] Lockers - Soiled Items Disposal

• Door frames are 16 gauge, swing panels are 18 gauge, doors are 20 gauge steel. Having a swinging panel at top allows items to be dropped into lower compartment. Main door remains locked until opened by authorized personnel. Back is perforated for ventilation. Multi point latching system key-control lock for added security. FOB Shipping Point. A-H6401X, size 18"W x 15"D x 78"H, Wt. 68 (lbs.), Price Ea. \$449.69 B-H6401XL, size 26"W x 21"D x 84"H, Wt. 109 (lbs.), Price Ea. \$771.86 C-HHH6401XL, size 26"W x 21"D x 43%"H, Wt. 70 (lbs.), Price Ea. \$563.00

NOTE: In the interest of safety, Lyon strongly recommends that lockers be floor/or wall anchored.



Premium Lockers

- Designed to provide affordable storage capability.
- 5 day shipping on all in-stock, fully-assembled and knock-down lockers.



Designed to provide affordable storage while incorporating modern design features. Wardrobe lockers are available in single, double, and triple tier models. Single tier lockers are provided with one hat shelf. Six tier lockers are perfect when space is at

a premium. Single, double, and triple tier wardrobe lockers include a stainless steel recessed handle with gravity lift-type latching. Standard hardware is 2 single hooks and 1 double ceiling hook. No hooks for 6-tier lockers.

All lockers are furnished with 6" legs as standard 1-wide and 3-wide. Available in Parchment (PT), Hallowell Gray (HG), Marine Blue (MB), Maroon (MN), and Green Mist (GM) -- please specify. Maroon and Green Mist lockers are two-tone with parchment color interiors and side panels. Optional matching side panels are available on request. 16-Person lockers are available in Parchment and Hallowell Gray. FOB Shipping Point.



Deep drawn Stainless steel recessed handle with gravity lift-type latching for doors 20" high and higher.







Six tier,3 wide, **Marine Blue**



Hallowell

			DOUBLE	TIER						
12 x 12 x 36"	12 x 12 x 78"	2	HU1228-2	64	123.57	HU1228-2A	64	143.57		
12 x 15 x 36"	12 x 15 x 78"	2	HU1258-2	67	132.28	HU1258-2A	67	152.28		
12 x 18 x 36"	12 x 18 x 78"	2	HU1288-2	70	138.40	HU1288-2A	70	158.40		
			TRIPLE T	IER						
12 x 12 x 24"	12 x 12 x 78"	3	HU1228-3	61	140.73	HU1228-3A	64	160.73		
12 x 15 x 24"	12 x 15 x 78"	3	HU1258-3	65	146.00	HU1258-3A	67	166.00		
12 x 18 x 24"	12 x 18 x 78"	3	HU1288-3	69	159.01	HU1288-3A	70	179.01		
	SIX TIER									
12 x 12 x 12"	12 x 12 x 78"	6	HU1228-6	64	149.59	HU1228-6A	64	169.59		
12 x 15 x 12"	12 x 15 x 78"	6	HU1258-6	67	155.89	HU1258-6A	67	175.89		
12 x 18 x 12"	12 x 18 x 78"	6	HU1288-6	70	165.81	HU1288-6A	70	185.81		

Opening (outer dimension) W x D x H	Overall W x D x H	No. of Openings	Un Product No.	No. (lbs) Ea. SINGLE TIER			Assembled Product Wt. Price No. (lbs) Ea.		
12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72"	36 x 12 x 78" 36 x 15 x 78" 36 x 18 x 78"	3	HU3228-1 HU3258-1 HU3288-1	153 162 168	\$294.77 306.44 317.81	HU3228-1A HU3258-1A HU3288-1A	153 162 168	\$354.77 366.44 377.81	
			DOUBLE	TIER					
12 x 12 x 36" 12 x 15 x 36" 12 x 18 x 36"	36 x 12 x 78" 36 x 15 x 78" 36 x 18 x 78"	6 6 6	HU3228-2 HU3258-2 HU3288-2	156 168 168	343.88 363.27 374.96	HU3228-2A HU3258-2A HU3288-2A	156 168 168	403.88 423.27 434.96	
			TRIPLE						
12 x 12 x 24" 12 x 15 x 24" 12 x 18 x 24"	36 x 12 x 78" 36 x 15 x 78" 36 x 18 x 78"	9 9 9	HU3228-3 HU3258-3 HU3288-3	153 162 180	395.33 404.44 428.72	HU3228-3A HU3258-3A HU3288-3A	153 162 180	455.33 464.44 488.72	
			SIX T	ER					
12 x 12 x 12" 12 x 15 x 12" 12 x 18 x 12"	36 x 12 x 78" 36 x 15 x 78" 36 x 18 x 78"	18 18 18	HU3228-6 HU3258-6 HU3288-6	180 186 192	421.92 434.13 457.20	HU3228-6A HU3258-6A HU3288-6A	180 186 192	481.92 494.13 517.20	

Opening (outer			16 PERSOI Und	UNITS	5* bled	Assembled		
dimension) W x D x H	Overall W x D x H	No. of Openings		Wt. (lbs)	Price Ea.			Price Ea.
12 x 18 x 12"	72 x 18 x 78"	16	HU1788-16	180	473.72	HU1788-16A	180	540.39

*16-Person Lockers only available in Parchment and Hallowell Gray.

(outer

ValueMax[™] Lockers

- Exceptional value, quality and finish.
- Performance and reliability at an affordable price.
- "No Moving Parts" latching mechanism results in maintenance-free performance and quiet operation.



Louvered doors for added ventilation -- equipped with a single-point thruthe-door friction catch door pull designed to accommodate a padlock or built-in lock. Complete with number plates - orders ship numbered

1-up. All lockers include 6° high legs (lockers without legs are available at an additional cost). Single tier locker includes hat shelf. One double hook for all. Two single wall hooks for single and double tier openings. Available in Parchment or Gray – please specify. FOB Shipping Point.

0



Single-point thru-the-door friction catch door pull designed for use with a padlock or built-in lock.

Locker Accessories

Common to all Hallowell brand products.



OPTIONAL SLOPED TOP ODTIONIAL CLOSED EDONIT BASES

	OPTIONAL CLOSED PR	UNI DAJE	2
Product No.	Size	Wt. (lbs.)	Price Ea.
HKCFB12	12"W.	1.4	\$4.41
	OPTIONAL CLOSED S	IDE BASES	
HKCSB12 HKCSB15 HKCSB18	12"D. 1 <i>5</i> "D. 18"D.	0.9 1.1 1.3	6.52 6.60 7.20
	OPTIONAL SLOP	PE TOP	
Product No.	Size	Wt. (Ibs.)	Price Ea.
HKIST1212 HKIST1215 HKIST1218	12"W. x 12"D. 12"W. x 15"D. 12"W. x 18"D.	2.6 3.2 3.8	\$8.80 9.13 10.16
	OPTIONAL SLOPE T	OP ENDS	

			UNASSEN	IPIED DOORTE LI	IEK LOCKEI	(3 30° H. UP	EINING 78"
TOPS		12 x 12 x 36" 12 x 15 x 36"	2 2	HUH1228-2 HUH1258-2	49 52	112.59 121.29	6
		12 x 18 x 36"	2	HUH1288-2	55	127.43	6
			UNASSE	MBLED TRIPLE TIE	R LOCKER	S 24"H. OPE	NING 78"H
Price		12 x 12 x 24"	3	HUH1228-3	55	127.12	9
Ea.		12 x 15 x 24"	3	HUH1258-3	59	132.40	9
\$4.41		12 x 18 x 24"	3	HUH1288-3	66	145.41	9
• •• ••					ASS	EMBLED LOC	KERS
1 50			AS	SEMBLED 1-WID		ASSEMBLED 3	
6.52 6.60 7.20		Opening W x D x H	No. Of Openings	Product No.	Wt. (Ibs.)	Price Per Unit	No. Of Openings
7.20			ASSEME	BLED SINGLE TIEF	R LOCKERS	72"H. OPEN	NNG 78"H.
		12 x 12 x 72"	1	HUH1228-1A	47	\$119.88	3 3
Price		12 x 15 x 72"	1	HUH1258-1A	51	126.00	3
Ea.		12 x 18 x 72"	1	HUH1288-1A	54	134.71	3
\$8.80			ASSEMB	LED DOUBLE TIE	R LOCKERS	5 36"H. OPEI	NING 78"H
9.13		12 x 12 x 36"	2	HUH1228-2A	49	132.59	6
10.16		12 x 15 x 36"	2	HUH1258-2A	52	141.29	6
10.10			-				
10.10		12 x 18 x 36"	2 2	HUH1288-2A	55	147.43	6
					55	147.43	6
4.83			ASSEM	HUH1288-2A	55	147.43	6 IING 78"H. 9
4.83		12 x 18 x 36"		HÜH1288-2A Bled Triple Tier	55 LOCKERS	147.43 24"H. OPEN	6 IING 78"H.

Optional Locker Locks

0.4 0.6

0.8

Built-In Master Key Lock H1710MK Wt. 0.5 (lb.) Price Ea. \$8.03 Master Key H1710KM Wt. 0.1 (lb.) Price Ea. \$2.48

12"D

15"D

18"D

HKISE12

HKISE15

HKISE18



Combination Padlock Lock H1525 Wt. 0.5 (lb.) Price Ea. \$5.44 Master Key H1525K Wt. 0.1 (lb) Price Ea. \$2.48



Hallowe



Single tier, 1 wide, Hallowell Gray

Double tier, 1 wide, Parchment

Triple tier, 3 wide,

Hallowell Gray

	UNA	ASSEMBLED 1-W	ide Unit		UNA	SSEMBLED 3-WID	e unit	
Opening	No. Of	Product	Wt.	Price	No. Of	Product	Wt.	Price
WxDxH	Openings	No.	(lbs.)	Per Unit	Openings	No.	(lbs.)	Per Unit
	UNASSEA	ABLED SINGLE TI	ER LOCKER	RS 72"H. OPI	ENING 78	"H. OVERALL W/	6" LEGS	
12 x 12 x 72"	1	HUH1228-1	47	\$99.88	3	HUH3228-1	131	\$272.79
12 x 15 x 72"	1	HUH1258-1	51	106.00	3	HUH3258-1	139	284.45
12 x 18 x 72"	LINIACOEL	HUH1288-1	54	114.71	3	HUH3288-1	146	295.84
		ABLED DOUBLE T		RS 36"H. OP		"H. OVERALL W/		
12 x 12 x 36"	2	HUH1228-2	49	112.59	6	HUH3228-2	137	310.91
12 x 15 x 36"	2	HUH1258-2 HUH1288-2	52	121.29	6	HUH3258-2	144	330.29
12 x 18 x 36"	-		55	127.43	6	HUH3288-2	149	341.99
		MBLED TRIPLE TH				H. OVERALL W/6		
12 x 12 x 24"	3	HUH1228-3	55	127.12	9	HUH3228-3	153	332.89
12 x 15 x 24" 12 x 18 x 24"	3	HUH1258-3 HUH1288-3	59 66	132.40 145.41	9 9	HUH3258-3 HUH3288-3	162 180	363.61 395.96
12 x 18 x 24"	3	HUH1288-3		EMBLED LOC		HUH3288-3	180	393.90
						3-WIDE UNIT		
. ·	A	ssembled 1-wie			ASSEMIDLED	3-WIDE UNIT		
	11 01							
Opening	No. Of	Product	Wt.	Price	No. Of	Product	Wt.	Price Por Unit
Opening W x D x H	Openings	No.	(lbs.)	Price Per Unit	No. Of Openings	Product No.	(lbs.)	Price Per Unit
WxDxH	Openings	No. BLED SINGLE TIEI	(lbs.) R LOCKERS	Price Per Unit 72"H. OPEN	No. Of Openings NNG 78"H	Product No. 1. OVERALL W/6"	(lbs.) LEGS	Per Unit
W'x D x H 12 x 12 x 72"	Openings	No. BLED SINGLE TIEI HUH1228-1A	(lbs.) R LOCKERS 47	Price Per Unit 72"H. OPEN \$119.88	No. Of Openings VING 78"H 3	Product No. 1. OVERALL W/6" HUH3228-1A	(lbs.) LEGS 131	Per Unit \$332.79
W x D x H 12 x 12 x 72" 12 x 15 x 72"	Openings	No. BLED SINGLE TIEI HUH1228-1A HUH1258-1A	(lbs.) R LOCKERS 47 51	Price Per Unit 72"H. OPEN \$119.88 126.00	No. Of Openings VING 78"H 3 3	Product No. H. OVERALL W/6" HUH3228-1A HUH3258-1A	(lbs.) • LEGS 131 139	Per Unit \$332.79 344.45
W'x D x H 12 x 12 x 72"	Openings ASSEME 1 1 1	No. BLED SINGLE TIEI HUH1228-1A HUH1258-1A HUH1288-1A	(lbs.) R LOCKERS 47 51 54	Price Per Unit 72"H. OPEN \$119.88 126.00 134.71	No. Of Openings JING 78"H 3 3 3 3	Product No. 1. OVERALL W/6" HUH3228-1A HUH3258-1A HUH3288-1A	(lbs.) 131 139 146	Per Unit \$332.79
W x D x H 12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72"	Openings ASSEME	No. BLED SINGLE TIEF HUH1228-1A HUH1258-1A HUH1288-1A BLED DOUBLE TIE	(lbs.) R LOCKERS 47 51 54 R LOCKERS	Price Per Unit 72"H. OPEN \$119.88 126.00 134.71 5 36"H. OPEI	No. Of Openings NING 78"H 3 3 3 NING 78"H	Product No. I. OVERALL W/6" HUH3228-1A HUH3258-1A HUH3288-1A H. OVERALL W/6"	(lbs.) LEGS 131 139 146 "LEGS	Per Unit \$332.79 344.45 355.84
W x D x H 12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72" 12 x 12 x 36"	Openings ASSEME 1 1 1 ASSEMB 2	No. BLED SINGLE TIEI HUH1228-1A HUH1258-1A HUH1288-1A BLED DOUBLE TIE HUH1228-2A	(lbs.) R LOCKERS 47 51 54 R LOCKERS 49	Price Per Unit 72"H. OPEN \$119.88 126.00 134.71 5 36"H. OPEI 132.59	No. Of Openings VING 78"H 3 3 3 NING 78"H 6	Product No. H. OVERALL W/6" HUH3228-1A HUH3258-1A HUH3288-1A H. OVERALL W/6 HUH3228-2A	(lbs.) 1 LEGS 131 139 146 " LEGS 137	Per Unit \$332.79 344.45 355.84 370.91
W x D x H 12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72"	Openings ASSEME	No. BLED SINGLE TIEF HUH1228-1A HUH1258-1A HUH1288-1A BLED DOUBLE TIE	(lbs.) R LOCKERS 47 51 54 R LOCKERS	Price Per Unit 72"H. OPEN \$119.88 126.00 134.71 5 36"H. OPEI	No. Of Openings NING 78"H 3 3 3 NING 78"H	Product No. I. OVERALL W/6" HUH3228-1A HUH3258-1A HUH3288-1A H. OVERALL W/6"	(lbs.) LEGS 131 139 146 "LEGS	Per Unit \$332.79 344.45 355.84
W x D x H 12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72" 12 x 12 x 36" 12 x 12 x 36"	Openings ASSEME 1 1 1 ASSEMB 2 2 2 2	No. BLED SINGLE TIEI HUH1228-1A HUH1258-1A HUH1288-1A BLED DOUBLE TIE HUH1228-2A HUH1258-2A HUH1258-2A	(lbs.) A7 51 54 R LOCKERS 49 52 55	Price Per Unit 72"H. OPEN \$119.88 126.00 134.71 536"H. OPEI 132.59 141.29 147.43	No. Of Openings VING 78"H 3 3 3 VING 78"H 6 6 6 6	Product No. 1. OVERALL W/6'' HUH3228-1A HUH3288-1A HUH3288-1A HUH3288-2A HUH3228-2A HUH3288-2A	(lbs.) 1 LEGS 1 31 1 39 1 46 " LEGS 1 37 1 44 1 49	Per Unit \$332.79 344.45 355.84 370.91 390.29
W x D xH 12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72" 12 x 12 x 36" 12 x 15 x 36" 12 x 18 x 36"	Openings ASSEME 1 1 1 ASSEMB 2 2 2 2 4 ASSEM	No. BLED SINGLE TIEI HUH1228-1A HUH1258-1A HUH1288-1A BLED DOUBLE TIE HUH1228-2A HUH1258-2A HUH1258-2A BLED TRIPLE TIER	(lbs.) R LOCKERS 47 51 54 R LOCKERS 49 52 55 1000000000000000000000000000000000	Price Per Unit 72"H. OPEN \$119.88 126.00 134.71 36"H. OPEI 132.59 141.29 147.43 24"H. OPEN	No. Of Openings VING 78"F 3 3 NING 78"F	Product No. 1. OVERALL W/6" HUH3228-1A HUH3258-1A HUH3288-1A H. OVERALL W/6" HUH3228-2A HUH3288-2A L. OVERALL W/6"	(lbs.) 1 LEGS 131 139 146 " LEGS 137 144 149 LEGS	Per Unit \$332.79 344.45 355.84 370.91 390.29 401.99
W x D x H 12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72" 12 x 12 x 36" 12 x 12 x 36"	Openings ASSEME 1 1 1 ASSEMB 2 2 2 2	No. BLED SINGLE TIEI HUH1228-1A HUH1258-1A HUH1288-1A BLED DOUBLE TIE HUH1228-2A HUH1258-2A HUH1258-2A	(lbs.) A7 51 54 R LOCKERS 49 52 55	Price Per Unit 72"H. OPEN \$119.88 126.00 134.71 536"H. OPEI 132.59 141.29 147.43	No. Of Openings VING 78"H 3 3 3 VING 78"H 6 6 6 6	Product No. 1. OVERALL W/6'' HUH3228-1A HUH3288-1A HUH3288-1A HUH3288-2A HUH3228-2A HUH3288-2A	(lbs.) 1 LEGS 1 31 1 39 1 46 " LEGS 1 37 1 44 1 49	Per Unit \$332.79 344.45 355.84 370.91 390.29

1 wide,

Parchment

UNASSEMBLED LOCKERS

ENNSCO

Box Lockers

• Space efficient multiple locker storage.

• Add multiple storage capacity without taking up valuable floor space.

Box lockers securely store purses, lunches, books and other smaller items. Closes with durable padlock hasps. Available in five and six tier configurations. Available in Sand or Medium Gray -- please specify. FOB Shipping Point.



	OVERALL UNIT	•	А	SSEMBL	ED	UN	SSEM	BLED
Opening* W x D x H	Overall W x D x H	No. Of Openings	Product No.	Wt. (Ibs.)	Price Per Unit	Product No.	Wt. (lbs.)	Price Per Unit
			1-WID					
12 x 12 x 12" 12 x 12 x 12" 12 x 15 x 12" 12 x 15 x 12" 12 x 15 x 12" 12 x 18 x 12" 12 x 18 x 12"	12 x 15 x 66" 12 x 15 x 78" 12 x 18 x 66"	6 HB 5 HB 6 HB 5 HB	\$5-121212- \$6-121212- \$5-121512- \$6-121512- \$5-121812- \$5-121812- \$6-121812-	72.0 68.0 77.0 72.0	225.86 215.69 235.46 223.60	HBK5-121212-1 HBK6-121212-1 HBK5-121512-1 HBK6-121512-1 HBK5-121812-1 HBK6-121812-1	67.0 61.0 72.0 70.0	\$166.57 181.25 173.91 188.59 180.69 198.19
			3-WID	UNIT				
12 x 12 x 12" 12 x 12 x 12" 12 x 15 x 12" 12 x 15 x 12" 12 x 15 x 12" 12 x 18 x 12" 12 x 18 x 12" *Outside dimer	36 x 12 x 78" 36 x 15 x 66" 36 x 15 x 78" 36 x 18 x 66" 36 x 18 x 78"	18 HB 15 HB 18 HB 15 HB	S5-121212-3 S6-121212-3 S5-121512-3 S6-121512-3 S5-121812-3 S5-121812-3 S6-121812-3	177.0 155.0 178.0 178.0	526.81 474.30 573.68 496.89		175.0 158.0 186.0 168.0	451.15 412.75 466.96 425.74

16 Person Locker (Not Shown)

• Compact, space saving locker alternative.

Efficient box locker storage system provides lockable space for 16 individuals with 48" hanging rod for clothing. Each locker is 12"W. x 18"D. x 12"H. Lockers close with rugged padlock hasps. Available in Sand or Medium Gray -- please specify. FOB Shipping Point.

Product No.	Description	Locker Opening* W x D x H	Overall Unit W x D x H	Openings	Wt. (Ibs.)	Price Per Unit
HSRS-721878-1 HSRK-721878-1	Assembled Unassembled	12 x 18 x 12" 12 x 18 x 12"	72 x 18 x 78" 72 x 18 x 78"	16 16	227.0 230.0	\$706.93 549.40
*Outside dimensio	ons					

Tennsco Locker Accessories

Locker Benches

• Functional locker room seating.

Laminated maple benches are protected with a clear lacquer finish. Benches are 11/4" thick and 91/2"W. They can be ordered in various lengths to meet your seating needs. Heavy-duty steel pedestals (with enamel finish to match lockers) are ordered separately. Use 3 pedestals for benches 108" to 144". FOB Shipping Point.

Product No.	Length	Wt. (lbs.)	Price Ea.					
HHMLB-36	36"	12	\$61.55					
HHMLB-48	48"	16	82.44					
HHMLB-60	60"	20	99.38					
HHMLB-72	72"	24	119.14					
HHMLB-84	84"	28	138.90					
HHMLB-96	96"	32	162.05					
HHMLB-108	108"	36	180.69					
HHMLB-120	120"		206.66					
HHMLB-132	132"		221.90					
HHMLB-144	144"	48	258.04					
BENCH PEDESTAL								
HLBP-1	16¼" H.	9	27.67					

Sloping Tops

• Stylish and functional locker accessory.

Sloping tops add a stylish touch to your lockers by providing a clean, finished appearance. Tops also prevent build up of unnecessary clutter and make cleaning quick and easy. Can be ordered in one or three-wide units. Available in Sand or Medium Gray -- please specify. FOB Shipping Point.

opeeniji i e	2 ompr		. 011111
Product	Size	(lbs.)	Price
No.	W x D		Ea.
	ONE WID	E	
HKST-1212	12 x 12"	4.0	\$22.59
HKST-1215	12 x 15"	4.0	28.23
HKST-1218	12 x 18"	5.0	27.67
HKST-1518	15 x 18"	6.0	29.93
	THREE WID	DE	
HKST-3612	36 x 12"	8.0	29.30
HKST-3615	36 x 15"	9.0	33.3
HKST-3618	36 x 18"	11.0	35.57
HKST-4518	45 x 18"	13.0	40.09

Front And End Base Covers

Practical maintenance

accessory unit.

Create a flush, finished appearance with front and end base covers. Front covers fit between front legs and end covers fit between front and rear legs. Closed base prevents dirt and dust build up under lockers. Available in Sand or Medium Gray. FOB Shipping Point. Product Size Wt. Price No. W x D x H (lbs.) Eq. FRONT BASE COVERS HFB-12 12 x - x 6" 1.5 \$3.22 HFB-15 15 x - x 6" 1.8 3.50 END BASE COVERS

HEB-12 - x 12 x 6" 1.4 HEB-15 - x 15 x 6" 1.6 HEB-18 - x 18 x 6" 1.8

Tennsco

DURABLE STEEL LOCKERS

- Quiet and sturdy lockers storage in multiple configurations.
- Constructed of heavy duty steel these lockers combine high performance with working durability.

Rubber bumpers, door stiffeners and locking channels cushioned with rugged polymer materials make these lockers quiet. Lockers use vandal-resistant handles with low friction latching mechanism to open easy and smooth. Includes louvers for fresh air ventilation. All lockers have 6"H. legs. Available assembled or unassembled. Available in Sand or Medium Gray -- please specify. FOB Shipping Point.



Single-Tier Lockers

• Multi-purpose spacious storage.

• Roomy enough to hang coats and clothing with additional

shelf space to store hats, books, and other personal items.

Secures tightly with positive 3 point locking system. Ideal for factories, offices, and hospitals. Available in Sand or Medium Gray -- please specify. FOB Shipping Point.

Lockers

UNASSEMBLED
e Per Product Wt. Price Per nit No. (lbs.) Unit
0.85 HSTK-121260-1 58.0 \$168.26 88.19 HSTK-121560-1 61.0 176.73 7.22 HSTK-121860-1 68.0 182.94 8.52 HSTK-121872-1 70.0 176.73 5.86 HSTK-121872-1 70.0 184.07 9.97 HSTK-151872-1 82.0 197.06
i1.15 HSTK-121260-3 147.0 396.38 10.18 HSTK-121560-3 156.0 408.24 2.37 HSTK-121860-3 165.0 427.43 2.53 HSTK-121872-3 179.0 428.00 1.17 HSTK-121872-3 191.0 444.94 5.77 HSTK-151872-3 210.0 500.84
J 990123 56902

Double-Tier Lockers

• Space-conscious locker storage.

• Double your storage capacity with the same amount of space.

Provides plenty of room for shirts and jackets with three built in coat hooks. Closes with positive 2-point locking system. Perfect for the gym and school. Available in Sand or Medium Gray -- please specify FOB Shipping Point

Wedulin Gray please speeny. TOD Shipping Fond.								
Locker	Overall			ASSEMBLED				
Opening*	Unit	No. Of	Product		Price Per			rice Per
W'x D x H	WxDxH	Openings	No.		Unit	No.	(lbs.)	Unit
			1-WID	EUNII				
12 x 12 x 30"	12 x 12 x 66	2	HDTS-121230-1			HDTK-121230-1		5180.12
12 x 15 x 30"			HDTS-121530-1			HDTK-121530-1		185.20
12 x 18 x 30"			HDTS-121830-1			HDTK-121830-1		189.72
12 x 15 x 36"			HDTS-121536-1			HDTK-121536-1		191.98
12 x 18 x 36"			HDTS-121836-1			HDTK-121836-1		198.75
15 x 18 x 36"	15 x 18 x /2	2	HDTS-151836-1	I 91.0	255.78	HDTK-151836-1	85.0	211.74
			3-WID	E UNIT				
12 x 12 x 30"	36 x 12 x 66	6	HDTS-121230-3	3 158.0	512.13	HDTK-121230-3	150.0	435.90
12 x 15 x 30"	36 x 15 x 66	6	HDTS-121530-3	3 162.0	523.99	HDTK-121530-3	158.0	441.55
12 x 18 x 30"			HDTS-121830-3			HDTK-121830-3		
12 x 15 x 36"			HDTS-121536-3			HDTK-121536-3		
12 x 18 x 36"			HDTS-121836-3			HDTK-121836-3		
15 x 18 x 36"	45 x 18 x 72	" 6	HDTS-151836-3	3 227.0	624.50	HDTK-151836-3	221.0	530.20
*Outside dimen	sions							



Corridor Lockers

• Quick ship 48 hrs. on KD Lockers.

Top Tier corridor locker is a cost-effective option for schools, healthcare facilities, employee lockers, and for general use. Our lockers are produced with durable 16 gauge doors and frames, 24 gauge bodies, and come standard with 6" legs. Recessed handles on 1-3 tier. 6 tier locker has a pull hasp. Lockers come with a durable powder coat finish in Khaki (K) and Battleship Gray (G) in same color throughout. Midnight (M) and Raven (R) lockers come with neutral Khaki interiors. FOB Shipping Point.

Product No.	OPTIONAL ACCESSOR Size FRONT BASES	RIES Wt. (Ibs.)	Price Ea.
HBF1206 HBF1506 HBF1806	12"W. 15"W. 18"W.	1 2 2	\$4.00 4.36 4.84
	END BASES		
HBE1206 HBE1506 HBE1806	12"D. 15"D. 18"D.	1 2 2	5.89 5.99 6.56
	INDIVIDUAL SLOPE TOP	P KIT	
HISK12124 HISK12155 HISK12186 HISK15155 HISK15186 HISK18186	12"W. x 12"D. 12"W. x 15"D. 12"W. x 18"D. 15"W. x 15"D. 15"W. x 15"D. 15"W. x 18"D. 18"W. x 18"D.	3 3 4 4 5	11.57 11.97 13.64 13.47 14.25 16.11

Bench Pedestals

Hardwood benches are sold separately from pedestals. Choose your bench length and pedestal style. Benches are 9¹/₂" wide. HBPED Pedestal is a standard heavy duty tube with flanged ends. HBPEDSS is a stainless steel trapezoid style bench pedestal. FOB Shipping Point.

Product	BEN	NCH TOPS	Wt.	Price				
No.		Size	(lbs.)	Ea.				
HLBS09036		36"L.	13	\$49.00				
HLBS09048		48"L.	16	58.80				
HLBS09060		60"L.	20	72.11				
HLBS09072		72"L.	24	84.71				
HLBS09084		84"L.	29	104.31				
HLBS09096		96"L.	32	119.71				
BENCH PEDESTALS Product Wt. Price No. Description Size (lbs.) Ea.								
HBPED	Standard	16¾"H.	32	\$21.43				
HBPEDSS	Stainless Steel	16¾"H.	32	50.29				

No.	Description	Size	(lbs.)
HBPED HBPEDSS	Standard Stainless Steel	16¾"H. 16¾"H.	32 32
Two pedesta	s required per bench		

ils required per bench

				s	TORA	GE PRODU	CTS
Dimension W x D x H	Overall Height	No. of Openings	1-WI Wt. (Ibs.)	DE LOCKER Unasseml Product No. 1 TIER	oled Price Ea.	Assemble Product No.	ed Price Ea.
12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72" 15 x 15 x 72" 15 x 15 x 72" 15 x 18 x 72" 18 x 18 x 72"	78" 78" 78" 78" 78" 78"	1 1 1 1 1	55 59 63 63 70 76	HQ1R1212721 HQ1R1215721 HQ1R1218721 HQ1R1515721 HQ1R1518721 HQ1R1518721 HQ1R1818721	\$97.64 103.23 111.15 112.64 120.56 127.64	HQ1R1212721A HQ1R1215721A HQ1R1218721A HQ1R1515720A HQ1R1518721A HQ1R1818721A	\$121.64 127.23 135.15 136.64 144.56 151.64
12 x 12 x 36" 12 x 15 x 36" 12 x 15 x 36" 12 x 18 x 36" 15 x 15 x 36" 15 x 18 x 36"	78" 78" 78" 78" 78"	2 2 2 2 2	56 60 64 67 70	2 TIER HQ2R1212721 HQ2R1215721 HQ2R1218721 HQ2R1515721 HQ2R1518721	112.55 120.47 126.07 129.09 136.27	HQ2R1212721A HQ2R1215721A HQ2R1218721A HQ2R1515720A HQ2R1518721A	136.55 144.47 150.07 153.09 160.27
12 x 12 x 24" 12 x 15 x 24" 12 x 15 x 12" 12 x 15 x 12" 12 x 15 x 12" 12 x 18 x 12"	78" 78" 78" 78" 78"	3 3 6 6	58 62 6 TIE 60 66 72	3 TIER HQ3R1212721 HQ3R1215721 R BOX LOCKER HQ61212721 HQ61215721 HQ61218721	127.69 133.19 136.23 141.99 151.01	HQ3R1212721A HQ3R1215721A HQ61212721A HQ61215721A HQ61215721A HQ61218721A	151.69 157.19 160.23 165.99 175.01

			3-WI	DE LOCKER Unassem	bled	Assemble	Ч
Dimension W x D x H	Overall Height	No. of Openings	Wt. (Ibs.)	Product No. 1 TIER	Price Ea.	Product No.	Price Ea.
12 x 12 x 72" 12 x 15 x 72" 12 x 18 x 72" 15 x 15 x 72" 15 x 18 x 72" 15 x 18 x 72" 18 x 18 x 72"	78" 78" 78" 78" 78" 78"	3 3 3 3 3 3 3	147 156 166 173 186 205	HQ1R1212723 HQ1R1215723 HQ1R1218723 HQ1R1515723 HQ1R1515723 HQ1R1518723 HQ1R1818723	279.09 289.48 307.35 325.03	HQ1R1212723A HQ1R1215723A HQ1R1218723A HQ1R1515723A HQ1R1518723A HQ1R1518723A	\$340.49 351.09 361.48 379.35 397.03 415.77
				2 TIER			
12 x 12 x 36" 12 x 15 x 36" 12 x 18 x 36" 15 x 15 x 36" 15 x 15 x 36" 15 x 18 x 36"	78" 78" 78" 78" 78"	6 6 6 6	151 159 168 179 188	HQ2R1212723 HQ2R1215723 HQ2R1218723 HQ2R1515723 HQ2R1518723 HQ2R1518723	328.77 341.53 357.07	HQ2R1212723A HQ2R1215723A HQ2R1218723A HQ2R1515723A HQ2R1518723A	385.19 400.77 413.53 429.07 444.15
				3 TIER			
12 x 12 x 24" 12 x 15 x 24"	78" 78"	9 9	160 169	HQ3R1212723 HQ3R1215723	360.05 368.68	HQ3R1212723A HQ3R1215723A	432.05 440.68
			6 TIER	BOX LOCKER			
12 x 12 x 12" 12 x 15 x 12" 12 x 18 x 12"	78" 78" 78"	18 18 18	163 174 186	HQ61212723 HQ61215723 HQ61218723	384.39 395.79 416.37	HQ61212723A HQ61215723A HQ61218723A	456.39 467.79 488.37



Specialty Lockers

521

Our popular Kids locker is available in Candy Red (C). Aqua Blue (A), Marti Gras Purple (P), Golden Yellow (Y), Carrot Orange (O), Parakeet Green (G), Hot Pink (H), and Raven Black (R). Wall Mount Locker is available in Khaki and Battleship Gray. 16 Person Locker is available in Khaki and Battleship Gray. FOB Shipping Point.

		<u>^</u>	•						
Dimension W x D x H	Overall Height	No. of Openings	Wt. (Ibs.)	IALTY LOCKERS Unassemb Product No. PERSON LOCKER	led Price Ea.	Assemble Product No.	d Price Ea.		
69 x 18 x 72"	78"	16	180	HQ16P691872	\$431.47	HQ16P691872A	\$491.47		
			WAL	L MOUNT LOCKER	2				
45 x 18 x 14"	18"	4	43	HQ04518WM	181.76	HQ04518WMA	205.76		
	KIDS LOCKERS								
15 x 15 x 48"	54"	1	51	HQ1R1515481	103.27	HQ1R1515481A	127.27		



HEAVY DUTY STORAGE CABINETS WITH HOOK-ON BINS



Heavy Duty Storage Cabinets with Hook-on Bins

• Extra heavy duty all welded 12 ga. steel construction.

• 7 ga. recessed knuckle hinges to prevent sagging.

Secure 3-point cast steel locking handle with %" diameter rods and provision for a padlock (padlock not provided). Cabinets with shelves feature shelves that bolt into place easily using fasteners provided and adjust on 2½" centers. 6"H base/legs which provide access for forklifts (constructed of %" steel). Predrilled holes allow for lagging to the floor. Fully welded louvered panels reinforce door and hold Hook-On Bins[®]. Hook-On Bins[®] available in Yellow (-95), Red (-1795) or Blue (-5295) -- please specify bin color. Allows weight capacity of 800 lbs. per door (evenly distributed). Durable Gray powder coat finish. FOB Shipping Point.

	12 GA. CABINET	WITH HOOK-ON BI	NS	
Product No.	Size W x D x H	Bins Included	Wt. (lbs.)	Price Ea.
HHDC36-126*	36 x 24 x 78"	(48) 4 × 5 × 3" (48) 4 × 7 × 3" (12) 6 × 11 × 5" (12) 8 × 15 × 7" (6) 16 × 15 × 7"	512	\$990.64
HHDC48-162*	48 x 24 x 78"	(60) 4 × 5 × 3" (60) 4 × 7 × 3" (24) 6 × 11 × 5" (12) 8 × 15 × 7" (6) 16 × 15 × 7"	598	1,183.34
HHDC48-192-95 (Yellow Bins Only)	48 x 24 x 78"	(60) 4 x 5 x 3" (84) 4 x 7 x 3" (24) 6 x 11 x 5" (24) 8 x 15 x 7"	604	1,304.42
HHDC60-198*	60 x 24 x 78"	(72) 4 × 5 × 3" (72) 4 × 7 × 3" (36) 6 × 11 × 5" (12) 8 × 15 × 7" (6) 16 × 15 × 7"	732	1,422.28
HHDC72-240*	72 x 24 x 78"	(84) 4 x 5 x 3" (84) 4 x 7 x 3" (36) 6 x 11 x 5" (12) 8 x 15 x 7" (6) 16 x 15 x 7"	874	1,710.45



Hook-On Bins[®] available in Yellow, Red or Blue





HHDC72-240-95



HHDC48-134-3S95

HHDC48-120-455295





*Add suffix for bin color Yellow (-95), Red (-1795), Blue (-5295)

Product No.	Size W x D x H	WITH HOOK-ON Bins Included	No. Of Shelves	Shelf Cap. (lbs.)	Wt. (Ibs.)	Price Ea.
HHDC36-60-2S6D*	36 x 24 x 78"	(48) 4 x 7 x 3" (12) 8 x 15 x 7"	2	1900	518	\$938.37
HHDC48-84-256D*	48 x 24 x 78"	(60) 4 x 7 x 3" (24) 8 x 15 x 7"	2	1200	621	1,170.48
HHDC36-96-4S*	36 x 24 x 78"	(96) 4 x 5 x 3"	4	1900	510	923.04
HHDC36-102-35*	36 x 24 x 78"	(48) 4 x 5 x 3" (48) 4 x 7 x 3" (6) 16 x 15 x 7"	3	1900	514	967.10
HHDC48-120-4S*	48 x 24 x 78"	(120) 4 x 5 x 3"	4	1200	618	1,102.96
HHDC48-134-35*	48 x 24 x 78"	(60) 4 x 5 x 3" (60) 4 x 7 x 3" (8) 8 x 15 x 7" (6) 16 x 15 x 7"	3	1200	632	1,186.90
HHDC60-156-3S*	60 x 24 x 78"	(72) 4 x 5 x 3" (72) 4 x 7 x 3" (12) 8 x 15 x 7"	3	1650	786	1,450.34
HHDC72-192-3S*	72 x 24 x 78"	(84) 4 x 5 x 3" (84) 4 x 7 x 3" (12) 8 x 15 x 7" (12) 16 x 15 x 7"		1300	924	1,703.91
*Add suffix for bin co	lor Yellow (95), R	led (1795), Blue (5	295)			

SECURITY CABINETS





36" and 48" Wide 5-S Storage Cabinets

- Heavy duty all welded 14 gauge construction.
- 96 Hook-On Bins $^{\circ}$ included with 36["] model.
- Steel pegboard for hanging tools and other accessories.
- Large storage cabinets have fully welded piano hinges.

H3501-DLP-PB-96-2S-95 features louvered panels on doors to allow for bin storage of small parts and HEMDC-482472-PB-2S-95 features punched diamond pattern on doors for visibility and ventilation. Cabinets have two shelves that adjust on 4" centers – no tools required – and hold up to 700-1250 lbs. (weight evenly distributed) and feature a 3-point locking system with keyed handle and $\frac{5}{16}$ " dia. lock rods. Available in Gray powder coat finish. Ships fully assembled. FOB Shipping Point.

> Pegboard Dims. W x H

36 x 24"

48 x 24"

Wt.

(lbs.)

431

392

Price

Ea.

\$776.06

757.84



HEMDC-482472-PB-2S-95

	-
	(Sectore)
	THE OWNER WAT
	Inter such and
	THE PERSON NET
	Test rest rest
	and see and
T. 11. 11. 11	AAA
T 10 10 10	AAA
1 10 10 10	AAA
	AAA
1 1 1 1	alelel
	alala
	iaiaiai
	alala

Product

No.

HEMDC-482472-PB-2S-95

H3501-DLP-PB-96-2S-95

36" Wide Small Parts Storage & Security Cabinets

Bins

(96) 4 x 5 x 3"

N/A

- 3-point locking system with keyed handle.
- 96 Hook-on Bins® included.

36" AND 48" WIDE 5-S STORAGE CABINETS

1250

700

No. of Shelf Cap. Shelves (lbs.)

2

Ships fully assembled.

Cabinets are heavy duty 14 gauge construction and feature 2 adjustable shelves and louvered panels on doors for use with bins included. Doors have fully welded piano hinges and can hold up to 650 lbs. (weight evenly distributed). 96 Hook-On Bins® are also included. H3501-DLP-60DR11-96-2S-95 comes with 60 Jumbo, 3½"H drawers, each with 2 dividers adjustable on 1" centers (extra dividers are available). H3501-DLP-72/40B-96-95 has 12" deep, 112 pigeon hole bins enclosed – perfect for storage of fasteners, high value small parts and more. Available in Gray powder coat finish. Ships fully assembled. FOB Shipping Point.

1-2-2-11 International	tela ela ala
	100 100 202
Television of the local distance of the loca	
1	20 20 20
The second se	
	all all all
Water and a set on the first of	alle alle alle
Tellelen an un un un hi hi hi	

H3501-DLP-72/40B-96-95

H3501-DLP-60DR11-96-2S-95

36" WIDE SMALL PARTS STORAGE & SECURITY CABINETS 60 JUMBO DRAWERS & 96 HOOK-ON BINS

Product No.	Size-OD W x D x H	No. of Shelves	Shelf Cap. (lbs.)	Bins	Drawers	Wt. (Ibs.)	Price Ea.
H3501-DLP-60DR11-96-2S-95	36 x 24 x 72"	2	900	(96) 4 x 5 x 3"	(60) 5 ³ / ₈ x 11 ¹ / ₄ x 3 ¹ / ₂ "	532	\$1,095.66
112 STEEL PIGEON HOLE BINS AND 96 HOOK-ON BINS							
H3501-DLP-72/40B-96-95	36 x 24 x 72"	N/A	N/A	(96) 4 x 5 x 3"	Bins - (112) 12"D	454	\$971.63

H036-95 Optional Drawer Dividers, 12/bag, Wt. 1 (lb.), Price per Bag \$7.64.

Size-OD W x D x H

36 x 24 x 72

48 x 24 x 72"

12 gauge Heavy Duty Storage Cabinets

- Extra heavy duty construction for durable security.
- Shipped fully assembled and ready for use.



LOCKABLE STORAGE CABINET									
Product	Overall Size	Shelf Cap.	Wt.	Price					
No.	D x W x H	(lbs.)	(lbs.)	Ea.					
HHDC-243678-4S95	24 x 36 x 78"	1900	425	\$955.51					
HHDC-244878-4S95	24 x 48 x 78"	1200	560	1,097.76					
HHDC-246078-4S95	24 x 60 x 78"	1650	692	1,426.49					
HHDC-247278-4595	24 x 72 x 78"	1525	856	1,228.69					

Feature rugged, all welded 12 ga. steel construction and handsome flush door design. 4 reinforced steel shelves are adjustable on 2½" centers. Includes extra heavy-duty hinge pins that secure doors to avoid sagging. Sturdy 3-point, cast steel locking handles have ¾" dia. rods and provision for padlock (padlock not furnished). 6" high box style legs offer space for lift truck forks and can be lagged to the floor, constructed of ¾" steel. Durable Gray powder coat finish. FOB Shipping Point.



Product No. Overall Size D x W x H Shelf Cap. (lbs.) Wt. (lbs.) Price Ea. HHDDS243678-8595 24 x 36 x 78" 950 544 \$1,226.9	HEAVY DUTY LOCKABLE DOUBLE SHIFT CABINET									
HHDD\$243678-8\$95 24 x 36 x 78" 950 544 \$1,226.9										
		INO.	DXWXH	(IDS.)	(IDS.)	Ea.				
LUIDDC044070 0005 04 40 708 1000 440 1 000 0		HHDDS243678-8S95	24 x 36 x 78"	950	544	\$1,226.93				
HHDD5244878-8595 24 x 48 x 78" 1900 642 1,388.9		HHDDS244878-8595	24 x 48 x 78"	1900	642	1,388.99				
HHDDS246078-8S95 24 x 60 x 78" 2000 740 1,570.9		HHDDS246078-8S95	24 x 60 x 78"	2000	740	1,570.93				



JANITORIAL CABINET									
Product No.	Overall Size D x W x H	Shelf Cap. (lbs.)	Wt. (lbs.)	Price Ea.					
HHDJC243678-4S95	24 x 36 x 78"	950	502	\$1,017.01					
HHDJC244878-4S95	24 x 48 x 78"	2000	590	1,180.42					
HHDJC246078-4S95	24 x 60 x 78"	1250	669	1,504.51					

HEAVY DUTY TORAGE CABINETS



Extra Heavy Duty Storage Cabinets

- Heavy duty all welded 12ga. construction.
- All Cabinets finished in gray powder coat.
- 8 cabinet styles to choose from.
- FOB Shipping Point.





B) Flush Door



C) Cabinet with Drawers



D) Clearview Style Door

	Product No.	EXTRA HEAVY Overall Size W x D x H A) VE	DUTY STO No. of Shelves NTILATED	No. of Drawers	BINETS Shelf/Drawer Cap. (lbs.)	Wt. (Ibs.)	Price Ea.
HHD	0CV243678-4595 0CV244878-4595 0CV246078-4595	36 x 24 x 78" 48 x 24 x 78" 60 x 24 x 78"	4 4 4		1900 1200 1025	470 568 666	\$824.04 969.01 1,200.10
		B) FLUSH DOOR		NITS HAVE		10.4	
HHD HHD HHD HHD	0C-202436-2595 0C-203636-2595 0C-203642-2595 0C-243636-2595 0C-243642-2595 0C-244842-2595	24 x 20 x 36" 36 x 20 x 36" 36 x 20 x 42" 36 x 24 x 36" 36 x 24 x 42" 48 x 24 x 42"	2 2 2 2 2 2 2	- - - - -	1900 1900 1900 1900 1900 1900 1200	184 242 278 267 292 355	352.94 432.51 463.22 468.99 501.69 589.25
HHD	0C-243666-3595 0C-246066-3595 0C-247266-3595	36 x 24 x 66" 60 x 24 x 66" 72 x 24 x 66"	3 3 3	-	1900 1650 1525	406 595 726	716.69 989.88 1,075.63
		WITH DRAWER					1,07 5.05
	CD244878-6895 CD246078-6895 CD247278-6895 CD243678-3M95 CD243678-3B95 CD243678-7B95 CD243678-8M95 WC243678-7M95	$\begin{array}{c} 48 \times 24 \times 78" \\ 60 \times 24 \times 78" \\ 72 \times 24 \times 78" \\ 36 \times 24 \times 78" \end{array}$	4 4 3 4 2 1 5	6 6 3 3 7 8 7	1200/400 1650/400 1525/400 1900/400 1900/400 1900/400 1900/400 1900/400	917 1079 1267 685 646 828 836 705	1,696.22 1,966.97 2,158.10 1,178.81 1,221.06 1,652.43 1,756.61 1,542.36
	WC244878-7M95 WC246078-7M95	48 x 24 x 78" 60 x 24 x 78"	5 5	777	1200/400	828 983	1,752.27 1,985.37
ппр	JWC240076-710195			YLE DOOR	1650/400	903	1,905.37
HHD	0CC244866-3595 0CC244878-4595 0CC246078-4595	48 x 24 x 66" 48 x 24 x 78" 60 x 24 x 78"	3 4 4	- - -	1200 1200 1200	487 571 699	1,357.51 1,550.94 1,794.27
		E) CABINET	FOR OUT	DOOR USE			·
HHD	0CO243678-4595 0CO244878-4595 0CO246078-4595	36 x 24 x 78" 48 x 24 x 78" 60 x 24 x 78"	4 4 4	- - -	1900 1200 1650	470 568 666	1,239.97 1,388.90 1,623.88
	CC202436-2595	F) COUNTERT(24 x 20 x 36"	2	VIEW SITL	1900	182	479.67
HHD HHD HHD HHD	0CC203636-2595 0CC203642-2595 0CC203642-2595 0CC243636-2595 0CC243642-2595 0CC244842-2595	36 x 20 x 36" 36 x 20 x 42" 36 x 24 x 36" 36 x 24 x 42" 48 x 24 x 42"	2 2 2 2 2	- - - - -	1900 1900 1900 1900 1900 1200	240 264 470 568 666	605.78 639.90 642.25 678.37 836.88
				YLE CABIN			
HHD	WC243678-5595 WC244878-5595 WC246078-5595	36 x 24 x 78" 48 x 24 x 78" 60 x 24 x 78"	5 5 5	-	1900 1200 1650	492 580 659	842.85 985.48 1,151.28
				OR CABIN			
HHD	0CP243678-4S95 0CP244878-4S95 0CP246078-4S95	36 x 24 x 78" 48 x 24 x 78" 60 x 24 x 78"	4 4 4		1900 1200 1650	507 624 763	864.45 1,029.61 1,280.90



G) Wardrobe Style Cabinet



H) Pegboard Door Čabinet





F) Countertop Clearview Style Door

524

CABINETS



All-Welded Storage Lockers

• Secure yet visible storage.

HSLN-3048

13 ga. expanded metal has small ³/₄" x 1¹/₄" diamond shaped openings. Doors have padlock hasp. Overall height is 78". Available with no center shelf or with removable shelf that adjusts on 31/2" centers from 12" to 60" H. above bottom deck. All-welded units shipped set up. FOB Shipping Point.



ALL-WELDED STORAGE LOCKERS OPEN – NO SHELF 1 ADJUSTABLE CENTER SHELF									
	roduct Wt. No. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.				
60 x 24 x 72" HSL 48 x 30 x 72" HSL	N-2448 230 N-2460 258 N-3048 241 N-3060 276	904.48 913.43	HSL1-A-2448 HSL1-A-2460 HSL1-A-3048 HSL1-A-3060	289 323 306 348	\$967.16 1,074.63 1,083.58 1,155.22				

12 ga. Clear View **Storage Cabinets**

• Diamond shaped perforated doors allow visibility.

Diamond shaped perforated doors allow visibility to the contents inside while maintaining security and organization. Three point locking system with keyed handle. 14 ga. shelves adjust in 3¹/₂" increments. Doors open 180° allowing full access to the contents inside. Overall height is 78" with 5½" of clearance under unit to permit movement by pallet truck. Durable powder coated gray finish. FOB Shipping Point.



HSSLP3-A-2448

12 GAUGE CLEAR VIEW STORAGE CABINETS									
	2 ADJUSTABLE SHELF UNIT 3 ADJUSTABLE SHELF UNIT								
Size	Product	Wt.	Price	Product	Wt.	Price			
D x W x H	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.			
$21 \times 18 \times 78"$	HSSLP2-A-2448	177	\$1,182.81	HSSLP3-A-2448	507	\$1,248.00			
	HSSLP2-A-2460	558	1,369.07		595	1,448.24			
30 x 48 x 78"	HSSLP2-A-3048	533	1,294.57	HSSLP3-A-3048	570	1,373.73			
30 x 60 x 78"	HSSLP2-A-3060	622	1 480 84	HSSLP3-A-3060	668	1,564.66			

12 ga. Cabinets with Pegboard Doors

• Heavy duty 12 ga. steel, all welded cabinet.

Each door has 16 ga. steel pegboard panels built in for additional storage. Doors fully open 180° to allow complete access. The pegboards have round holes on 1" centers that accept most common hooks and are perfect for keeping your tools visible and easy to grab. Available with 2 or 3 adjustable 14 ga. shelves that adjust on 3½" increments. Keyed handle with 3 point locking system. FOB Shipping Point.



HSSL3-A-2448-PBD

Size D x W x H	12 GAUGE CA 2 ADJUSTABLE Product No.			GBOARD DOORS 3 ADJUSTAB Product No.	LE SHELF Wt. (Ibs.)	UNIT Price Ea.
24 x 60 x 78" 30 x 48 x 78"	HSSL2-A-2448-PBD HSSL2-A-2460-PBD HSSL2-A-3048-PBD HSSL2-A-3060-PBD	612 593	1,449.17 1,393.29	HSSL3-A-2460-PB HSSL3-A-3048-PB	D 649 D 630	1,523.68

12 ga. Storage Cabinet

• 2000 lbs. capacity.

Rugged 12 ga. all welded cabinet is designed for long term use in the most demanding environments. Secure 3 point latching system with keyed handle secures the doors at the top, center and bottom. 14 ga. shelves are adjustable in 3½" increments. Door swing is 180° allowing complete access to the interior. Durable powder coated gray finish. FOB Shipping Point.





HSSL3-A-2448 With 3 Adjustable Shelves

12 GAUGE STORAGE CABINET							
	2 SHE	•	3 SHELF UNIT				
Size	Product	Wt.	Price	Product	Wt.	Price	
DxWxH	No.	(lbs.)	Ea.	No.	(lbs.)	Ea.	
24 x 48 x 78"	HSSL2-A-2448	486	\$1,164.18	HSSL3-A-2448	516	\$1,229.37	
24 x 60 x 78"	HSSL2-A-2460	567	1,313.19	HSSL3-A-2460	604	1,392.36	
30 x 48 x 78"	HSSL2-A-3048	542	1,257.31	HSSL3-A-3048	579	1,336.48	
30 x 60 x 78"	HSSL2-A-3060	631	1,434.27	HSSL3-A-3060	677	1,518.09	

High Capacity Storage Bin Cabinet

• Bins not included.

All-welded, heavy-duty 12 gauge steel cabinet features built-in 16 gauge louvered panels on back and doors for your hanging bins. Doors swing open 180° to allow complete access. Keyed handle with 3-point locking system secures doors at top, center, and bottom. Durable powder coated finish. Overall height 78" with 5½" clearance under unit to permit movement by pallet truck. FOB Shipping Point.





Bins Not Include

CAPACITY		

	LOUVERED PANEL					
Product	Interior Size	Door	Cabinet Back	Wt.	Price	
No.	D x W	W x H	W x H	(lbs.)	Ea.	
HSSL-LP-2448-LPD	24 x 48"	18 x 60"	48 x 72"	557	\$1,455.22	
HSSL-LP-2460-LPD	24 x 60"	24 x 60"	60 x 72"	667	1,526.87	
HSSL-LP-3048-LPD	30 x 48"	18 x 60"	48 x 72"	613	1,526.87	
HSSL-LP-3060-LPD	30 x 60"	24 x 60"	60 x 72"	731	1,602.99	

All-Welded Heavy-Duty Wall Mount Cabinet

• Mounting hardware not included.

All-welded, heavy-duty 14 gauge steel cabinet with your choice of center shelf, 16 gauge pegboard panel or louvered back panel. Mounting holes at top and bottom for secure wall attachment. Doors swing open 180° to allow complete access. Keyed handle with 3-point locking system secures doors at the top, center, and bottom. Durable powder coated gray finish. Ships set up and ready for immediate use. FOB Shipping Point.



HHC-36-LP HHC-36-PB HHC2-36 ALL-WELDED HEAVY -DUTY WALL MOUNT CABINET CENTER SHELF Product Wt. Price No. (lbs.) Ea. PEGBOARD PANEL roduct Wt. Price LOUVERED PANEL Overall Size D x W x H Wt. (lbs.) Product Price Product No. Price (lbs.) No. Ea. Ea. 10 x 36 x 24" HHC2-36 97 \$308.96 HHC-36-PB 103 \$331.34 HHC-36-LP 103 \$331.34 10 x 48 x 24" HHC2-48 119 353.73 HHC-48-PB 128 376.12 HHC-48-LP 128 376.12

STORAGE CABINETS

A)

12 Gauge Heavy Duty Industrial Storage Cabinets

- American made with 99-year warranty.
- 100% factory assembled including shelves.
- Ships in 3 days or less.

Strong Hold builds the world's strongest industrial storage cabinets and workspace solutions, mostly out of 12 gauge steel. Cabinets feature wrap-around body for increased strength, 6" legs and 3-point padlockable handle. 8 gauge leaf hinges prevent door squeaking

and sagging. Shelves are adjustable and bottom shelf is flush for safe and easy access.

All items ship fully assembled and ready to use. Don't see what you need here, Strong Hold can custom build to suit any application - call for details. FOB Shipping Point

Product No.	12 GAUGE HI Overall Size W x D x H	Overall Height	No. of Shelves	No. of Drawers	CABINETS Shelf/Drawer Cap. (lbs.)	Wt. (Ibs.)	Price Ea.
) INDUSTRIA		CABINETS		10.1	
H35-243	36 x 24 x 60"	66"	3	-	1900	406	\$1,066.00
H36-204	36 x 20 x 72"	78"	4	-	1900	435	1,160.00
H36-244	36 x 24 x 72"	78"	4	-	1900	475	1,205.00
H45-243	48 x 24 x 60"	66"	3	-	1200	489	1,351.00
H46-244	48 x 24 x 72"	78"	4	-	1200	573	1,460.00
H55-243	60 x 24 x 60"	66"	3	-	1650	595	1,519.00
H56-244	60 x 24 x 72"	78"	4	-	1650	699	1,625.00
H66-244	72 x 24 x 72"	78"	4	-	1525	856	1,950.00
	B) STAINLESS	STEEL (304)	DOUBLE SH	HIFT INDUS	TRIAL CABINET	S	
H36-244SS	36 x 24 x 72"	78"	4	-	1900	475	4,275.00
H46-244SS	48 x 24 x 72"	78"	4	_	1900	573	5,036.00
	C) D	OUBLE SHIFT		AL CABINE	S		.,
H36-DS-248	36 x 24 x 72"	78"	8	_	950	544	1,390.00
H45-DS-246	48 x 24 x 60"	66"	6	_	600	547	1,529.00
H46-DS-248	48 x 24 x 72"	78"	8	_	600	642	1,638.00
H56-DS-248	60 x 24 x 72"	78"	8	_	825	740	1,824.00
H66-DS-248	72 x 24 x 72"	78"	8	_	765	838	1,957.00
		CLEAR VIEW	-	CARINETS	705	000	1,757.00
H46-LD-244	48 x 24 x 72"	78"	4	CADINETS	1200	571	1,857.00
H40-LD-244	40 x 24 x 72 60 x 24 x 72"	78"	4	-	1650	699	2,119.00
H30-LD-244			•	-		077	2,119.00
		LATED INDU		RAGE CAB			
H36-V-244	36 x 24 x 72"	78"	4	-	1900	470	1,311.00
H46-V-244	48 x 24 x 72"	78"	4	-	1200	548	1,564.00
H56-V-244	60 x 24 x 72"	78"	4	-	1650	666	1,763.00
	F) INDUSTRIAL CA		I LOWER H	ALF-WIDTH			
H46-244-6/5DB	48 x 24 x 72"	78"	4	6	1200/400	917	2,779.00
H56-244-6/5DB	60 x 24 x 72"	78"	4	6	1650/400	1079	2,952.00
H66-244-6/5DB	72 x 24 x 72"	78"	4	6	1525/400	1267	3,106.00
	G-I) I	NDUSTRIAL	CABINET W	ITH DRAW	ERS		
H36-243-3DB	36 x 24 x 72"	78"	3	3	1900/400	685	1,806.00
H36-244-3DB	36 x 24 x 72"	78"	3	3	1900/400	646	1,849.00
H36-242-7DB	36 x 24 x 72"	78"	2	7	1900/400	828	2,568.00
			_		,		-,







E)











526

BIN CABINETS & LOCKERS

12 Gauge Heavy Duty Industrial Bin Cabinets & Lockers

- American made with 99-year warranty.
- 100% factory assembled including shelves.
- Ships in 3 days or less.

Strong Hold builds the world's strongest industrial storage cabinets and workspace solutions, mostly out of 12 gauge steel. All items ship fully assembled and ready to use. Choose your bin cabinet, all bin cabinet with bins on doors, adjustable shelf cabinets

with bins on doors, adjustable shelf cabinet with drawers and bins on doors. All cabinets include standard 6" legs and 3-point padlockable handle. Don't see what you need here, Strong Hold can custom build to suit any application - call for details. FOB Shipping Point

A)


Product No.	12 GAUGE HEAV Overall Size W x D x H A) BIN S	Overall Overall Height TORAGE CAB	No. of Shelves	No. of Drawers	LOCKERS Shelf/Drawer Cap. (lbs.)	Wt. (lbs.)	Price Ea.
H36-BS-244 H46-BS-244	36 x 24 x 72" 48 x 24 x 72"	78" 78"	4 4	-	1900 1200	579 756	\$1,657.00 2,061.00
	B) BIN STC	RAGE CABIN	IETS WITH 4	DRAWERS			
H36-BBS-241-4DB	36 x 24 x 72"	78"	4	1	1900/400	739	2,352.00
	C) BIN	CABINETS V	VITH 3 SHEL	VES			
H36-BBS-243 H46-BBS-243	36 x 24 x 72" 48 x 24 x 72"	78" 78"	3 3		1900 1900	579 756	1,719.00 2,288.00
		D) ALL BIN	CABINETS				
H36-BB-240 H46-BB-240	36 x 24 x 72" 48 x 24 x 72"	78" 78"	_			596 732	1,834.00 2,429.00
	E) BIN STORAC	<i>E CABINETS</i>	WITH HALF-	WIDTH SHE	LVES		
H46-BSCW-241-3WLR	48 x 24 x 72"	78"	4	-	1900/500	729	2,398.00
F)	TRIPLE-TIER INDUST	RIAL LOCKER	S WITH MU	LTIPLE COM	PARTMENTS		
H75-18-3TMT	82 x 18 x 62"	78"	-	-	1900/500	729	3,037.00
	G) DC	UBLE-TIER SL	IM LINE LOC	KERS			
H36-18-2TSL	36 x 18 x 72"	78"	-	-	-	512	1,880.00
	H) SI	NGLE-TIER SL	IM LINE LOO	CKERS			
H16-18-1TSL H36-18-1TSL	14 x 18 x 72" 38 x 18 x 72"	78" 78"	1 1	_	500 500	215 479	815.00 1,442.00
H46-18-1TSL	50 x 18 x 72"	78"	1	-	500	610	2,301.00
	I) INDUS	TRIAL LOCKE	RS WITH DR.	AWERS			
H46-24-2TPL-8DB	50 x 24 x 72"	78"	2	2 comp	600/400	1136	3,455.00

















H)

527

DURABLE STORAGE CABINETS

A) Commercial Series Cabinets

- Adjustable cabinets adapt to your storage needs.
- Versatile storage cabinets use fully adjustable shelves on 2" centers with raised bottom shelf.

Three point door locking system is reinforced with heavy-duty supporting door hinges on each door. Meets ANSI/BIFMA standards. Built with welded steel construction and baked enamel finish. Available in 5 standard colors, Charcoal, Tropic Sand, Dove Gray, Putty and Black -- please specify. Non-standard colors available for an up charge. FOB Shipping Point.

Product No.	No. of Shelves COUNTE	Size W x D x H R HEIGHT CABINET	Wt. (Ibs.)	Price Ea.
HCA21 361842	2	36 x 18 x 42"	74	\$243.50
	STAN	DARD CABINETS		
HCA41 361872 HCA41 361878 HCA41 362472 HCA41 362478	4 4 4	36 x 18 x 72" 36 x 18 x 78" 36 x 24 x 72" 36 x 24 x 72" 36 x 24 x 78"	113 121 123 129	322.07 358.93 385.50 402.14

B) Storage Cabinets -- Value Line Series

- Standard cabinet storage at exceptional value.
- Features cam locking handles and welded steel construction for durable storage capacity.

Cabinets include fixed shelves with flat bottom shelf space. Available in 3 colors, Dove Gray, Putty and Black -- please specify. Non-standard colors available for an up charge. FOB Shipping Point.

STORAGE CABINETS							
Product	No. of	No. of	Size	Wt.	Price		
No.	Shelves	Handles	WxDxL	(lbs.)	Ea.		
HVF31301566	3	1	30 x 15 x 66"	70	\$244.79		
HVF31301872	3	1	30 x 18 x 72"	82	263.79		
HVF41361872	4	1	36 x 18 x 72"	98	298.21		







A) Standard Cabinet



A) Counter Height Cabinet

C) Janitorial Supply Cabinet --Value Line Series

С

Versatile storage capacity for a variety of uses.
Combination cabinets provide an affordable means to meet a variety of your storage needs.

Features three built-in side shelves for storage of small to mid-sized goods while still allowing full height storage space for longer items. Flat bottom shelf space also has plenty of space for larger bulky items.(No hanger hooks). Available in 3 colors, Dove Gray, Putty and Black -- please specify. Non-standard colors available for an up charge. FOB Shipping Point.

Product	Size	Wt.	Price
No.	W x D x H	(lbs.)	Ea.
HVFC1301566	30 x 15 x 66"	81	\$253.29

Clear View Wall Cabinet

• Durable acrylic door provides visibility of contents and easy selection.

• A convenient organizer for valuable parts and supplies. Features fully adjustable shelf on 2^m centers plus raised botrom shelf. Meets ANSI/BIFMA shelf standards. Shipped assembled. Handle requires some assembly. Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi Granite -please specify. Non-standard colors available for an up charge. Clear View Single Door Cabinet. Includes cam door lock system. Clear View Double Door Cabinet. Includes 3-point door lock system. FOB Shipping Point.

Product No.	No. of Shelves	Size W x D x H	Wt. (Ibs.)	Price Ea.			
	CLEAR VIEW	SINGLE DOOR	CABINET				
HWA1V 16122	26 1	16 x 12 x 26"	25	\$214.79			
CLEAR VIEW DOUBLE DOOR CABINET							
HWA1V 30122	26 1	30 x 12 x 26"	49	262.21			
HWA2V 36123	30 2	36 x 12 x 30"	63	271.93			
and the second se		4					



Wall Cabinets

- A handy organizer above work desks and counters.
- Solid steel construction for durable use.

Features fully adjustable shelf on 2" centers plus raised bottom shelf. Meets ANSI/BIFMA shelf standards. Shipped assembled. Handle requires some assembly. Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi Granite -please specify. Non-standard colors available for an up charge. Single Door Wall Cabinet. Includes cam door lock system. Double Door Wall Cabinet. Includes 3-point door lock system. FOB Shipping Point.

11 0						
Product No.	No. of Shelves	Size W x D x H	Wt. (Ibs.)	Price Ea.		
SINGLE DOOR WALL CABINET						
HWA11 18122	26 1	18 x 12 x 26"	29	\$159.43		
DOUBLE DOOR WALL CABINET						
HWA21 30123	BO 1	30 x 12 x 30"	48	203.93		
HWA22 36123	10 2	36 x 12 x 30"	62	219.50		
	and the second second					



Mobile Storage Cabinets --Transport Series

- Durable 22 ga. steel cabinets allow for flexible storage capacity.
- Mobile storage cabinets allow smooth transport of stored items on 6" ball-bearing swivel casters - two with brakes to secure cabinet's position.

Casters are positioned to permit flush positioning to walls. Includes extra deep adjustable shelves to provide nearly 40% more storage space than standard models. Cabinets close with three point recessed locking handle. Solid welded steel construction yields years of hard working service. Durable finish. Available in standard cabinet storage, wardrobe, combination, and counter height cabinet models. Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi-Granite -- please specify. Non-standard colors available for an up charge. Ships assembled except for lock rods and casters. FOB Shipping Point.

11 0								
	MOBILE STORAGE CABINET							
Product		Size	Wt.	Price				
No.*	Description	WxDxH	(lbs.)	Ea.				
HTA11182430	Shop Cart	18 x 24 x 36"	63	\$296.86				
HTA11361830	Counter Height	36 x 18 x 36"	83	335.21				
HTACR362472	Combination	36 x 24 x 78"	172	601.21				
HTAWR362472	Wardrobe Cabinet	36 x 24 x 78"	148	516.57				
HTA3R242460	Single Door Panel	24 x 24 x 66"	116	450.86				
HTA3R462460	Double Door Storage	46 x 24 x 66"	202	637.29				
HTA4R362472	Double Door Storage	36 x 24 x 78"	173	547.07				
HTA4R302466	Double Door Storage	30 x 24 x 72"	149	506.71				
HTA4R462472	Dual Door Storage	46 x 24 x 78"	260	683.79				





Counter Height



Wardrobe Cabinet



Shop Cart





STORAGE CABINETS

• All welded and assembled sturdy steel storage cabinets.

Shelves adjust easily in 2" increments using front and back shelf clips to relieve stress from the sides and adding strength to hold up to 200 lbs. (36"W.) Or flip shelf over and use the shelf's formed edge to provide bin storage for smaller items. Doors close securely with 3 point tru-lock rod assembly system and locking handle.

Combination Cabinets

 Features three fully adjustable side shelves on 2" centers, full width top shelf, and sturdy garment rod for hanging of clothing and uniforms.

Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi-Granite -please specify. Non-standard colors available for an up charge. FOB Shipping Point.



Wardrobe Cabinet

• Full width enclosed storage of clothing and garments.

Includes full wide shelf for small item storage and sturdy garment rod. Uses contemporary designed three point recessed locking handle to secure belongings. Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi-Granite -- please specify. Non-standard colors available for an up charge. FOB Shipping Point.

Product No.	COMBINATION CABIN Size W x D x H	VETS Wt. (Ibs.)	Price Ea.				
HEACR 362472 HEACR 362478	36 x 24 x 72" 36 x 24 x 78"	156 164	\$480.86 508.21				
WARDROBE CABINETS							
HEAWR 362472 HEAWR 362478	36 x 24 x 72" 36 x 24 x 78"	127 134	424.86 450.86				
HEAWR 462472	46 x 24 x 72"	163	518.86				

Clear View Storage Cabinets

- Durable plexiglass doors provide full visibility of contents.
- Durable and handsome steel construction.

Features fully adjustable shelves on 2" centers plus raised bottom shelf. 3 points door locking system for maximum security. Meets ANST/BIFMA shelf standards. Shipped assembled and ready to use. Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi-Granite -- please specify. Non-standard colors available for an up charge. FOB Shipping Point.



Clearview Cabinet in Putty


Product No.	CLEAR VIEW STORA Description	AGE CABINETS Size W x D x H	Wt. (lbs.)	Price Ea.
HCA4V361872	Storage Cab.	36 x 18 x 72"	144	\$437.64
HEA4V461872	Storage Cab.	46 x 18 x 72"	155	584.08
HCA2V361842	Counter Height Cab.	36 x 18 x 42"	107	333.21



1

อ





Heavy Duty Industrial Series Storage Cabinet

• Fully adjustable top quality storage cabinet.

• Heavy gauge steel (22 ga.) construction meets ANSI/BIFMA standards.

These cabinets offer a premium in design and features. Includes four fully adjustable shelves on 2" centers plus raised bottom shelf to provide for a variety of storage capacities. Features three point recessed locking handle with three hinged reinforced doors making operation smooth and sturdy. Durable finish for long lasting life. Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi-Granite -- please specify. Non-standard colors available for an up charge. FOB Shipping Point.

Product No.	INDU No. Shelves	STRIAL SERIES STOP Size W x D x H	RAGE CABINET Wt. (lbs.)	Price Eq.
HEA4R 361872 HEA4R 361878 HEA4R 362472 HEA4R 362472 HEA4R 462472 HEA4R 462478	4 4 4 4 4 4 4	36 x 18 x 72" 36 x 18 x 78" 36 x 24 x 72" 36 x 24 x 78" 46 x 24 x 72" 46 x 24 x 78"	131 137 151 160 218 266	\$374.29 403.29 428.50 454.71 518.86 539.50
HEA2R 361842 HEA2R 462442	2 2	COUNTER HEIGHT 36 x 18 x 42" 46 x 24 x 42"		272.71 388.00

Keyless Electronic Welded Storage Cabinet

• Heavy gauge welded steel construction.

This heavy duty cabinet comes with four adjustable shelves. The strong doors have three sets of hinges on each door. Keyless electronic coded locking system with two passwords. Passwords can be changed to any combination of numbers. Powder coat finish. Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi-Granite -- please specify. Non-standard colors available for an up charge. FOB Shipping Point.

KEYLESS ELECTRONIC WELDED STORAGE CABINET				
Product	Price			
No.	WxDxH	(lbs.)	Ea.	
HEA4E 361872	36 x 18 x 72"	146	\$402.43	
HEA4E 462478	46 x 24 x 78"	282	605.00	

Expanded Metal Front Cabinet

• Expanded metal front door panels provide ventilation and easy visual access through doors.

Stationary cabinet has 14 gauge expanded metal front door panels on heavy-duty 22 gauge front doors. Features four fully adjustable shelves on 2" centers plus raised bottom shelf. Three point door locking system for security. Meets/exceeds ANSI/BIFMA shelf standards. Unit ships assembled (handles/lock require some assembly). Available in 10 colors, Charcoal, Tropic Sand, Dove Gray, Putty, Black, White, Red, Blue, Forest Green, and Multi-Granite -- please specify. Non-standard colors available for an up charge.FOB Shipping Point.

EXPANDED METAL FRONT CABINET Product Size Wt. Price No. W x D x H (lbs.) Ea.			
HCA4M362472	36 x 24 x 72"	138	477.57
HEA4M462472	46 x 24 x 72"	204	655.71

XXXX

EDSAL ORAGE CABINETS



Extra Heavy-Duty Welded Cabinets

- Sturdy, all-welded 14 ga. steel construction with 14 ga. shelves stores the heaviest of loads.
- Doors open a full 180°.

Each shelf supports up to 1,800 lbs. of evenly distributed loads and are adjustable on 2" centers. Doors open 180° on heavy-duty 9 ga. welded leaf hinges with brass pins. Bolt holes in legs allow cabinet to be secured to the floor. Heavy-duty 3-point latching mechanism with malleable cast iron contoured handle is zinc plated for long lasting use. Accepts 7/6" dia. padlock (not included). Tough powder coat finish in Gray. FOB Shipping Point.

EXTRA HEAVY-DUTY WELDED CABINETS							
Product							
No.	W x D x H	Cap (lbs.)	(lbs.)	Ea.			
HEHD7836	36 x 24 x 78"	1800	383	\$1,102.80			
HEHD7848	48 x 24 x 78"	1600	480	1,207.25			
HEHD7860	60 x 24 x 78"	1500	526	1,311.51			

Heavy-Duty Vault Cabinets

•Features shelf capacities up to 1000 lbs.

•Heavy-duty 16 ga. all welded steel construction for long service.

Secure, strong storage of valuables. Shelves adjust on 4" centers, bottom is fixed. Sturdy doors are reinforced with full length piano hinge for ease of use. Includes locking handle with 3-point door latch system for security. Tough powder coat finish in Gray. FOB Shipping Point.

HEAVY-DUTY VAULT CABINETS Product No. Size Adjustable Wt. W x D x H Shelves (lbs.) Price Ea. 1000 LB. SHELF CAPACITY HVC1500G HVC1501G HVC1502G 36 x 18 x 42" 36 x 18 x 60" 198 240 \$591.47 709.77 829.43 36 x 18 x 72" 36 x 18 x 84" 281 HVC1503G 890.62 309 900 LB. SHELF CAPACITY HVC1504G 958.58 36 x 24 x 84" 4 3 800 LB. SHELF CAPACITY 352 HVC1505G 48 x 24 x 84" 409 1,234.64 4





48" Wide Jumbo Storage Cabinet



36" Wide Standard Storage Cabinet

Storage Cabinets

• Fully assembled cabinets available in 36" or 48" wide.

• Strong and durable cabinets are made of quality gauge steel. Choose commercial grade for light to medium duty or industrial grade for heavy-duty storage. Welded door frames ensures long-lasting alignment. Locking doors have concealed pin type hinges for a clean look. Feature 3-point locking mechanism for secure storage. Includes 4 shelves adjustable on 2" centers and 1 fixed bottom shelf. Tough powder coat finish available in Gray, Tan or Black -- please specify. Available in Set-Up or Unassembled FOB Shipping Point.

COMMERICAL QUALITY SET-UP UNASSEMBLED						
Description	Size W x D x H	Wt. (Ibs.)	Product No.	Price Ea.	Product No.	Price Ea.
Counter Height Standard Standard	36 x 18 x 42" 36 x 18 x 72" 36 x 24 x 72"	75 110 130	H7009 H7007 H7008	\$271.36 346.55 412.16	H7001 H7000 H7005	\$227.12 291.20 346.53
	1	NDUSTR	IAL QUALITY			
Counter Height Counter Height Standard Standard Jumbo Combination Combination	$\begin{array}{c} 36 \times 18 \times 42" \\ 36 \times 24 \times 42" \\ 36 \times 18 \times 78" \\ 36 \times 24 \times 78" \\ 48 \times 18 \times 78" \\ 48 \times 24 \times 78" \\ 36 \times 18 \times 78" \\ 36 \times 24 \times 78" \\ 36 \times 24 \times 78" \end{array}$	90 102 135 161 196 215 159 187	H3006SU H3007SU H3008 H3009 H4001SU H4000SU H3004SU H3005SU	328.55 368.08 452.59 504.56 585.99 648.91 503.20 560.97	H3006 H3007 H3000 H3001 H4001 H4000 H3004 H3005	275.79 308.96 380.48 424.24 491.87 544.69 503.20 470.87

Bin Storage Cabinets

• Fully assembled cabinets available in 38" or 48" extra wide.

• The perfect solution for securing and organizing parts, equipment and other valuable inventory items.

Made of rugged 16 ga. all welded steel construction for durable service. Inside shelves have load capacities of 800 lbs. (for 38"W.) and 700 lbs. (for 48"W.), evenly distributed on 4" centers. 4"D. pocket doors with heavy-duty hinges on 270° and accommodate bins and/or 30 lb. capacity shelves. Complete with padlock hasp (padlock not included), leveling feet, bins and/or shelves. Tough powder coat finish in Gray. Heavy-duty removable plastic bins in Yellow. FOB Shipping Point.

Sizes... 38"W. inside shelf size is 2"H. x 37½"W. x 18"D.; door shelf size is ³/₄"H. x 18³/₄"W.x 3³/₄"D.

48"W. inside shelf size is 2"H. x 47½"W. x 18"D.: door shelf size is ³/₄"H. x 23³/₄"W. x 3³/₄"D.

HBC6202G	HBC6203G

;	Durdent	ы.	38" WIDE CAB		14/1	D. J. v.
,	Product No.	No. Bins	Bin Size W x D x H	Adjustable Shelves	Wt. (lbs.)	Price Ea.
;	HBC6200G	48 48 18 12 6	4% x 5% x 3" 4% x 7% x 3" 5% x 10% x 5" 8% x 14% x 7" 16% x 14% x 7"	None	399	\$1,681.12
	HBC6201G	None		4 Interior	306	1,229.59
			2 DOOR			
	HBC6202G HBC6203G	96 48 16	4½ x 5¾ x 3" 4½ x 7¾ x 3" 8½ x 14¾ x 7"	4 Interior 2 Interior 6 Door	374 358	1,396.09 1,479.63
			48" WIDE CAB	INETS		
	HBC4801G	64 64 24 18 6	4% x 5% x 3" 4% x 7% x 3" 5% x 10% x 5" 8% x 14% x 7" 16% x 14% x 7"	None	530	\$2,123.14
	HBC4802G	None		4 Interior	428	1,526.95
			2 DOOR			
	HBC4803G HBC4804G	128 64 20	4½ x 5¾ x 3" 4½ x 7½ x 3" 8½ x 14½ x 7"	4 Interior 2 Inerior 6 Door	496 451	1,753.00 1,847.04



HBC6200G



530

STORAGE CABINETS Pucel Enterprises, Inc.

Extra Heavy Duty Storage Cabinets

• Models include drawer units to optimize storage capacity.

These extra heavy duty storage cabinets offer maximum strength and construction with their all welded design. They are made with a 12 gauge steel body along with a 14 gauge reinforced base. Each storage cabinet comes with 1 fixed shelf and 2 adjustable shelves that adjust at 4" increments. These shelves have a 1,500 lb. capacity and the drawers have a 250 lb. capacity. Each drawer opens with a telescoping, full extension, ball bearing slide and each cabinet includes a keyed handle with a 3-point locking system and 10 gauge, 6" high legs. Units are forklift accessible. FOB Shipping Point.

EXTRA HEAVY-DUTY STORAGE CABINETS

Product	No.	Size	Wt.	Price
No.	Drawers/Shelves	W x H x D	(Ibs.)	Ea.
HHDSC-3672-24-3D	3/1 Fixed, 2 Adj.	36 x 78 x 24"	510	\$1,226.38
HHDSC-4872-24-6D	6/1 Fixed, 2 Adj.	48 x 78 x 24"	605	1,626.06
HHDSC-6072-24-9D	9/1 Fixed, 2 Adj.	60 x 78 x 24"	710	1,886.50

COLOR CHART

13 Colors available at NO additional cost. Gray, Dark Green, Vista Green, Dark Brown, Beige, Dark Blue, Light Blue, Orange, Red, Putty, Black, White, and Yellow - please specify. Custom Colors: Available at an additional cost. Custom Design: All items can be modified to suit your needs. Call for information. Delivery is not affected by color choice.





HHDSC-4872-24-6D

HHDSC-3672-24-3D

HHDSC-6072-24-9D

Extra Heavy Duty Wardrobe Storage Cabinets

These extra heavy duty wardrobe storage cabinets feature all welded, heavy duty construction. All units include a keyed handle, top shelf, coat rod and 6" high legs. The (-3D) units are equipped with three drawers and three half fixed shelves. Each drawer opens with a telescoping, full extension, ball bearing slide. Drawers have a 250 lb. capacity. The HWSC-3672-24 includes five half shelves. FOB Shipping Point.

EXTRA HEAVY-DUTY WARDROBE STORAGE CABINETS					
Product No.	No. Drawers/Shelves	Size W x H x D	Wt. (lbs.)	Price Ea.	
HWSC-3672-24 HWSC-3672-24-3D	0/5 Fixed 3/3 Fixed	36 x 78 x 24" 36 x 78 x 24"	290 419	\$766.25 1.030.14	
HWSC-4872-24-3D	3/3 Fixed	48 x 78 x 24"	460	1,126.80	
HWSC-6072-24-3D	3/3 Fixed	60 x 78 x 24"	501	1,221.10	

Extra Heavy Duty Counter Height Storage Cabinets

These extra heavy duty, all welded storage cabinets come equipped with a padlock hasp, keyed handle and 6" high legs. All units feature a 12 gauge top, bottom and doors. Options include a perforated door and a drawer unit. Suffix (-P) denotes perforated door, (-D) denotes drawer unit and (-PD) denotes perforated door and drawer unit. FOB Shipping Point.


EXTRA HEAVY-DUTY COUN	ITER HEIGHT STO	RAGE CABINETS
-----------------------	------------------------	---------------

Product	No.	Size	Wt.	Price
No.	Drawers/Shelves	WxHxD	(lbs.)	Ea.
HHDTC-2442-L	0/2	24 x 48 x 19"	128	\$297.62
HHDTC-2442-P (perforated door) HHDTC-2442-D (drawer unit)	0/2	24 x 48 x 19"	115	304.22
		24 x 48 x 19"	145	337.78
HHDTC-2442-PD (perf. door & dro	awer) 1/1	24 x 48 x 19"	130	354.28











531

LYON® ALL-WELDED CABINETS





All-Welded Deep Door Storage Cabinets

• Features removable plastic Tilt-Bins.

• 14 ga. steel construction delivers a superior storage cabinet.

Unique Tilt-Bins add more storage space for small parts and supplies. Easy-to-remove Tilt-Bins swing forward to allow 100% access to contents -- then tilt back for storage. Heavy-gauge steel doors have 3-point locking system for maximum security. Hard composition swivel casters and swing-out doors maintain positive alignment and allow smooth door opening and closing under heavy loads. Casters and legs (included) create clearance for forklift access. 21"D. interior depth. Doors are 7"D. Shipped assembled and ready to use. Dove Gray finish. FOB Shipping Point.

		11 0		
	ALL-WEI	DED DEEP DOOR STORAG	E CABINETS	
Ltr.	Product	Size	Wt.	Price
No.	No.	W x D x H	(lbs.)	Ea.
А	H1125	38 x 28 x 76"	450	\$1,303.43
В	H1126	38 x 28 x 76"	460	1,521.61
С	H1127	38 x 28 x 76"	455	1,270.76
D	H1128	38 x 28 x 76"	460	1,499.76

H3445 Tilt Bin Dividers. Pkg. Of 18. Price Ea. \$1.05



- Features the unique removable plastic Tilt-Bins.
- Removable bins increase storage density, speed selection and retrieval.

All-welded 14 ga. steel construction cabinets are shipped assembled and ready to use. Secure heavy-gauge steel doors feature a 3-point locking system with $\frac{1}{3}$ " latch rods and $\frac{3}{16}$ " latch plates. Corrosion resistant and impervious to most solvents. Safety Yellow plastic bins easily clip on and off racks that are welded to cabinets and doors. Dove Gray finish. FOB Shipping Point.

ALL-WELDED STORAGE CABINETS				
Ltr.	Product	Size	Wt.	Price
No.	No.	W x D x H	(lbs.)	Ea.
А	H1122	36 x 21 x 82"	400	\$1,323.07
В	H1123	36 x 21 x 82"	370	1,202.04
С	H1124	36 x 21 x 82"	400	1,370.00
H78228	arge Bins 81/11/W/ x 1/3	("D x 7"H Wt 1 5 (lbs) Price	Fa \$14.14	

H78222 Small Bins 4¼"W.x 5¾"D. x 3"H. Wt. 1.3 (lbs.) Price Ed. \$14.1 H78222 Small Bins 4¼"W.x 5¾"D. x 3"H. Wt. 1 (lbs.) Price Ed. \$1.90



A) Full-Height Cabinet



B) Eye-Level Cabinet



D) Full-Height Combination Cabinet





F) Full-Height Extra Wide Cabinet

All-Welded Heavy-Duty Storage Cabinets

• Heavy-duty cabinets are made of 14 ga. welded steel for superior durability.

• Adjustable, 1450 lb. capacity shelves for "no-worry" supporting power.

Steel doors have a padlock hasp and heavy-duty ‰" brass pin hinges to protect contents against theft. Adjustable shelves bolt securely into keyhole slots and can be positioned on 3" centers. 36" Combination Cabinet stores garments and supply items in one convenient unit. Includes one fixed, full-width top shelf and 3 half shelves that adjust on 3" centers. Wardrobe compartment includes a coat rod. Shipped in corrugate with legs attached to accommodate fork lift. FOB Shipping Point.

	ALL-WELD	ED HEAVY-DUTY STOR	AGE CABINE	TS
Ltr. No.	Product No.	Size W x D x H	Wt. (lbs.)	Price Ea.
A	H1114	36 x 21 x 82"	370	\$1,066.04
A	H1115	36 x 24 x 82"	405	1,085.29
В	H1112	36 x 21 x 64"	300	946.07
С	H1110	36 x 21 x 46"	230	831.97
D	H1121	36 x 24 x 82"	400	1,022.07
E	H1120	48 x 24 x 82"	400	1,134.43
F	H1145	60 x 24 x 82"	425	1,498.69

ORAGE Storage Made Easy

Tennsco Deluxe Cabinets

• Deluxe storage cabinets offer premium quality and features for your dollar. • Heavy steel construction with 16-ga. door frame.

Knuckle hinges on each door insure the integrity of the cabinet and the alignment of the doors. Doors are reinforced for strength and quietness. Handle on right-hand door activates a 3-point system for added security; dummy handle on left-hand door. Shelves are adjustable in 2" increments on built-in shelf tabs. Shelves will hold up to 200 lbs. evenly distributed. Two front leveling glides compensate for uneven floors. Louvered back panel allows air circulation in the cabinet. Available in four models -- storage, wardrobe, combination, and counter high cabinets. Available in Black, Champagne/Putty, Sand, Light Gray and Medium Gray -- please specify. FOB Shipping Point.

			E CABINETS		
Product No.	No. of Openings	Size W x D x H	Туре	Wt. (Ibs.)	Price Ea.
H1870 H7818 H2470 H7824	5 5 5 5	36 x 18 x 78" 36 x 18 x 78" 36 x 24 x 78" 36 x 24 x 78" 36 x 24 x 78"	Unassembled Welded, set-up Unassembled Welded, set-up	154 154 183 183	\$335.73 380.54 368.55 422.82
		WARDRC	BE CABINETS		
H1871 H7818W H2471 H7824W	2 2 2 2	36 x 18 x 78" 36 x 18 x 78" 36 x 24 x 78" 36 x 24 x 78" 36 x 24 x 78"	Unassembled Welded, set-up Unassembled Welded, set-up	140 140 155 155	299.13 349.61 323.11 383.06
		COMBINAT	TION CABINETS		
H1872 H7814 H2472 H7820	7 7 7 7	36 x 18 x 78" 36 x 18 x 78" 36 x 24 x 78" 36 x 24 x 78" 36 x 24 x 78"	Unassembled Welded, set-up Unassembled Welded, set-up	152 152 181 181	345.83 405.78 378.64 449.32
			HIGH CABINETS		
H1842 H2442	3 3	36 x 18 x 42" 36 x 24 x 42"	Unassembled Unassembled	90 103	229.71 250.54
	EXTRA		e/Wardrobe/Counter (
H301 H302	-	36 x 18 x ³ / ₄ " 36 x 24 x ³ / ₄ "	1	8 12	15.78 20.83
			r Combination Cabinets)	
H304 H305	1	18 x 18 x ³ / ₄ " 18 x 24 x ³ / ₄ "	-	6 7	9.72 11.17

Tennsco Standard Counter & Desk High Cabinets



• Same sturdy features as Tennsco Standard Storage Cabinets.

• Sized for convenient and space-saving storage.

Available in Black, Champagne/Putty, Sand, Light Gray and Medium Gray -please specify. FOB Shipping Point.

Product No.	No. of Openings	DESK & COUN Size W x D x H	ITER HIGH CABINETS Type	Wt. (Ibs.)	Price Ea.
H1430 H1442 H4218	2 3 3	36 x 18 x 30" 36 x 18 x 42" 36 x 18 x 42"	Unassembled Unassembled Welded, set-up	51 75 75	\$149.56 178.59 220.24
		EXTR	A SHELVES		
H301 H302	-	36 x 18 x ³ /4" 36 x 24 x ³ /4"	-	8 12	15.78 20.83









Storage Cabinet

Wardrobe Cabinet

- Tennsco Standard Cabinets
- Commercial quality cabinets are the perfect choice for your storage needs.
- Built-in shelving support tabs allow for versatility in arranging shelves without using shelf clips.

Shelves adjust in 2" increments. Heavy-steel construction with leaf hinges and reinforced doors stand up to a lifetime of heavy use. Handle on right-hand door activates the three-point locking system to keep belongings secure. Raised base keeps contents from contacting moisture from the floor. Available in 3 models -- storage, wardrobe and combination. Available in Black, Champagne/Putty, Sand, Light Gray and Medium Gray -- please specify. FOB Shipping Point.

		STORA	GE CABINETS		
Product No.	No. of Openings	Size W x D x H	Туре	Wt. (Ibs.)	Price Ea.
H1470 H7218 H1480 H7224	5 5 5 5 5	36 x 18 x 72" 36 x 18 x 72" 36 x 24 x 72" 36 x 24 x 72"	Unassembled Welded, set-up Unassembled Welded, set-up	113 129 136 149	\$261.89 293.45 301.02 336.36
		WARDR	OBE CABINETS		
H1471 H7114	2 2	36 x 18 x 72" 36 x 18 x 72"	Unassembled Welded, set-up	99 111	236.65 270.10
		COMBINA	TION CABINETS		
H1472 H7214 H1482 H7220	7 7 7 7	36 x 18 x 72" 36 x 18 x 72" 36 x 24 x 72" 36 x 24 x 72"	Unassembled Welded, set-up Unassembled Welded, set-up	112 122 149 143	270.10 310.49 302.91 367.91
	EX		torage/Wardrobe Co		
H301 H302	-	36 x 18 x ³/₄" 36 x 24 x ³/₄"	-	8 12	15.78 20.83
		EXTRA SHELVES Fo	or Combination Cabin	ets	
H304 H305	-	18 x 18 x ³ /4" 18 x 24 x ³ /4"	-	6 7	9.72 11.17

Tennsco Jumbo Cabinets

• Features a full 48" width to handle bulky items.

• Doors are reinforced for strength and quietness.

Jumbo size for jumbo storage capacity. Two front leveling glides compensate for uneven floors. Four leaf hinges on each door insure the integrity of the cabinet and the alignment of the doors. Handle on right-hand door activates a threepoint locking system for added security -- second handle on left-hand door. Shelves are adjustable in 2" increments on built-in shelf tabs. Shelves hold up to 400 lbs. evenly distributed. Unassembled cabinets ship in 2 cartons. Available in Black, Champagne/Putty, Sand, Light Gray and Medium Gray -- please specify. FOB Shipping Point.

18" DEEP STORAGE CABINETS										
Product No.	No. Openings	Size W x D x H	Туре	Wt. (Ibs.)	Price Ea.					
HJ1878A-N HJ1878SU	5 5	48 x 18 x 78" 48 x 18 x 78"	Unassembled Assembled	194 194	\$420.29 517.48					
		24" DEEP 3	STORAGE CABINETS							
HJ2478A-N HJ2478SU	5 5	48 x 24 x 78" 48 x 24 x 78"	Unassembled Assembled	214 214	453.11 557.24					
		COMBINA	ATION CABINETS							
HJ2478C-N HJ2478SUC	7 7	48 x 24 x 78" 48 x 24 x 78"	Unassembled Assembled	213 230	452.48 590.68					
	EXTRA SHELVES FOR STORAGE CABINETS									
H306 H307	-	48 × 18" 48 × 24"	-	12 16	24.61 27.77					

TYLISH FORAGE CABINETS







13 Colors available at NO additional cost. Gray Dark Green Vista Green Dark Brown Dark Blue Beige Light Blue Oranae Putty Red Black White Yellow

Delivery is not affected by color choice. Custom Colors... available at additional cost.

Custom Design... All items can be modified to suit your needs. Call for information.

Extra Heavy-Duty Storage Cabinet

• Heavier capacity - supports 1500 lb. loads per shelf. • Features flush door mounts.

Built for the big and heavy loads. Made of thick 12 ga. sides and 14 ga. reinforced shelves and bottom. All units include 1 fixed shelf - all other shelves are adjustable on 4" centers. Keyed handle included. All-welded construction for extra strength. Cabinets are available with casters. FOB Shipping Point.

	Product No.	Size W x H x D	Shelves	Wt. (lbs.)	Price Ea.
	HHDSC-3648-19-2 HHDSC-3660-19-3	36 x 48 x 19" 36 x 60 x 19"	2 3	205 250	\$502.42 598.67
	HHDSC-3672-19-4 HHDSC-3678-19-4	36 x 72 x 19" 36 x 78 x 19"	4 4	300 318	698.77 745.06
	HHDSC-3684-19-4 HHDSC36-19 SHELF Extr	36 x 84 x 19"	4 Vt 20 (lbs.) P	336 rice Eq	790.12 53.13
	HHDSC-3648-24-2 HHDSC-3660-24-3	36 x 48 x 24" 36 x 60 x 24"	2 3	220 282	570.60 729.26
	HHDSC-3672-24-4 HHDSC-3678-24-4	36 x 72 x 24" 36 x 72 x 24" 36 x 78 x 24"	3 4 4	282 346 364	846.90 891.94
	HHDSC-3684-24-4	36 x 84 x 24"	4	382	937.00
	HHDSC36-24SHELF Extr				64.52
	HHDSC-4848-19-2 HHDSC-4860-19-3	48 x 48 x 19" 48 x 60 x 19"	2 3	230 286	587.09 703.88
	HHDSC-4872-19-4 HHDSC-4878-19-4	48 x 72 x 19" 48 x 78 x 19"	4 4	343 360	817.14 882.08
Flush Mount Doors	HHDSC-4884-19-4	48 x 84 x 19"	4	378	946.02
	HHDSC48-19SHELF Extre	a Shelf for Above. W	/t. 25 (lbs.) Pr	ice Ea.	64.52
	HHDSC-4848-24-2	48 x 48 x 24"	2	268	740.67
	HHDSC-4860-24-3 HHDSC-4872-24-4	48 x 60 x 24" 48 x 72 x 24"	3 4	333 399	858.58 972.97
	HHDSC-4878-24-4	48 x 78 x 24"	4	416	1,027.82
	HHDSC-4884-24-4	48 x 84 x 24"	4	436	1,109.92
	HHDSC48-24SHELF Extr		, ,		73.41
(Optional casters	Optional Casters - 5" x 2" P Add "C" after the Product N	henolic Casters - 2 rigi o.	d, 2 swivel with	brake.	

Add "C" after the Product No. **Caster Assembly:** 19"D Cabinets **\$150.27;** 24"D Cabinets **\$164.73** (Optional casters available)

Wardrobe Storage Cabinets

available)

- Multi-purpose cabinet stores clothes, hats, shoes, or supplies.
- All-welded, heavy-duty construction features.

All welded 16 gauge steel.

• Overall height of unit is 76"H .

Handy storage capacity and organization in one cabinet. Includes keyed handle on easy swinging doors. Optional padlock hasp available. Cabinet measures 21"D x 36"W x 72"H. FOB Shipping Point. HWSC-3672 Wt. 248 (lbs.) Price Ea. \$637.18 HWSC-3672/1416-4 Includes 4 drawer storage units. Wt. 335 (lbs.) Price Ea. \$878.00 Padlock HHASP Price Ea. \$13.85







Heavy Duty Locker Cabinet Units

• Large capacity lockers to handle many types of storage uses. • All-welded, heavy-duty construction features.

Store and secure about anything in these extra-durable lockers supplies, parts, tools, clothes, paints, inventory and more. Doors equipped with pull handle and padlock loop eyes. Made of 14 ga. all welded for super strength. Measures 24"W x 24"D x 74"H. FOB Shipping Point.

Ltr. No.		Size W x D x H	No. Doors	Comp. Size Height	e Width	Wt. (lbs.)	Price Ea.
Α	HDLCU-2424-1	24 x 24 x 74"	1	22½"	23½"	228	\$521.09
В	HDLCU-2424-2	24 x 24 x 74"	2	34½"	23½"	215	507.58
С	HDLCU-2424-3	24 x 24 x 74"	3	22½"	23½"	230	529.16





included). Side locker panels and front foot locker panel are perforated to allow ventilation. Door unit is also perforated. FOB Shipping Point. ice α. 0.78

These athletic lockers are great for gyms, team and sports locker rooms

and more. Units include a full width coat rod, 2 coat hooks and 4"H

locker with padlock hasp for secure storage. The unit with the door

includes a 14"H foot locker with padlock hasp (no top cabinet is

legs. The unit without the door includes a top cabinet and a 14"H foot

Locker Storage Cabinets

Product No.	Size W x H x D	Wt. (Ibs.)	Price Ea.
HGL-2472-24-L	24 x 76 x 24"	180	\$520.78
GEAR L	OCKER WITH FULL DO	OR PERFORATED	
HGL-2472-24-DFL	24 x 76 x 24"	192	603.29

HGL-2472-24-DFL

See-Thru Cabine

 Perforated steel allows instant visual inspection of contents.

For See-Thru option, please add "PERF" on the end of the Product No. (Ex. HHDSC-3678-19-4-PERF) Add \$121.66

	 20000000
	3 1 1 1
1	
	4
	New State
	Summer .

STORAGE CABINETS & BIN CABINETS



Super Extra Heavy Duty Cabinets

• Built for heavy load capacities.

• Perfect for storage of unusually heavy items.

Superior 12 ga. steel construction supports loads up to 2000 lbs. evenly distributed. Shelves adjust on 4" centers. Durable handle with padlock tab combined with locking rod assembly provides maximum security. Cabinet includes 6" legs. Includes X-treme Duty welded hinges. FOB Shipping Point.

Product No.	Size W x H x D	Overall Height	Shelves	Wt. (Ibs.)	Price Ea.
HSXHDSC-3648-24-2 HSXHDSC-3660-24-3 HSXHDSC-3672-24-4	36 x 48 x 24" 36 x 60 x 24" 36 x 72 x 24"	54" 55" 78"	2 3 4	339 391 460	\$676.29 764.07 904.64
HSXHDSC-3624-SHELF Extra	Shelf for above. Wt. 25 (lbs.) Price Ed	a. \$59.21			
HSXHDSC-3672-20-4	36 x 72 x 20"	78"	4	419	820.41
HSXHDSC-3619-SHELF Extro	a Shelf for above. Wt. 20 (lbs.) Price E	a. \$47.60			
HSXHDSC-4860-24-3 HSXHDSC-4872-24-4	48 x 60 x 24" 48 x 72 x 24"	66" 78"	3 3	473 558	920.33 1,089.63
HSXHDSC-4824-SHELF Extra	Shelf for above. Wt. 30 (lbs.) Price Ed	a. \$67.39			
HSXHDSC-6060-24-3 HSXHDSC-6072-24-4	60 x 60 x 24" 60 x 72 x 24"	66" 78"	3 4	580 686	1,058.72 1,258.03
HSXHDSC-6014-SHELF Extra	Shelf for above. Wt. 35 (lbs.) Price E	a. \$76.72			
HSXHDSC-7260-24-3 HSXHDSC-7272-24-4	72 x 60 x 24" 72 x 72 x 24"	66" 78"	3 4	694 734	1,247.91 1,319.99
HSXHDSC-7224-SHELF Extra	Shelf for above. Wt. 42 (lbs.) Price E	a. \$91.15			
HSXHDSC-3672-24-3-D*	* 36 x 72 x 24" Shelf for above Wt 25 (lbs.) Price F	78"	3	636	1,159.17

*Includes 3 Drawers – heavy duty, mounted on ball bearing slides. Drawers measures 32"W x 27"D x 6"H.

Heavy Duty Bi-Fold Door Cabinets

• All welded heavy duty construction.

These Bi-Fold Door Cabinets in stainless steel or powder coat finish feature all welded, heavy duty construction and include a 3-point locking mechanism with a built-in cylinder lock and 2 keys. Standard units and suffix (-SS) units include 3 adjustable and 1 fixed shelf. Suffix (-SS) denotes stainless steel construction. Suffix (-B) come equipped with 16 each 14 x 8 x 7" and 8 each 14 x 16 x 7" storage bins and include 1 fixed shelf. **Options** include: Extra shelves, louvered bin panels and bins. Use suffix (-L) for optional 6"H legs. FOB Shipping Point.

	HEAVY-DUTY BI-FOLD DOOR CABINETS								
Produc No.	ct	No. Shelves/Bins	Size W x H x D	Wt. (Ibs.)	Price Ea.				
HBDSC-SS- HBDSC-SS-	78-24-4 78-18-B	1 Fixed, 3 Adj. Shelves/No Bins 1 Fixed, 3 Adj. Shelves/No Bins 1 Fixed Shelf/24 Bins 1 Fixed Shelf/24 Bins 1 Fixed, 3 Adj. Shelves/No Bins 1 Fixed, 3 Adj. Shelves/No Bins 1 Fixed Shelf/24 Bins 1 Fixed Shelf/24 Bins	36 x 78 x 18" 36 x 78 x 24" 36 x 78 x 18" 36 x 78 x 24" 36 x 78 x 24" 36 x 78 x 24" 36 x 78 x 24" 36 x 78 x 24"	215 250 225 260 265 305 297 337	\$608.31 674.23 949.45 1,000.81 1,760.47 2,009.47 1,959.68 2,208.67				
		OPTIONS							
HBD-18 Sh HBD-24 Sh HBD-SS-18 HBD-SS-24 ADD 6"H L	elf Shelf Shelf	Extra Shelf Extra Shelf Extra Shelf - Stainless Extra Shelf - Stainless Optional 6"H Legs	36"D x 18"W 36"D x 24"W 36"D x 18"W 36"D x 18"W 36"D x 24"W Add 6" to Height	10 24 13 17 4	\$30.34 38.70 80.92 105.82 51.62				

Bin Storage Cabinets

- Cabinets feature removable bin boxes with a front label folder for easy parts identification.
- Tough cabinets made of all-welded 14 ga. steel.

Heavy duty cabinets feature flush doors for handsome good looks. Ideal for factory or office use. Swing doors equipped with 3 point locking mechanism for extra security. Includes locking chrome handle. FOB Shipping Point.



Style A Bin Storage Cabinet

Includes bin boxes on inside of cabinet and in door of cabinet.

Style Product No. Bin Quantity PB1 PB2 PB3 PB4 PB5 PB6 PB7 No. Shelves Cabinet Door Size W x D x H Wt. (lbs.) Price Ea. Bin Product Size No. Bin Product Size No. Bin Quantity Size No. No. Shelves Cabinet Door Wt. W x D x H Price (lbs.) Bin Product Ea. Bin Product Size No. Bin Product Size No. Bin Product Size No. Price Bin Product Size No. Bin Product Size No. W x D x H A HDBC36-00-132 B HDBC48-00-0727 B HDBC43-04-076 B HDBC43-04-076 B HDBC43-04-128 C HDBC36-26-64 C HDBC36-26-78 C HDBC36										ia in aoo	 .omeen		01101100 1110	
Style No. Product No. Bin PB1 Quantity PB2 No. Shelves PB3 Size Cabinet Door Wt. W x D x H Price (lbs.) Bin Ea. Din Size No. Bin Poduct Size No. Bin Poduct Size No. Din Size No. Bin Poduct Size No. W x D x H A HDBC48-00-132 48 48 18 12 6 - - 36 × 24 × 72" 316 \$1,036.51 Bin PB1 PB1 5 × 4 × 3" A HDBC48-00-171 64 64 24 13 6 - - 36 × 24 × 72" 316 \$1,036.51 PB1 5 × 4 × 3" B HDBC43-00-02-227 80 90 30 18 9 - - 60 × 24 × 72" 351 1,067.53 PB3 11 × 6 × 5" B HDBC43-0-128 64 64 - - - 4 × 24 × 78" 527 1,483.25 PB4 10 × 8 × 7" B HDBC43-0-170 80 90 - - - 4 × 60 × 24 × 78" 514 1,432.99 PB5 15 ×						BIN	J STO	DRAG	F C/	BINFTS				DIN L CITE
A HDBC36-00-132 48 48 12 6 - - - 36 × 24 × 72" 316 \$1,036.51 PB1 5 × 4 × 3" A HDBC48-00-171 64 64 24 13 6 - - - 36 × 24 × 72" 316 \$1,036.51 PB1 5 × 4 × 3" A HDBC48-00-171 64 64 24 13 6 - - - 48 × 24 × 78" 525 1,435.89 PB2 7 × 4 × 3" B HDBC30-00-96 48 48 - - - - 60 × 24 × 84" 613 1,874.10 PB3 11 × 6 × 5" B HDBC48-40-128 64 64 - - - 48 × 24 × 78" 527 1,483.25 PB4 10 × 8 × 7" B HDBC30-26-64 - 48 - - 60 × 24 × 84" 650 1,883.28 PB5 15 × 16 × 7" PB6 15 × 16 × 7" PB6 15 × 16 × 7" PB7 18 × 11 × 10" PB7 1			PB1	PB2		Quar	ntity			No. She				Bin Product Size
	A	HDBC48-00-171 HDBC60-00-227 HDBC36-40-96 HDBC48-40-128 HDBC60-40-170 HDBC36-26-64 HDBC48-26-84	64 80 48 64 80 -	64 90 48 64 90 48 64	24 30 - - -	13 18 - - - -	6 9 - - 16 20	-		-	 48 × 24 × 78" 60 × 24 × 84" 36 × 24 × 72" 48 × 24 × 78" 60 × 24 × 84" 36 × 24 × 72" 48 × 24 × 78"	525 613 351 527 656 345 514	1,435.89 1,874.10 1,067.53 1,483.25 1,883.28 1,041.98 1,432.99	PB1 5 x 4 x 3" PB2 7 x 4 x 3" PB3 11 x 6 x 5" PB4 10 x 8 x 7" PB5 15 x 8 x 7" PB6 15 x 16 x 7" PB7 18 x 11 x 10"



COLOR CHART

13 Colors available at NO additional cost. Gray, Dark Green, Vista Green, Dark Brown, Beige, Dark Blue, Light Blue, Orange, Red, Putty, Black, White, and Yellow – please specify. Delivery is not affected by color choice. Custom Colors available at additional cost. Custom Design...All items can be modified to suit your needs. Call for information.

HBDSC-SS-3678-18-B

Shown with Optional

6"H Legs Stainless Steel



Style C Bin Storage Cabinet

Bins in both doors and lower half of cabinet. 2 adjustable shelves and 6 door shelves.

EX Product No.	TRA SHEL Shelf Width	VES Wt. (lbs.)	Price Ea.						
HDBC-Shelf-36 HDBC-Shelf-48 HDBC-Shelf-60	36" 48" 60"	20 25 30	\$54.84 67.05 78.71						
DOOR SHELF									
HDBC-Doorshel	F	3	11.68						



Style B Bin Storage Cabinet

Bins on both doors, 4 adjustable

shelves within

535

STORAGE SYSTEMS

Set-Up Stylish Lockers

- All-steel construction for durability and strength.
- Attractive styling that fits into any office environment yet rugged enough for factory use.

All set-up and ready to use – just remove the carton. Can be used individually or bolted together in groups. Built in padlock hasps for security. Full height piano hinges for years of use. Single locker is furnished with 2 coat hooks and hat shelf. Doors are 18 ga., housing and top is 22 ga. and bottom is 20 ga. Light Gray in color. FOB Shipping Point.

Visual Locker: Excellent locker when visibility, ventilation and security are important. Same heavy duty construction as standard lockers with 16 ga. expanded metal door fronts. Light Gray in color. FOB Shipping Point.

Product No.	No. Comp.	Compartment Size W x D x H	Overall Size W x D x H	Wt. (lbs.)	Price Ea.
H2860-1	1	Full Size	12¼ x 18 x 60"	56	\$142.63
H2860-4	4	12 x 18 x 14"	12¼ x 18 x 60"	60	178.95
H2872-1	1	Full Size	12¼ x 18 x 72"	65	168.57
H2872-2	2	12 x 18 x 34"	12¼ x 18 x 72"	66	191.91
H2872-6	6	12 x 18 x 11"	12¼ x 18 x 72"	76	239.09
		VISUAL L	OCKER		
110070 /14	,	10 10 11	101/ 10 70		4010.04

 H2872-6M
 6
 12 x 18 x 11"
 12¼ x 18 x 72"
 76
 \$319.84

 HCRK24
 Optional Coat Rod Kit for use with the H2872-6 and H2872-6M
 lockers. Provides two 24" coat rods, Wt. 5 (lbs.) Price Ea. \$27.21.

Mobile computer cabinet



- Both keyboard tray and printer shelf are equipped with heavy-duty pull out slides.
- File drawer with full extension drawer slides will
 - accommodate hanging files.
- Shipped set-up and ready to use.

Rugged construction ensures durable use. Pan reinforced doors with full height piano hinges. Two shelves adjustable on 2" centers. Two handles with 3 point locking. Includes 3" dia. hole in back of cabinet for cords and ventilation. Rolls on heavy duty 5" swivel casters with brakes. Measures 36"W. x 24"D. x 72"H. -- 78"H. with casters. Available in Light Gray, Champagne, Black or Blue -please specify. FOB Shipping Point. **H272-MCC** Wt. 240 (lbs.) **Price Eg. \$603.70**





Modular Laptop Storage Lockers

- Heavy duty, all welded construction.
- Optional 6" high base for floor storage.

Made for security and convenience, our laptop storage locker offers security for your laptop or valuables. Each compartment can easily hold a laptop, tablets, other electronic devices, or any other valuables. Vented on sides, top, bottom and rear for ample ventilation. Large grommetted holes for charging cords and network cables. Units are sold individually and can be stacked securely and/or connected laterally. Individual units can be mounted to work surfaces or walls, both horizontally and upright. Front access door has piano hinge with an ergonomic flush pull. Cylinder lock is supplied with two keys. Finished in a durable, textured black powder coat. FOB Shipping Point.





Product	Description	Size	Wt.	Price
No.		W x D x H	(Ibs.)	Ea.
HMLB-182005	Laptop Unit	18 x 20 x 5"	17	\$74.73
HMLB-182006	Laptop Base	18 x 20 x 6"	9	40.00



Laptop Storage Cart

- Mobile storage for 24 laptops and 48 tablets.
- Heavy duty all welded construction, set up ready to use.

Expanded metal 16 ga. doors provide excellent security, visibility and ventilation when storing or charging. Has a three point locking device. There are 6-3" holes in rear to run power cords. Rubber mat on top with 2 push handles. Moves easily on 5" casters, 2 rigid and 2 swivel with brakes. Measures 36"W. x 24"D. x 48"H. Optional outlet strip with 8 outlets, lighted on/off switch, resettable circuit breaker and 6' cord. FOB Shipping Point.

536

H242-LTE Wt. 227 (lbs.) Price Ea. \$609.49 HUE800SB Optional Outlet Strip, Wt. 4 (lbs.) Price Ea. \$92.26



CABINETS

Set up Storage Cabinets

• Built for superior performance and use.

• All set-up and ready to use.

These rugged and durable cabinets are extra tough and smart looking. Features full height piano hinges. Shelves adjust on 2" centers. Full 1" thick pan reinforced doors. Ledge cornice top. Three point locking device with plated locking bars. Includes two handles on double door cabinets. Includes heavy duty carton and skid. Available in Blue, Lt. Gray, Champagne or Black – please specify. FOB Shipping Point.



Parent

H142-S

HEAVY DUTY STORAGE CABINETS Shelf capacity 400 lbs. evenly distributed.									
Product No.	Size W x D x H	No. Openings	Wt. (lbs.)	Price Ea.					
H217-S* H227-S* H317-S H327-S H427-S	24 x 18 x 78" 24 x 24 x 78" 36 x 18 x 78" 36 x 24 x 78" 48 x 24 x 78"	5 5 5 5 5 5 5 5	155 185 192 220 290	\$255.83 282.29 392.63 436.08 557.49					
WARDROBE CABINET With hat shelf, coat rod and 2 hooks.									
H217-W* H227-W* H317-W H327-W H427-W	24 x 18 x 78" 24 x 24 x 78" 36 x 18 x 78" 36 x 24 x 78" 48 x 24 x 78"		148 160 170 185 230	\$239.51 259.34 363.23 394.39 508.54					
With hat sh	COMBINAT elf, 3 adjustable shelves,	ION CABINETS dividing partition	on, coat rod a	nd 2 hooks.					
H217-C* H227-C* H317-C H327-C H427-C	24 x 18 x 78" 24 x 24 x 78" 36 x 18 x 78" 36 x 24 x 78" 48 x 24 x 78"		160 190 195 220 273	\$294.71 322.76 436.79 485.09 606.48					

*Single Door Cabinets. All others double door.

XHD Extra Heavy Duty Storage Cabinets

- Cabinets are rugged all welded construction made from 14 and 16 ga. Steel.
- Available in 4 sizes

The toughest cabinet built! Designed for extra heavy and extra rough use. Galvanized shelves for a long lasting durable finish – scratch, oil and chemical resistant.



800 lb. shelf capacity. Finish is high visible precaution blue which is an electrostatically applied powder coated finish. Optional fork lift base allows ease in moving loaded cabinets. Fork lift base adds 4" to height of cabinet. Includes heavy duty carton and skid. FOB Shipping Point.

Product No.	Size W x D x H	Wt. (Ibs.)	Price Ea.
HXHD-3142	36 x 18 x 42"	187	\$461.59
HXHD-3242	36 x 24 x 42"	218	509.97
HXHD-3178	36 x 18 x 78"	278	695.05
HXHD-3278	36 x 24 x 78"	370	779.30
HXHD-FB18 18" F	ork Lift Base W/t 31 Price Ea \$93.62		

H172-S

	STANDARD STORAGE CABINETS Shelf capacity 200 lbs. evenly distributed.									
Product No.	Size W x D x H	No. Openings	Wt. (lbs.)	Price Ea.						
H142-S H242-S H172-S H272-S H178-S H278-S	36 x 18 x 42" 36 x 24 x 42" 36 x 18 x 72" 36 x 24 x 72" 36 x 24 x 72" 36 x 18 x 78" 36 x 24 x 78"	3 3 5 5 5 5 5	80 100 145 165 155 175	\$225.68 258.54 271.96 347.31 312.11 374.88						
	WARDROBE CABINET With hat shelf, coat rod and 2 hooks.									
H172-W H272-W H178-W H278-W	36 x 18 x 72" 36 x 24 x 72" 36 x 18 x 78" 36 x 24 x 78"		130 150 140 160	\$262.73 344.08 309.02 371.23						
With hat	COMBINATION CABINETS With hat shelf, 3 adjustable shelves, dividing partition, coat rod and 2 hooks.									
H172-C H272-C H178-C H278-C	36 x 18 x 72" 36 x 24 x 72" 36 x 18 x 78" 36 x 24 x 78"		145 165 165 175	\$309.02 417.70 369.36 451.08						

Heavy-Duty Visual Storage Cabinets

- Excellent cabinet when security, visibility and ventilation are important.
- All units are shipped set-up & and ready to use.

Features expanded metal door fronts for quick content identification and air circulation. Doors are 16 ga. with full height piano hinge. Shelves are 18 ga. with 400 lb. capacity each – adjustable on 2" centers. 3 point locking device with plated locking bars. Includes 2 handles with keys – 1 locking, 1 fixed. Durable Light Gray and Blue powder coat finish – please specify. FOB Shipping Point. H3172-SED 36"W. x 18"D. x 72"H. Wt. 178 (lbs.)

H3172-SED 36"W. x 18"D. x 72"H. Wt. 178 (lbs.) Price Ea. \$508.46

H3272-SED 36"W. × 24"D. × 72"H. Wt. 202 (lbs.) Price Ea. \$550.84

Visual Storage Cabinets

• The perfect cabinet when security and visibility are necessary.

Shipped set-up and ready to use.

Sturdy doors are made of 16 ga. steel with full height piano hinges and shatterproof acrylic panels. Shelves adjust on 2" centers. Strong 200 lb. shelf capacity. Ledge cornice top. Features 3 point locking device with plated locking bars. Two handles provided --1 locking, 1 fixed and furnished with 2 keys. Durable powder coat finish. Available in Light Gray and Champagne -- please specify. FOB Shipping Point. H172-SGD 36"W.x 18"D. x 72"H. Wt. 168 (lbs.) Price Ed. \$420.44

H272-SGD 36"W. x 24"D. x 72"H. Wt. 188 (lbs.) Price Ea. \$487.01



HXHD-FB10 10 Fork Liff Base Wt. 31 Frice Ed. \$93.02 HXHD-FB24 24" Fork Liff Base Wt. 38 Price Ed. \$100.31

CABINETS

Hallowell 800 Series Heavy-Gauge KD Cabinets

• All-welded door frame assembly.


• Corner Foot Gussets provide added rigidity and stability. Provides maximum protection for tools, dies, delicate instruments, supplies, and personal belongings. Has a neat and attractive appearance and is designed to meet governments requirements. Cabinet is fabricated from heavy gauge steel for appearance and durability. All metal parts are precision engineered. No bolt heads show in front or on side panels. Positive three-point locking (top, center and bottom) and theft resistant hinges for added security. Chrome plated locking handle has built in grooved key cylinder lock. Shelves easily adjust up or down in 2" increments. Triple flanged front for added strength (300 lb. capacity.) Doors swing out quietly a full 180° and are "HAT" section reinforced. Cabinets have a 2 year warranty. Standard colors are Parchment or Midnight Ebony -- please specify. Order your cabinets in our specially formulated Antimicrobial powder coat finish that protects against bacteria, mold, yeast and mildew for up to 20 years. Color is Platinum. FOB Shipping Point.



Hallowell

Wardrobe Cabinet

Storage Cabinet



*For Parchment add (PT) to Product No. For Midnight Ebony add (ME) to Product No.





OPTIONAL LEG KIT

 Fabricated from Galvanneal corrosion resistant steel

- Can be bolted to all DuraTough cabinets.
- Places cabinet bottom above finished floor.
- Allows cabinets to be moved with a forklift.
- Order to match cabinet depth.

Available in Heavy-Duty and Extra Heavy-Duty models for both our Classic and Galvanite™ corrosion resistant series. Heavy-Duty cabinets are fabricated from 16 gauge sheet steel. Extra Heavy Duty cabinets are fabricated from 14 gauge steel which is 25% thicker then 16 gauge providing maximum durability. Classic Series cabinets are fabricated from cold rolled sheet steel and are designed for use in non-corrosive environments. GalvaniteTM series cabinets are fabricated from galvanneal sheet steel providing protection against high-humidity and moist environments. FOB Shipping Point.

Features:

- · All-welded construction, double door design.
- · Solid doors are reinforced with 18 gauge full-height door stiffener providing a rigid torque-free door.
 3-point turn handle locking and heavy-duty 13 gauge 7-knuckle 3½" hinges.
- Back is welded to cabinet top, bottom and sides.Shelves are formed to provide maximum capacity and are
- adjustable on 3" centers.
- Optional leg kits are available and can be bolted to all DuraTough cabinets.
- · Color: Charcoal.



5 DAY SHIPPING

ON ALL IN-STOCK

LOCKERS

Combination Cabinet

			LASSIC SERIES IEAVY-DUTY			CLASSIC SERIES			GALVANITE™ SERIE HEAVY-DUTY	S		GALVANITE™ SERI EXTRA HEAVY-DUT		
	Size W x D x H	No. Shelves	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea. CABINETS	Product No	Wt. (Ibs.)	Price Ea.	Product No	Wt. (lbs.)	Price Ea.
	36 x 21 x 42"	2	HW6SC6142-2CL	184	\$588.59	HW4SC6142-2CL	230	\$706.29	HWG6SC6142-2CL		\$735.72	HWG4SC6142-2CL	230	\$882.87
	36 x 21 x 60"	3	HW6SC6160-3CL	240	686.68	HW4SC6160-3CL	300	824.01	HWG6SC6160-3CL	240	858.35	HWG4SC6160-3CL	300	1,030.01
	36 x 21 x 78"	4	HW6SC6178-4CL	296	735.72	HW4SC6178-4CL	370	882.87	HWG6SC6178-4CL		919.65	HWG4SC6178-4CL	370	1,103.57
	36 x 24 x 78"	4	HW6SC6478-4CL	324	760.25	HW4SC6478-4CL	405	912.29	HWG6SC6478-4CL	324	950.31	HWG4SC6478-4CL	405	1,140.37
	48 x 24 x 60"	3	HW6SC8460-3CL	326	784.77	HW4SC8460-3CL	407	941.72	HWG6SC8460-3CL	326	980.96	HWG4SC8460-3CL	407	1,177.16
	48 x 24 x 78"	4	HW6SC8478-4CL	376	833.81	HW4SC8478-4CL	470	1,000.59	HWG6SC8478-4CL	376	1,042.28	HWG4SC8478-4CL	470	1,250.72
	60 x 24 x 78"	4	HW6SC0478-4CL	420	907.39	HW4SC0478-4CL	525	1,088.87	HWG6SC0478-4CL	420	1,134.24	HWG4SC0478-4CL	525	1,361.08
									PARTITION AND (3) F					
	36 x 24 x 78"	4	HW6CC6478-4CL	320	\$833.81	HW4CC6478-4CL	400	\$1,000.59	HWG6CC6478-4CL		\$1,042.28	HWG4CC6478-4CL	400	\$1,250.72
	48 x 24 x 78"	4	HW6CC8478-4CL	340	907.39	HW4CC8478-4CL	425		HWG6CC8478-4CL		1,134.24	HWG4CC8478-4CL	425	1,361.08
	60 x 24 x 78"	4	HW6CC0478-4CL	378	980.96	HW4CC0478-4CL	473		HWG6CC0478-4CL	378	1,226.20	HWG4CC0478-4CL	473	1,471.44
						DDITIONAL SHELVE								
	36 x 21"	-	HW6SCS61CL	16	\$34.56	HW4SCS61CL	20	\$41.47	HWG6SCS61CL	16	\$43.19	HWG4SCS61CL	20	\$51.83
	36 x 24"	-	HW6SCS64CL	19	39.09	HW4SCS64CL	24	46.92	HWG6SCS64CL	19	48.87	HWG4SCS64CL	24	58.64
	48 x 24"	-	HW6SCS84CL	24	44.55	HW4SCS84CL	30	53.45	HWG6SCS84CL	24	55.68	HWG4SCS84CL	30	66.81
						-ORDER MATCHING	CABIN	iet depth. F	ITS ALL CABINET SERI	ES				
	4 x 21 x 4"	-	HWC4LK-1G-CL	15	\$120.69									
-	4 x 24 x 4"	-	HWC4LK-4G-CL	15	125.40									

Parts ORGANIZATION

Heavy Duty All-Welded Bin & Shelf 14 ga. Steel Storage Cabinets

• Reinforced doors hold fully loaded bins.

• Heavy gauge steel throughout with reinforced base.

Heavy-duty, all welded 14 gauge steel construction. 3-point locking handle with 5/16" dia. rods and a provision for padlock. Models HJC-171, HSSC-227 and HSSC-185-3S have 6" high box style legs which offers space for lift truck forks making the entire units forkliftable and can be lagged to the floor. Legs are constructed of 3/16" steel. All cabinets feature fully welded piano hinges to increase rigidity – doors will not sag, warp or twist. Fully loaded doors can hold up to 650 lbs. Finished in durable Gray powder coat. FOB Shipping Point.



DURHAM MFG Est. 1922





Visible Storage Cabinet

- Perfect for storage of items where ventilation and visibility are critical.
- Features punched metal front and sides.

Heavy-duty, all-welded construction. Shipped fully assembled and ready for use. Formed 14 ga. steel on bottom, top and shelves, 16 ga. solid steel

back, 14 ga. diamond punched sides and door. Includes 4 steel shelves that adjust on 4" centers. Heavy-duty piano hinge secures door to avoid sagging. 6" legs with holes allow for floor lagging. Features sturdy cast steel locking handle with %" dia. rods and provision for padlock (padlock not furnished). Durable Gray powder coat finish. FOB Shipping Point.

Product	Description	Size	Wt.	Price
No.		W x D x H	(lbs.)	Ea.
HJC-171	171 Bins	48 x 24 x 78"	540	\$1,363.94
HSJC-BDLP-192	192 Bins	48 x 24 x 84"	579	1,469.78
HSJC-DLP-144-4S	144 Bins, 4 Shelves	48 x 24 x 84"	553	1,223.64
HSJC-DLP-4S-14DS	4 Shelves,14 Door Shelves	48 x 24 x 84"	544	1,167.85
H3501-BDLP-132	132 Bins	36 x 24 x 72"	422	1,048.34
H3501-BDLP-102-3S	102 Bins, 3 Shelves	36 x 24 x 72"	468	971.36
HDC48-176-95		48 x 24 x 72"	546	948.19
HJC-137-3S	176 Bins 137 Bins, 3 Shelves	40 x 24 x 72 48 x 24 x 78"	540	946.19
HSSC-227	227 Bins	60 x 24 x 84"	827	1,486.49
HSSC-185-3S	185 Bins, 3 Shelves	60 x 24 x 84"	710	1,407.13
	165 Bins, 5 Shelves		/10	1,407.13

*Add suffix for bin color Yellow (-95), Red (-1795), Blue (-5295).

VISIBLE STORAGE CABINET										
Product No.	Overall Size D x W x H	Shelf Cap. (lbs.)	Wt. (lbs.)	Price Ea.						
HVSC-242478-95	24 x 24 x 78"	300	242	\$703.12						

All Welded Storage Cabinets

• Heavy-duty all steel 14 ga. material is completely welded to create the sturdiest cabinet made.

Choose from ten models to store, sort and organize. Construction features not found anywhere else. Ideal for factories, warehouses or offices. Securely store tools, parts and supplies. Doors swing effortlessly, thanks to full length piano hinges. Doors also feature three point locking handle and two keys. Durable gray powder coat finish. FOB Shipping Point.

Ltr. No.	AL Product No.	L WELDED No. Shelves	STORAGE CABIN Overall Size W x D x H	ET Wt. (Ibs.)	Price Ea.
А	H3010-95	1 fixed	24 x 24 x 33%"	128	\$333.18
В	H3000-95	1 fixed	36 x 24 x 33%"	155	448.15
С	H3600-95	2 adj.	36 x 18 x 48"	232	522.76
С	H3601-95	3 adj.	36 x 18 x 60"	289	597.79
С	H3602-95	4 adj.	36 x 18 x 72"	334	676.25
С	H3603-95	4 adj.	36 x 18 x 84"	376	660.78
С	H3500-95	3 adj.	36 x 24 x 84"	397	710.61
С	H3501-95	3 adj.	36 x 24 x 72"	366	701.60
С	H3502-95	3 adj.	48 x 24 x 72"	394	809.28
C	H3503-95	2 adi	$36 \times 21 \times 12^{"}$	219	552 73







E-Z Pallet Lift

• Rugged, dependable and affordable.

• 215° pivot action maneuvers in compact areas. Rugged 5500 lb. capacity. Spring-A-Matic handle self returns. Safety designed loop handle includes neutral position and fingertip release. Three position hand lowering control. One piece formed steel "C" channel tapered, reinforced forks. Leak-proof pump. Hard chrome plated ram and piston. Tapered fork ends and pallet entry rollers. Polyurethane wheels and rollers for a quiet and smooth use. Model #HEZ27x48EZVS/W is our steel wheel pallet jack. This unit has steel steer and load wheels. FOB Shipping Point.

Product No.	E-Z PALLET LIF Fork Size	T Wt. (lbs.)	Price Ea.
HEZ20% x36EZVPP HEZ20% x48EZVPP HEZ20% x48EZVPP HEZ20% x72EZVPP HEZ27x36EZVPP HEZ27x42EZVPP HEZ27x42EZVPP HEZ27x48EZVPP HEZ27x62EVPP HEZ27x72EZVPP	20½ x 36" 20½ x 42" 20½ x 48" 20½ x 60" 20½ x 72" 27 x 36" 27 x 42" 27 x 48" 27 x 60" 27 x 72"	165 165 240 270 165 165 165 250 280	\$288.00 288.00 288.00 660.00 786.67 288.00 288.00 288.00 660.00 786.67
	L PALLET JACK		
HEZ27x48EZVS/W	27 x 48"	180	326.68



All-Welded Deep Tray Truck

- Shelves are formed into 3", 6" or 12" deep trays for parts and supplies storage.
- Made of rugged 12 ga. steel.


Extra deep tray cart to contain parts, packages or inventory. Smooth rolling on 5" x 1¹/₄" or 6" x 2" polyurethane casters -- 2 swivel, 2 rigid. 3600 lb. models feature extra reinforcement. FOB Shipping Point.

Product	Cap.	Shelf Size	Wheel	Tray	Wt.	Price
No.	(lbs.)	W x L	Size	Depth	(Ibs.)	Ea.
HDS1830X3-5PY	1200	18 x 30"	5"	3"	71	\$216.72
HDS2436X3-5PY	1200	24 x 36"	5"	3"	95	250.75
HDS1830X6-5PY	1200	18 x 30"	5"	6"	87	254.33
HDS2436X6-5PY HDS1830X3-6PY	1200 3600	24 x 36" 18 x 30"	5" 6"	6" 3" 3"	116 81	304.48 284.78
HDS2436X3-6PY HDS2448X3-6PY HDS1830X6-6PY	3600 3600 3600	24 x 36" 24 x 48" 18 x 30"	6" 6" 6"	3" 6"	105 132 97	326.87 363.58 322.39
HDS2436X6-6PY	3600	24 x 36"	6"	6"	126	376.12
HDS2448X6-6PY	3600	24 x 48"	6"	6"	157	435.22
HDS1830X12-6PY	3600	18 x 30"	6"	12"*	101	331.34
HD\$2436X12-6PY	3600	24 x 36"	6"	12"*	132	383.28

* top shelf only 12" deep / bottom shelf 1½" deep.

Folding Leg Style Benches

- Hinged legs are welded to the underside of the bench.
- Have support braces to hold legs in place -- no stringers needed!



Heavy Duty All-Welded Bin & Shelf 14 ga. Steel Storage Cabinets

- Reinforced doors hold fully loaded bins.
- Heavy gauge steel throughout with reinforced base.

Heavy-duty, all welded 14 gauge steel construction. 3-point locking handle with 5/16" dia. rods and a provision for padlock. Legs are constructed of 3/16" steel. All cabinets feature fully welded piano hinges to increase rigidity - doors will not sag, warp or twist. Fully loaded doors can hold up to 650 lbs. Finished in durable Gray powder coat. FOB Shipping Point.

> Product No.

HSJC-BDLP-192-95

HSJC-DLP-144-4S-95

HSJC-DLP-4S-14DS-95

HJC-171-95

a base.			
C ¹	347	D 1	
Size	Wt.	Price	
WxDxH	(lbs.)	Ea.	
48 x 24 x 78"	521	\$1,363.95	
48 x 24 x 84"	620	1,469.77	
48 x 24 x 84"	572	1.223.64	
48 x 24 x 84"	592	1,167.85	

1,167.85

Ergonomic Work Benches

- Available in Folding Leg or Basic leg designs.
- Easily adjust surface heights from 28" to 42" above the floor.

Description

171 Bins

192 Bins

144 Bins, 4 Shelves

4 Shelves, 14 Door Shelves 48 x 24 x 84"

Chose the right work height for any work application. Add shelves and drawers as needed. These rugged work benches create more comfortable and productive work areas. Strong 2000 lb. capacity evenly distributed. Available with Steel Top or Tempered Hardboard over steel top. Assembles in minutes. Gray powder coat finish. FOB Shipping Point.

FOLDING LEG STYLE BENCHES							
	TEMPERED HARDBOARD						
	ALL STEEL TOP		OVER STEEL TOP				
Size	Product	Wt. Price	Product	Wt. Price			
W x D	No.	(lbs.) Ea.	No.	(lbs.) Ea.			
60 x 30"	HWBF-3060-95	115 \$369.12	HWBF-TH-3060-95	129 \$442.66			
60 x 36"	HWBF-3660-95	129 388.09	HWBF-TH-3660-95	145 469.60			
72 x 30"	HWBF-3072-95	127 379.91	HWBF-TH-3072-95	143 454.72			
72 x 36"	HWBF-3672-95	142 396.16	HWBF-TH-3672-95	162 472.87			
96 x 30"	HWBF-3096-95	160 430.16	HWBF-TH-3096-95	182 510.85			
96 x 36"	HWBF-3696-95	180 463.63	HWBF-TH-3696-95	207 520.02			
96 x 48"	HWBF-4896-95	226 547.99	HWBF-TH-4896-95	263 578.48			
120 x 30"	HWBF-30120-95	222 590.76	HWBF-TH-30120-95	250 717.79			
120 x 36"	HWBF-36120-95	247 616.05	HWBF-TH-36120-95	270 745.21			
120 x 48"	HWBF-48120-95	308 711.27	HWBF-TH-48120-95	355 816.66			